# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

#### WHOLESALE PRICE LIST

62.07

# SPRING 1927

# Henry Kohankie & Son



Trees, Shrubs, Evergreens, Vines, Roses, Herbaceous Perennials

PAINESVILLE, OHIO

Thirty Miles East of Cleveland
Tel. Main 137



# PRICE LIST HENRY KOHANKIE & SON

### Spring 1927

We offer herein a complete list of hardy ornamental nursery stock. Our nursery of five hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions, the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

# Please Read Carefully!

#### CONDITIONS OF SALE

Stock will be supplied at prices named herein as follows: Five of any one variety at ten rate; twenty-five of any one variety at hundred rate. Prices do not include packing. A charge for the actual cost of the boxes and material used in baling will be made.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for plants that fail. Our methods of handling and packing stock are modern and goods will be in good condition and well packed when they leave our grounds. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Electric Package. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than when packed in cases; and above all, the goods are landed on the grounds within a short time after being dug. It is the most satisfactory and economical method of transportation provided the order is of sufficient size.

#### Evergreen Trees

In this department our stock is thrifty and fibrously rooted, having been several times transplanted. Failure to frequently transplant results in a coarse root system; an evergreen so grown, regardless of how symmetrical and attractive the top may be, is almost certain to give poor results.

Prices include lifting the plants with a ball of earth and sewing in burlap as an extra precaution that the plants may arrive in the best of condition.

Alian animate Camb Fin	each	per 10
Abies arizonica. Cork Fir.	<b>¢</b> ៩ ሰሰ	
3 ft 4 ft	•	
5 ft		
	10.00	
balsamea. Balsam Fir.		
2 ft	_ 2.50	
3 ft	3.00	
4 ft	_ 4.00	
5 ft	_ 6.00	
6 ft		
7 ft	_10.00	
concolor. White Fir.		
2 ft	_ 5.00	45.00
3 ft	_ 6.00	50.00
4 ft	_ 8.00	
5 ft	_10.00	
6 ft	_12.50	
7 ft	$_{-}15.00$	
concolor violacea. Purplecone	White	Fir.
3 ft	_ 8.50	75.00
homolepis. Nikko Fir.		
3 ft	_ 5.00	45.00
4 ft	_ 7.50	
5 ft	_10.00	
6 ft	_12.50	
7 ft	_15.00	
nordmanniana. Nordmann Fin	•	
2 ft	_ 5.00	
3 ft	_ 7.50	
4 ft	_10.00	

Abies veitchi. Veitch Fir.	each	per 10	per 100
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
9 ft	18.00		
10 ft			
11 ft	25.00		
Biota orientalis. (See Thuja.)			
Cedrus atlantica glauca. Blue	Atlas Cedar.		
4 ft	6.50		
5 ft	7.50		
7 ft	12.50		
deodara. Deodar.			
4 ft	5.00		
5 ft	7.50		
6 ft	10.00		
libani. Cedar of Lebanon.			
3 ft	5.00	40.00	
4 ft	6.50	55.00	
5 ft	7.50		
6 ft	10.00		
7 ft	19.50		
	12.00		
Cephalotaxus fortunei. Chinese			
	Plumyew.		
Cephalotaxus fortunei. Chinese	Plumyew.		
Cephalotaxus fortunei. Chinese	Plumyew. 6.00 7.50	3 <b>.</b>	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress	3. 45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress 5.00		
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress 5.00 6.50		
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50  vson Cypress 5.00 6.50 8.00		
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress 5.00 6.50 8.00 10.00 ing Lawson	45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress 5.00 6.50 8.00 10.00 ing Lawson	45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew.  6.00  7.50  vson Cypress  5.00  6.50  8.00  10.00  ing Lawson  10.00  12.50	45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50 vson Cypress 5.00 6.50 8.00 10.00 ing Lawson 10.00 12.50 15.00	45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50  vson Cypress 5.00 6.50 8.00 10.00 ing Lawson 12.50 15.00 ess.	45.00  Cypress.	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50  vson Cypress 5.00 6.50 8.00 10.00 ing Lawson 10.00 12.50 15.00 ess 4.00	45.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50  vson Cypress 5.00 6.50 8.00 10.00 ing Lawson 12.50 15.00 ess 4.00 5.00	45.00  Cypress.	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew 6.00 7.50  vson Cypress 5.00 6.50 8.00 10.00 10.00 12.50 15.00 ess 4.00 5.00 7.50	45.00  Cypress.  35.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew	45.00  Cypress.  35.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew	45.00  Cypress.  35.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew	45.00  Cypress.  35.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew	45.00  Cypress.  35.00	
Cephalotaxus fortunei. Chinese  2½ ft	Plumyew	45.00  Cypress.  35.00	

Juniperus chinensis albovariegata.	each	per 10	per 100
Whiteleaf Chinese Juniper.			
3 ft	6.00		
4 ft			
5 ft			
	_		
chinensis globosa. Globe Chinese	_		
24 in		40.00	
		7	
chinensis neaboriensis. Conical		Juniper.	
2 ft		•	
3 ft			
4 ft	7.50		
chinensis pfitzeriana. Pfitzer's	at the second se		
2 to 2½ ft. spread			
2½ to 3 ft. spread			
3 to 3½ ft. spread		75.00	
$3\frac{1}{2}$ to 4 ft. spread			
4 to 4½ ft. spread	15.00		
communis. Common Juniper.			
2 ft	3.00		
3 ft			
4 ft	5.00		
communis depressa. Prostrate	Juniper.		
18 to 24 in. spread		30.00	
24 to 30 in. spread	4.00	35.00	
$2\frac{1}{2}$ to 3 ft. spread	5.00	40.00	
3 to 4 ft. spread	6.00		
4 to 5 ft. spread	7.50		
communis depressa aurea.			
$Golden\ Prostrate\ Juniper.$			
18 to 24 in. spread	3.50	30.00	
24 to 30 in. spread	4.00	35.00	
$2\frac{1}{2}$ to 3 ft. spread	5.00	40.00	
3 to 3½ ft. spread	6.00	50.00	
$3\frac{1}{2}$ to 4 ft. spread	7.50	60.00	
communis hibernica. Irish Jun	_		
2 ft 3 ft	3.00	25.00	
		30.00	
4 ft	5.00		
communis kraccovica. Polish Ju	uniper.		
2 ft	3.00		
3 ft	4.00		

	each	per 10	per 100
Juniperus communis suecica. Swed		_	_
2 ft			
3 ft			
communis suecica nana. Dwarf			•
2 ft		_	
3 ft			
excelsa. Greek Juniper.			
2 ft	3.50	30.00	
3 ft		37.50	
4 ft			
excelsa stricta. Spiny Greek Ju	niper.		
2 ft		35.00	
2½ ft		45.00	
3 ft			
horizontalis. Creeping Juniper.			
18 to 24 in. spread	3.00	27.50	
24 to 30 in. spread		30.00	
2½ to 3 ft. spread		37.50	
horizontalis glauca. Blue Creep			
18 to 24 in. spread	_	_	
24 to 30 in. spread			
2½ to 3 ft. spread			
3 to 3½ ft. spread		45.00	
japonica. Japanese Juniper.			
2 ft	6.00	50.00	
3 ft	7.50	60.00	
4 ft	10.00		
japonica aurea. Golden Japanes	se Junip	er.	
18 in		35.00	
2 ft		45.00	
3 ft	6.00		
sabina. Savin Juniper.			
2 to 2½ ft. spread	4.00	35.00	
2½ to 3 ft. spread	5.00		
3 to 3½ ft. spread	6.00		
3½ to 4 ft. spread	7.50		
sabina tamariscifolia. Tamarix	Savin.		
18 to 24 in. spread	3.50		
24 to 30 in. spread	4.50		
scopulorum. Colorado Juniper.			
3 ft	5.00	45.00	
4 ft		60.00	
5 ft		70.00	
6 ft	10.00	90.00	

Juniperus squamata. Japanese Trailing	g Juniper.
2 to 2½ ft. spread 5.	ach per 10 .00
virginiana. Red Cedar.	
3 ft 4	.00 35.00
4 ft 5.	
5 ft 7	
6 ft 8	
7 ft11	
virginiana cannarti. Cannart Red	Cedar.
4 ft6	.00
5 ft 8	.00
6 ft10.	.00
7 ft12	
8 ft15	.00
virginiana elegantissima. Goldtip R	Red Cedar.
2 ft 5	.00
3 ft 6	.00
virginiana glauca. Silver Red Ced	
3 ft 5	.00
4 ft 6.	.00
5 ft 8	.00
6 ft10	.00
7 ft12	.50
8 ft15	.00
virginiana kosteri. Koster Red Ce	
2 to 2½ ft. spread 6	
$2\frac{1}{2}$ to 3 ft. spread 7.	
3 to $3\frac{1}{2}$ ft. spread10.	.00
virginiana schotti. Schott Red Ced	
4 ft 6	.00
5 ft 8.	.00
6 ft10	.00
8 ft15.	.00
9 ft18.	.00
Picea alba. White Spruce.	
2 ft 2.	.50 22.50
3 ft 3.	30.00
4 ft 5.	.00 40.00
5 ft 6.	50.00
6 ft 7	.50 60.00
7 ft10.	
8 ft12	

each	per 10	per 100
Picea alcockiana. Alcock Spruce.		
4 ft 7.00		
5 ft10.00		
6 ft12.50		
canadensis. Black Hills Spruce.	00.00	
3 ft 3.50	30.00	
4 ft 5.00		
5 ft 6.00		
6 ft 7.50	65.00	
7 ft10.00		
8 ft12.50		
engelmanni. Englemann Spruce.	25.00	
2 ft 4.00		
3 ft 5.00	45.00	
4 ft 7.50		
5 ft10.00		
excelsa. Norway Spruce.	OF 00	225 22
3 ft 3.00		225.00
4 ft 4.00		325.00
5 ft 5.00		
6 ft 6.50		
7 ft 8.00	70.00	
8 ft10.00	80.00	
10 ft12.50	100.00	
11 ft15.00		
12 ft18.00		
13 ft20.00		
14 ft25.00		
excelsa pendula. Weeping Spruce.		
4 ft 7.50 5 ft10.00		
excelsa maxwelli. Maxwell Spruce.		
18 to 24 in 7.50		
24 to 30 in10.00		
excelsa nana compacta. Dwarf Spruc	e.	
18 to 24 in 7.50		
24 to 30 in10.00		
excelsa pygmea. Pygmy Norway Spri	uce.	
15 to 18 in 6.00		
18 to 24 in 7.50		
excelsa remonti. Remont Spruce.		
18 to 24 in 7.50		
24 to 30 in10.00		

Picea mariana. Black Spruce.	each	per 10	per 100
4 ft		•	P01 100
5 ft			
6 ft			
orientalis. Oriental Spruce.			
2 ft	_ 4.00		
3 ft			
4 ft	_ 7.50		
polita. Tigertail Spruce.			
3 ft	_ 5.00	45.00	
4 ft	<b>7.</b> 50		
5 ft	$_{-}10.00$		
6 ft	$_{-}12.50$		
pungens. Colorado Spruce.			
2 ft	_ 4.00	35.00	
3 ft	_ 5.00	45.00	
4 ft	_ 6.00		
5 ft			
6 ft			
7 ft			
pungens glauca. Blue Colorad			
2 ft		45.00	
3 ft		60.00	
4 ft	_10.00		
5 ft			
pungens kosteri. Koster Blue	_		
2½ ft			
3 ft			
3½ ft		6	
4 ft			
$4\frac{1}{2}$ ft5			
5½ ft 6 ft		,	
7 ft			
9 ft. specimens			
10 ft. specimens			
11 ft. specimens			
12 ft. specimens			
13 ft. specimens			
Pinus austriaca. (See Pinus Nigra			
banksiana. Jack Pine.	-/		
6 ft	<b>7.</b> 50		
7 ft			
8 ft			

T					
Р	1	n	u	6	_
		48		$\sim$	9

mus.			
banksiana. Jack Pine.	each	per 10	per 100
9 ft	15.00		
10 ft	18.00		
11 ft			
12 ft	25.00		
densiflora. Japanese Red .	Pine.		
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
9 ft	20.00		
flexilis. Limber Pine.			
3 ft	5.00	40.00	
4 ft	6.00	50.00	
5 ft	7.50		
6 ft	10.00		•
7 ft	12.50		
montana. Swiss Mountain I	Pine.		
2½ to 3 ft	6.00		
3 to 3½ ft	7.50		
3½ to 4 ft	10.00		
montana mughus. Dwarf M	Iountain	Pine.	
18 to 24 in. spread_			
2 to 2½ ft. spread_			
2½ to 3 ft. spread_			
3 to 3½ ft. spread_			
3½ to 4 ft. spread_			
nigra. Austrian Pine.			
4 ft	6.00	50.00	
5 ft	7.50	65.00	
5 ft. specimens	10.00		
6 ft. specimens			
7 ft. specimens			
8 ft. specimens	18.00		
9 ft. specimens			
10 ft. specimens	25.00		
ponderosa. Western Yellow	Pine.		
3 ft	4.00	35.00	
4 ft	5.00	45.00	
5 ft	7.50	60.00	
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
9 ft	18.00		

Pinus resinosa. Red Pine.	each	per 10	per 100
3 ft	4.00		
4 ft	5.00		
5 ft			
6 ft			
7 ft			
8 ft			
9 ft	18.00		
strobus. White Pine.			
3 ft	4.00		
4 ft	5.00	45.00	
5 ft	6.00	55.00	
6 ft	7.50	60.00	
7 ft	10.00	75.00	
8 ft	-12.50		
9 ft	15.00		
10 ft	18.00		
11 ft	20.00		
12 ft. specimens	25.00		
13 ft. specimens	30.00		
sylvestris. Scotch Pine.			
3 ft	4.00	35.00	
4 ft	5.00	45.00	
5 ft	6.00		
6 ft	7.50		
7 ft	-10.00		
8 ft	-12.50		
9 ft	15.00		
10 ft	18.00		
11 ft	20.00		
12 ft	25.00		
13 ft. specimens			
14 ft. specimens	35.00		
thunbergi. Japanese Black I	Pine.		
7 ft	12.50		
8 ft	15.00		
9 ft	18.00		
10 ft	-22.50		
Pseudotsuga douglasi. Douglas F			
3 ft		45.00	
4 ft		55.00	
5 ft	8.00		
6 ft			
7 ft	-12.50		

each per 10 per 100
Retinospora filifera. Thread-branched Japanese Cypress.
2 ft 4.50 40.00
3 ft 6.00 55.00
4 ft. specimens10.00 90.00
5 ft. specimens12.50
6 ft. specimens15.00
filifera aurea.
Golden Thread-branched Japanese Cypress.
18 in. spread 4.50 40.00
24 in. spread 5.00 45.00
30 in. spread 6.00
36 in. spread specimens10.00
filifera aurea nova.
Variegated Thread-branched Japanese Cypress.
18 to 24 in. spread 4.50 40.00
24 to 30 in. spread 5.00 45.00
30 to 36 in. spread 7.50
obtusa compacta. Compact Hinoki Cypress.
2 ft 5.00 45.00
3 ft 6.00 55.00
4 ft 7.50
obtusa crippsi. Yellow Hinoki Cypress.
2 ft 4.00 35.00
$2\frac{1}{2}$ ft 5.00 45.00
3 ft 7.50
obtusa gracilis. Slender Hinoki Cypress.
2 ft 5.00
3 ft 6.00
obtusa gracilis aurea. Yellowtip Hinoki Cypress.
2 ft 5.00
obtusa nana. Dwarf Hinoki Cypress.
12 in 4.00 35.00
15 in 5.00 40.00
18 in 6.00 50.00
24 in 7.50
obtusa nana aurea.
Dwarf Golden Hinoki Cypress.
18 in 4.00 37.50
2 ft 5.00
pisifera. Sawara Cypress.
3 ft 5.00
4 ft 7.50
5 ft10.00
6 ft12.50

Retinospora pisifera aurea.			
Golden Sawara Cypress.	each	per 10	per 100
3 ft	- 5.00	40.00	_
4 ft	6.50	60.00	
5 ft	_ 8.00	70.00	
6 ft. specimens	_12.00	100.00	
7 ft. specimens	15.00		
8 ft. specimens	18.00		
9 ft. specimens	$_{-}22.50$		
plumosa. Plume Cypress.			
2 ft. sheared	4.00	35.00	
3 ft. sheared	$_{-}$ 5.00	45.00	
4 ft. sheared	$_{-}$ 6.50	60.00	
5 ft. sheared	_ 8.00	70.00	
6 ft. sheared	$_{-}12.50$		
7 ft. sheared	_15.00		
8 ft. sheared	$_{-}18.00$		
3 ft. high x 4 ft. spd. extra spec.	10.00		
4 ft. high x 5 ft. spd. extra spec.	15.00		
5 ft. high x 6 ft. spd. extra spec.	20.00		
plumosa aurea. Goldenplume (	Cypress.		
2 ft. sheared	_ 3.75	32.50	
3 ft. sheared	-4.50	42.50	
4 ft. sheared	_ 6.00	55.00	
5 ft. sheared	7.50	65.00	
6 ft. sheared	$_{-}10.00$		
7 ft. sheared	$_{-12.50}$		
8 ft. sheared	$_{-}15.00$		
2 ft. high x 3 ft. spd. extra spec.	7.50		
3 ft. high x 4 ft. spd. extra spec.	10.00		
4 ft. high x 5 ft. spd. extra spec.	15.00		
5 ft. high x 6 ft. spd. extra spec.	20.00		
plumosa argentea. Silvertip C	ypress.		
2 ft	_ 4.00	35.00	
3 ft	5.00	45.00	
plumosa lutescens. (Globe for	m.)		
15 in	_ 3.00		
18 in	_ 4.00		
24 in	$_{-}$ 5.00		
30 in	_ 7.50		
plumosa sulphurea. Sulphurpl	ume Cy1	press.	
2 ft	_ 4.00	35.00	
3 ft	$_{-}$ 5.00	45.00	

	each	per 10	per 100
Retinospora.			
squarrosa. Moss Retinospora.		0000	
2 ft. sheared			
3 ft. sheared		40.00	
4 ft. sheared	_ 6.00		
Sciadopitys verticillata. Umbrella P	ine.		
2 ft	_ 6.00		
$2\frac{1}{2}$ ft	<b>7.</b> 50		
3 ft			
3½ ft	$_{-}12.50$		
Taxus baccata. English Yew.			
2 ft	5.00		
2½ ft	6.00		
3 ft	7.50		
baccata erecta. Broom Yew.			
18 in	7.50		
baccata fastigiata. Irish Yew.			
18 in	7 50		
2 ft			
baccata repandens. Spreading.	_	Yew.	
18 to 24 in. spread	4.50		
baccata washingtoni. Washingt	on Yew		
18 in	4.00	30.00	
24 in	5.00	40.00	
canadensis. Canada Yew.			
18 to 24 in. spread	3.50	30.00	
2 to 2½ ft. spread			
2½ to 3 ft. spread			
cuspidata. Japanese Yew.			
2 to $2\frac{1}{2}$ ft. spread	5.00		
_			
2½ to 3 ft. spread			
3 to 3½ ft. spread			
$3\frac{1}{2}$ to 4 ft. spread			
cuspidata brevifolia. Dwarf Jag		Yew.	
18 to 24 in			
24 to 30 in	7.50		
cuspidata capitata. Upright Ja	panese	Yew.	
2½ ft	~		
3 ft			
3½ ft			

each	per 10	per 100
Thuja occidentalis. American Arborvitae.		
3 ft 3.50 4 ft 4.50	52.50	
4 ft. heavy specimens 7.50		
5 ft 6.50		
5 ft. heavy specimens10.00		
6 ft 8.50		
6 ft. heavy specimens12.50		
7 ft10.00		
7 ft. heavy specimens15.00		
8 ft12.50		
8 ft. heavy specimens18.00		
9 ft15.00		
9 ft. heavy specimens22.50		
10 ft. heavy specimens25.00		
occidentalis aurea douglasi. Douglas G	olden Arb	orvitae.
3 ft 5.00		
4 ft 6.00		
5 ft 7.50		
6 ft10.00		
occidentalis columbia. Silver-tipped	Arborvitae	
4 ft 6.00		-
5 ft 7.50		
6 ft10.00		
7 ft12.50		
8 ft15.00		
occidentalis compacta. Compact Arbo	rvitae.	
18 in 3.25	30.00	
24 in 3.75		
occidentalis compacta. Parsons Arbon	vitae.	
2 ft 3.00		
2½ ft 4.00		
3 ft 5.00		
3½ ft6.00		
occidentalis elegantissima.		
3 ft 5.00	45.00	
4 ft 6.00		
5 ft 7.50		
6 ft 8.50		
7 ft10.00		
8 ft12.50		
occidentalis ellwangeriana. Tom Thum	b Arborvi	tae.
2 ft 2.50	22.50	
2½ ft 3.00		
3 ft 4.00	35.00	

per 100

	each	per 10
Thuja occidentalis ericoides. Heath		tae.
18 in	2.25	20.00
2 ft		
$2\frac{1}{2}$ ft		35.00
occidentalis globosa. Globe Arb		
18 in	2.75	25.00
24 in		
occidentalis hoveyi. Hovey Gold	den Arb	orvitae.
18 in	2.75	
2 ft		
$2\frac{1}{2}$ ft		
3 ft	5.00	45.00
3½ ft	6.00	
4 ft	8.00	
occidentalis lutea. Geo. Peabody	y's Arbo	rvitae.
2 ft	3.50	30.00
3 ft	4.00	35.00
4 ft	6.00	55.00
5 ft	7.50	
6 ft	9.00	
7 ft	12.00	
occidentalis pumila. Green Glob	e Arbor	vitae.
*		
18 to 24 in. spread	3.00	
_		
18 to 24 in. spread	iidal Ari	
18 to 24 in. spreadoccidentalis pyramidalis. Pyram	uidal Ari 4.50	borvitae.
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft	idal Ari 4.50 6.00	borvitae. 40.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft	idal Ari 4.50 6.00 7.50	borvitae. 40.00 50.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft	idal Ari 4.50 6.00 7.50 8.50	borvitae. 40.00 50.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft	idal Ari 4.50 6.00 7.50 8.50 10.00	borvitae. 40.00 50.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft	idal Ari 4.50 6.00 7.50 8.50 10.00 15.00	borvitae. 40.00 50.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft  8 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft  8 ft  occidentalis douglasi pyramidalis	1.50 4.50 6.00 7.50 8.50 10.00 15.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  5 ft  5 ft  5 ft  5 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 15.00 15.00 15.00 15.00 15.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 15.00 8.00 10.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  occidentalis reevesi. Reeves Ar	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 10.00 8.00 10.00 borvitae	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  cocidentalis reevesi. Reeves Ar  2½ ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 10.00 8.00 10.00 borvitae 5.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ccidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  6 ccidentalis reevesi. Reeves Ar  2½ ft  3 ft  3 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 10.00 8.00 10.00 borvitae 5.00 6.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  7 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  5 ccidentalis reevesi. Reeves Ar  2½ ft  3 ft  3 ft  3 ft  3 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 15.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  6 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  5 ft  occidentalis reevesi. Reeves Ar  2½ ft  3 ft  3½ ft  occidentalis riversi. Rivers Arb	idal Ari 4.50 6.00 7.50 8.50 10.00 15.00 6.00 8.00 10.00 borvitae 5.00 6.00 7.50 orvitae.	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  occidentalis reevesi. Reeves Ar  2½ ft  3 ft  3½ ft  occidentalis riversi. Rivers Arb  5 ft  5 ft  3 ft  3 ft  3 ft  5 ft  7 ft  8 ft  8 ft  9 ft  10 ft  11 ft  12 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  19 ft  19 ft  10 ft  10 ft  11 ft  12 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  19 ft  19 ft  19 ft  19 ft  10 ft  10 ft  10 ft  11 ft  12 ft  13 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  18 ft  18 ft  19 ft  19 ft  19 ft  19 ft  19 ft  19 ft	idal Ari 4.50 6.00 7.50 8.50 10.00 15.00 6.00 8.00 10.00 borvitae 5.00 6.00 7.50 orvitae 6.50	borvitae. 40.00 50.00 60.00
occidentalis pyramidalis. Pyram  3 ft	11dal Ari 4.50 6.00 7.50 8.50 10.00 15.00 6.00 8.00 10.00 borvitae 5.00 6.00 7.50 orvitae 6.50 7.50	borvitae. 40.00 50.00 60.00
18 to 24 in. spread  occidentalis pyramidalis. Pyram  3 ft  4 ft  5 ft  8 ft  occidentalis douglasi pyramidalis  Douglas Pyramidal Ar  4 ft  5 ft  6 ft  occidentalis reevesi. Reeves Ar  2½ ft  3 ft  3½ ft  occidentalis riversi. Rivers Arb  5 ft  5 ft  3 ft  3 ft  3 ft  5 ft  7 ft  8 ft  8 ft  9 ft  10 ft  11 ft  12 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  19 ft  19 ft  10 ft  10 ft  11 ft  12 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  19 ft  19 ft  19 ft  19 ft  10 ft  10 ft  10 ft  11 ft  12 ft  13 ft  13 ft  14 ft  15 ft  16 ft  17 ft  18 ft  18 ft  18 ft  19 ft  19 ft  19 ft  19 ft  19 ft  19 ft	idal Ari 4.50 6.00 7.50 8.50 10.00 15.00 6.00 8.00 10.00 borvitae 5.00 6.00 7.50 orvitae 6.50 7.50 10.00	borvitae. 40.00 50.00 60.00

	per 10 per 100
Thuja occidentalis rosenthali. Rosenthal	Arborvitae.
4 ft 6.00	)
5 ft 7.50	0
occidentalis spiralis. Spiral Arborvi	tae.
3 ft 5.00	45.00
4 ft 6.00	55.00
5 ft 7.50	65.00
6 ft10.00	) .
7 ft12.50	)
occidentalis umbraculifera. $Dwarf$	Arborvitae.
18 to 24 in. spread 3.00	27.50
24 to 30 in. spread 4.00	37.50
$2\frac{1}{2}$ to 3 ft. spread 5.00	)
3 to 3½ ft. spread 7.50	)
occidentalis vervaeneana. Vervaene	Arborvitae.
3 ft 5.00	0   47.50
4 ft 7.50	65.00
5 ft10.00	)
6 ft12.50	)
7 ft15.00	)
8 ft18.00	)
occidentalis wareana. Ware or Siber	ian Arborvitae.
18 in 3.00	27.50
2 ft 3.50	32.50
2½ ft 4.00	35.00
3 ft 5.00	45.00
3½ ft6.00	55.00
4 ft 7.50	)
occidentalis wareana lutescens. $Golde$	n Ware Arborvitae.
2 ft 3.50	32.50
2½ ft 4.00	35.00
3 ft 5.00	)
3½ ft 7.50	)
orientalis. Oriental Arborvitae.	
3 ft 5.00	45.00
4 ft 6.00	55.00
5 ft 7.50	70.00
6 ft 8.50	80.00
7 ft10.00	)
8 ft12.50	
9 ft15.00	)
orientalis elegantissima. Rollinson's	Golden Arborvitae.
5 ft10.00	
6 ft12.50	

	each	per 10	per 100
Thuja orientalis nana aurea.	•,		
Berkmans Golden Arbon			
18 in			
2 ft		4 7 '	
orientalis semperaurescens.		Aroorvii	tae.
18 in	3.50		
plicata. Giant Arborvitae.	4.00		
3 ft			
4 ft			
5 ft			
6 ft			
7 ft			
Tsuga canadensis. Canada Hem			
2 ft			
3 ft	5.00	45.00	
4 ft	7.50		
4 ft. extra broad	9.00		
5 ft	10.00		
5 ft. extra broad	12.50		
6 ft	12.50		
7 ft	15.00		
canadensis pendula. Sarger	nt Weeping .	Hemlock.	
2 to 3 ft. spread	7.50		
sieboldi. Siebold Hemlock.	`		
2 ft	7.50		
3 ft	10.00		
4 ft	12.50		
5 ft	15.00		
Evergreen	Shrubs		
Andromeda floribunda. Mounta	in Andromed	da.	
10 1 01 1 D	each	per 10	per 100
18 to 24 inB.		25.00	225.00
Azalea amoena. Amoena Azalea			
12 to 15 inB.			
15 to 18 inB.			
hinodegiri. Carmine Azalea			
12 to 15 inB.			
15 to 18 inB.			
Calluna vulgaris alba. Heather			
6 to 8 in., 5 in. pots	_	7.50	
vulgaris alporti. Alport He			
4 inch pots		7.50	
vulgaris carnea. Flesh Hea		F ~ ^	
6 to 8 in., 5 inch pots	1.00	7.50	
			-

Crataegus pyracantha lelandi. Lelan	nd Fire	thorn.	
	each	per 10	per 100
18 to 24 in. bushyB. & B.		22.50	
2 to 3 ft. bushyB. & B.		25.00	
12 to 15 in., 4 in. pots	1.00	7.50	
Daphne cneorum. Garland Flower.			
8 to 10 in. spread		9.00	
10 to 12 in. spread		12.50	
Euonymus nanus. Dwarf Burningh			
18 to 24 in	.50	4.00	30.00
radicans. Wintercreeper.			
8 to 12 in		2.00	18.00
12 to 15 in		2.50	20.00
15 to 18 in		3.00	25.00
radicans acutus. Sharpleaf Win		_	
12 to 15 in		2.50	20.00
15 to 18 in		3.00	25.00
radicans argenteo-marginatus. $S$		ge Winter	creeper.
8 to 12 in	.30	2.00	18.00
12 to 15 in	.35	2.50	20.00
15 to 18 in	.40	3.00	25.00
radicans carrieri. Glossy Winte	_	er.	
12 to 15 in	.40	3.00	25.00
15 to 18 in		4.00	30.00
radicans kewensis. Baby Winter	rcreepe	er.	
8 to 12 in		3.00	25.00
12 to 15 in	.50	4.00	30.00
radicans vegetus. Bigleaf Winte	ercreep	er.	
12 to 15 in	.40	3.00	25.00
15 to 18 in	.50	4.00	30.00
18 to 24 in	.60	<b>5.0</b> 0	40.00
sieboldi.			
18 to 24 in		5.00	
2 to 3 ft	.75	6.00	
Ilex crenata. Japanese Holly.			
15 inB. & B.			
18 inB. & B.	3.00		
glabra. Inkberry.			
18 to 24 inB. & B.	2.75	<b>2</b> 5.00	
opaca. $American Holly$ .			
3 ftB. & B.			
4 ftB. & B.	7.50		
Kalmia latifolia. Mountain Laurel.			
2 to 3 ftB. & B.			200.00
3 to 4 ftB. & B.	3.50	30.00	<b>2</b> 50.0 <b>0</b>

Leucothoe catesbaei. Drooping Leucothoe.		
each	per 10	per 100
15 to 18 inB. & B. 1.75	15.00	125.00
18 to 24 inB. & B. 2.25	20.00	150.00
Mahonia aquifolium. Oregon Hollygrape.		
18 to 24 in90	7.50	60.00
24 to 30 in 1.25	10.00	75.00
$2\frac{1}{2}$ to 3 ft. specimens 2.00		
3 to $3\frac{1}{2}$ ft. specimens 2.50		
Rhododendron carolinianum.		
$Carolina\ Rhododendron.$		
2 to 3 ftB. & B. 3.50	30.00	250.00
catawbiense. Catawba Rhododendron.		
2 to 3 ftB. & B. 3.50	30.00	250.00
3 to 4 ftB. & B. 4.50	40.00	350.00
maximum. Rosebay Rhododendron.		
2 to 3 ftB. & B. 3.00	25.00	200.00
3 to 4 ftB. & B. 3.50	30.00	250.00
4 to 5 ftB. &B. 5.00		

#### Deciduous Trees

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows:

2-3'—25c; 3-4'—35c; 4-5'—50c; 5-6'—60; 6-8'—75c; 8-10'—\$1.00. Larger sizes in proportion. In all instances where the varieties are marked "B. & B." these charges are included in the printed price.

Acer camp	estr	e.	Hedge Maple.			
4	to	5	ft	1.50	12.50	
5	to	6	ft	1.75	15.00	125.00
6	to	8	ft	2.00	17.50	150.00
8	to	10	ft	2.50	22.50	200.00
10	to	12	ft	4.00	37.50	350.00
colchie	cum	ru	brum. Coliseum M	aple.		
4	to	5	ft	1.00	7.50	60.00
5	to	6	ft	1.25	10.00	75.00
6	to	8	ft	1.75	15.00	125.00
8	to	10	ft	2.50	20.00	150.00
10	to	12	ft	3.00	25.00	

	•		
Acer dasycarpum. Silver Maple.			
8 to 10 ft	$\begin{array}{ccc} \text{each} \\ & 1.50 \end{array}$	per 10 12.50	per 100 100.00
1¼ to 1½ in		15.00	125.00
1½ to 1¾ in		17.50	150.00
1¾ to 2 in		22.50	200.00
2 to 2½ in	3.25	27.50	250.00
$2\frac{1}{2}$ to 3 in	<b>5.00</b>	40.00	350.00
3 to 3½ in	6.00	50.00	
3½ to 4 in	7.50	60.00	
dasycarpum pyramidale. Py	yramidal	Silver M	aple.
6 to 8 ft	1.75	15.00	125.00
8 to 10 ft	2.00	17.50	150.00
1¼ to 1½ in		20.00	
1½ to 1¾ in	-2.75	25.00	
dasycarpum wieri. Wier Mag	-		
8 to 10 ft		15.00	
1¼ to 1½ in		20.00	
1½ to 1¾ in		25.00	
1¾ to 2 in		30.00	
2 to 2½ in		40.00	
2½ to 3 in	6.00		
ginnala. Amur Maple.	4 00	0 50	
3 to 4 ft		8.50	75.00
4 to 5 ft		12.50	
5 to 6 ft			
6 to 8 ft			150.00
8 to 10 ft			
10 to 12 ft		30.00	
japonicum. Fullmoon Maple 5 to 6 ft		30.00	
6 to 8 ft		40.00	
8 to 10 ft		50.00	
10 to 12 ft			
negundo. Box Elder.	1.00	00.00	
6 to 8 ft	1.25	10.00	
8 to 10 ft		12.50	
1½ to 1½ in		15.00	
1½ to 1¾ in		17.50	
1¾ to 2 in		20.00	
2 to 2½ in		25.00	
nigrum. Black Maple.			
8 to 10 ft	3.25	30.00	
1¼ to 1½ in	3.75	35.00	
1½ to 1¾ in	4.25	40.00	

#### Acer

palmatum. Japanese Maple.	
each per 10	<b>per 1</b> 00
3 to 4 ft. with ball 5.00 35.00	
4 to 5 ft. with ball 6.00 45.00	
5 to 6 ft. with ball 7.50 60.00	
6 to 8 ft. with ball10.00 75.00	
8 to 10 ft. with ball12.50 100.00	
palmatum atropurpureum.	
$Bloodleaf\ Japanese\ Maple.$	
3 to 4 ft. with ball10.00	
4 to 5 ft. with ball XX12.50	
5 to 6 ft. with ball $XX_{}15.00$ .	
6 to 8 ft. with ball XX20.00	
palmatum dissectum.	
Threadleaf Japanese Maple.	
2 to 3 ft. with ball 7.50	
3 to 4 ft. with ball10.00	
palmatum dissectum atropurpureum.	
Purple Threadleaf Japanese Maple.	
2 to 3 ft. with ball 7.50	
3 to 4 ft. with ball10.00	
platanoides. Norway Maple.	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.50 32.50	300.00
1½ to 1¾ in 4.00 37.50	350.00
1¾ to 2 in 5.00 40.00	
2 to 2½ in 6.00 50.00	
$2\frac{1}{2}$ to 3 in 7.50 60.00	
3 to 3½ in10.00 75.00	
3½ to 4 in12.50 100.00	
4 to 5 in. specimens_15.00	
5 to 6 in. specimens_25.00	
platanoides schwedleri. Schwedler Maple.	
8 to 10 ft 3.75 35.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 4.25 40.00	
1½ to 1¾ in 5.00 45.00	
2 to 2½ in 7.50 60.00	
2½ to 3 in10.00 75.00	
3 to 3½ in15.00	
pseudoplatanus. Sycamore Maple.	
6 to 8 ft 2.50 22.50	
8 to 10 ft 2.75 25.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.25 30.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 4.25 40.00	

#### Acer

Acer					
rubrum.	Red M	aple.			
			each	per 10	per 100
	to 8	ft		20.00	175.00
	to 10	ft		22.50	200.00
-		in		27.50	250.00
		in		35.00	300.00
	to 2	in		40.00	
		in		<b>50.</b> 00	
$2\frac{1}{2}$ (		in	7.50		
saccharun	-	ar Maple.			
	to 10	ft		22.50	200.00
11/4		in		27.50	250.00
. —		in		30.00	275.00
	to 2	in		35.00	325.00
		in			
·	to 3	in		45.00	
		in			
3½		in	10.00		
_		tain Maple.			
				7.50	
6 to	8 ft		1.50	12.50	
		rian Maple.			
4 to	5 ft		1.50	12.50	100.00
5 to	6 ft		1.75	15.00	125.00
8 to 1	10 ft		3.50	<b>30.</b> 00	
Aesculus glab	$\mathbf{ra.}$ $Oh$	io Buckeye.			
1½	to 1¾ i	n	3.50	30.00	
2	to $2\frac{1}{2}$ i	n	4.50		
2½	to 3 i	n	6.00		
hippocast	anum.	Horsechestnu	et.		
6	to 8	ft	2.00	17.50	150.00
8	to 10	ft	2.50	22.50	200.00
$1\frac{1}{4}$	to $1\frac{1}{2}$	in	3.00	25.00	
		in			
13/4	to 2	in	4.00	35.00	
		in	5.00	45.00	
hippocast	anum fl	ore pleno.			
		Horsechestnut			
8 to	10 ft		5.00		

#### Aesculus hippocastanum rubicunda.

Red Horsechestnut.

$Red\ Horsechestnut.$			
	each	per 10	per 100
5 to 6 ft	2.75	25.00	
6 to 8 ft	3.25	30.00	275.00
8 to 10 ft	4.00	35.00	325.00
octandra. Yellow Buckeye.			
8 to 10 ft	2.50	22.50	
1¼ to 1½ in	3.00	25.00	
1½ to 1¾ in	3.50	30.00	
1¾ to 2 in	4.00	35.00	
2 to 2½ in	5.00	45.00	
2½ to 3 in	6.00	55.00	
3 to 3½ in	7.50	65.00	
turbinata. Japanese Horsechest	enut.		
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.50	30.00	
1½ to 1½ in	4.50	40.00	
Ailanthus glandulosa. Tree of Hear	ven.		
5 to 6 ft		10.00	75.00
6 to 8 ft			100.00
8 to 10 ft	1.75	15.00	125.00
Alnus cordata. Italian Alder.			
5 to 6 ft	<b>1.</b> 50		
6 to 8 ft	2.00		
8 to 10 ft			
glutinosa. European Alder.			
5 to 6 ft	.90	7.50	
6 to 8 ft	1.25	10.00	
8 to 10 ft	1.50	12.50	
1½ to 1½ in	1.75	15.00	
1½ to 1¾ in	2.50	20.00	
1¾ to 2 in	3.00	25.00	
2 to $2\frac{1}{2}$ in	3.50	30.00	
incana. Speckled Alder.			
6 to 8 ft	1.25	10.00	
8 to 10 ft	1.50	12.50	
1¼ to 1½ in	1.75	15.00	
1½ to 1¾ in	2.50	20.00	
1¾ to 2 in	3.00	25.00	

to 2½ in.\_\_\_\_ 3.50

30.00

				each	per 10	ner 100
Amygdalus o	lavid	liana	. Chinese Wa			per 100
5 t	o 6	ft		1.00	7.50	
m omsi og	alba	nlone	n Double W	hita Dagal	<i>'</i> 2	
<del>-</del>		_	a. Double W			
9 0	0 0	_ V			10.00	
persica (	Clara	a Me	yer. Double I	Pink Peac	h.	
3 to	4 f	t		1.25	10.00	
4 to	5 f	t		1.50	12.50	
persica 1	rosea	a nle	na. Dbl. Pinl	k Peach.		
-		_			7.50	
		_				
<del>-</del>		_	na. Double R			
5 to	) 6	It		1.25	10.00	
Aralia. (Sec	e <b>D</b> e	cidu	ous Shrubs).			
*Betula alba	. E	Turop	ean White Br	erch.		
6	to	8	ft	1.75	15.00	
8	to	10	ft	2.25	20.00	
1 1/4	to	$1\frac{1}{2}$	in	2.50	22.50	
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.00	25.00	
$1\frac{3}{4}$	to	2	in	3.50	30.00	
2	to	$2\frac{1}{2}$	in	5.00	40.00	
· <del></del>			in		50.00	
			in			
$3\frac{1}{2}$	to	4	in	10.00		
*alba la	oinic	t o	Cutleaf Weep	oina Rivah	,	
arba ra		8	· -		25.00	
8			ft			
			in.			
			in			
			in			
2			in			
21/2			in			
3	to	4	in	_10.00	75.00	
*lenta.						
5		6				
6			ft			
8			ft			
1 1/4	to	1 1/2	in	2.75	25.00	

26	HEN	RY	KOHANKII	E & SON	J	
*Betula.						
*lutea.	Yellow .	Birc	h.			
				each	per 10	<b>per</b> 100
5	to 6	ft.		1.50	12.50	0
6	to 8	ft.		1.75	15.00	
8	to 10	ft		2.25	20.00	
$1\frac{1}{4}$	to $1\frac{1}{2}$	in.		2.75	25.00	
$1\frac{1}{2}$	to 13/4	in.		3.50	30.00	
$1\frac{3}{4}$	to 2	in.		4.00	35.00	
nigra. I	River B	irch	•			
6	to 8	ft.		1.75	15.00	
8	to 10	ft.		2.25	20.00	
11/4	to $1\frac{1}{2}$	in.		2.75	25.00	
$1\frac{1}{2}$	to 13/4	in		3.50	30.00	
$1\frac{3}{4}$	to 2	in.		4.50	40.00	
2	to $2\frac{1}{2}$	in.		6.00	50.00	
*papyrif	era. Co	ınoe	Birch.			
6	to 8	ft		1.75	15.00	
8	to 10	ft.		2.25	20.00	
1 1/4	to $1\frac{1}{2}$	in.		2.50	22.50	
$1\frac{1}{2}$	to 13/4	in.		3.00	25.00	
$1\frac{3}{4}$	to 2	in.		3.50	30.00	
2	to $2\frac{1}{2}$	in.		5.00	40.00	
$2\frac{1}{2}$	to 3	in		6.00	50.00	
*populif	olia. G	ray	Birch.			
8	to 10	ft.		2.25	20.00	
$1\frac{1}{4}$	to 1½	in.		2.50	22.50	
$1\frac{1}{2}$	to 13/4	in.	<b></b>	3.00	25.00	
$1\frac{3}{4}$	to 2	in.		3.50	30.00	
2	to $2\frac{1}{2}$	in.		5.00	40.00	
$2\frac{1}{2}$	to 3	in		6.00	50.00	
Broussonetia	papyrif	era.	Paper Mu	lberry.		
3 to	4 ft			1.00	7.50	
Carpinus bet	ulus. $E$	uro	pean Hornb	eam.		
4 to	5 ft			1.25	10.00	
5 to	6 ft			1.75	15.00	
6 to	8 ft			2.50	20.00	
8 to	10 ft		<b>-</b>	3.00	25.00	
					30.00	
carolinia	na. $An$	reric	ean Hornbea	m.		
					10.00	
5 to	6 ft			1.50	12.50	
C 1	O CL			$\Omega \cap \Omega$	15 00	

6 to 8 ft.\_\_\_\_\_ 2.00

8 to 10 ft.\_\_\_\_ 2.50

15.00

20.00

Castanea dentata. American Chestn	ut.		
		per 10	per 100
5 to 6 ft		7.50	
6 to 8 ft			
8 to 10 ft	1.50	12.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	15.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	20.00	
sativa. Spanish Chestnut.			
5 to 6 ft	1.25		
6 to 8 ft	1.75		
8 to 10 ft	2.25		
10 to 12 ft	2.75		
Catalpa bignonioides nana syn. bunge	ei.		
$Umbrella\ Catalpa.$			
2 yr. heads,			
5 to 6 ft		20.00	
6 to 8 ft		25.00	
8 to 10 ft	3.50	30.00	
kaempferi. Japanese Catalpa.			
6 to 8 ft	1.25	10.00	
8 to 10 ft	1.50	12.50	
10 to 12 ft	1.75	15.00	
speciosa. Western Catalpa.			
6 to 8 ft	1.00	7.50	60.00
8 to 10 ft	1.25	10.00	75.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00	125.00
1¾ to 2 in	2.00	17.50	150.00
2 to $2\frac{1}{2}$ in	2.75	22.50	200.00
$2\frac{1}{2}$ to 3 in	3.25	27.50	250.00
Cedrela sinensis. Chinese Cedrela.			
5 to 6 ft	1.25	10.00	
6 to 8 ft	1.50	12.50	
Celtis occidentalis. Hackberry.			
4 to 5 ft	1.00	7.50	
5 to 6 ft	1.25	10.00	
6 to 8 ft	1.50	12.50	
8 to 10 ft	1.75	15.00	
10 to 12 ft	2.50	20.00	
sinensis. Chinese Hackberry.			
5 to 6 ft	1.25	10.00	
6 to 8 ft	1.50	12.50	

*Cercidiphyllum japonicum. Katsura	Tree.
ea	P-02 200
5 to 6 ft 2.0	00 15.00
6 to 8 ft 2.5	
8 to 10 ft 3.0	00 25.00
8 to 10 ft. trans. spec 5.0	00
10 to 12 ft. trans. spec10.0	00
12 to 14 ft. trans. spec15.0	00
Cercis canadensis. American Redbud.	
3 to 4 ft 1.0	7.50
4 to 5 ft 1.	50   12.50
5 to 6 ft 3.0	00 25.00
6 to 8 ft 5.0	00
chinensis. Chinese Redbud.	
2 to 3 ft 1.5	25 10.00
3 to 4 ft 1.8	50 12.50
Cladrastis lutea. Yellow Wood.	
4 to 5 ft 1.7	75 15.00
5 to 6 ft 2.0	
•	70 11.00
*Cornus florida. White Flowering Dog	wood.
3 to 4 ft 1.5	25 10.00
4 to 5 ft 1.7	75   15.00   125.00
5 to 6 ft 2.0	00 17.50 150.00
6 to 8 ft 3.0	25.00 200.00
8 to 10 ft 4.0	00 35.00 300.00
5 to 6 ft. specimens 5.0	00
*florida rubra. Red Flowering Dog	gwood.
3 to 4 ft 4.0	
4 to 5 ft 5.0	
5 to 6 ft 6.0	
6 to 7 ft 7.5	
7 to 8 ft10.0	
*Crataegus arnoldiana. Arnold Hawtho	rn.
3 to 4 ft 1.2	
4 to 5 ft 1.5	
*carrierei. Carriere Hawthorn.	2=.00
4 to 5 ft 1.5	0 12.50
5 to 6 ft 2.0	
6 to 8 ft 3.0	
8 to 10 ft 4.0	
0 00 10 10 4.0	U

*Crataegus.	•
-------------	---

rataegus.				
*coccinea.	Scarlet-fruited Ha	wthorn.		
2 to 1	ft	each 1.00	per 10 7.50	per 100 <b>60.00</b>
	ft		10.00	75.00
	ft		12.50	100.00
	ft,		17.50	150.00
	Washington Hawth		11.00	100.00
	4 ft		7.50	
	5 ft		10.00	
	6 ft		12.50	
	8 ft		17.50	
•	0 ft		25.00	
	Cockspur Thorn.		20.00	
_	4 ft	1.00	7.50	
	5 ft		10.00	75.00
	6 ft		12.50	100.00
	8 ft		17.50	150.00
	0 ft		25.00	
,	owny Hawthorn.			
	ft	1.00	7.50	
	ft		10.00	75.00
	ft		12.50	100.00
	ft		17.50	
	lossy Hawthorn.			
	ft	1.50		
4 to 5	ft	1.75		
5 to 6	ft	2.00		
*oxyacantha	a. English Hawthe	orn.		
3 to 4	ft	1.00	7.50	
4 to 5	ft	_ 1.25	10.00	
5 to 6	ft	1.50	12.50	
6 to 8	ft	2.25	17.50	
8 to 10	ft. specimens	6.00		
*oxyacantha	a flora plena. Dbl.	White T	horn.	
3 to 4	l ft	2.00	15.00	
4 to 5	5 ft	2.50	20.00	
5 to 6	6 ft	3.00	25.00	
6 to 8	8 ft	<b>5.00</b>	35.00	
8 to 10	) ft	- 6.50	50.00	
8 to 10	) ft. specimens	<b>7.50</b>		
*oxyacantha	a pauli. Paul's Sc	arlet The	orn.	
3 to 4	ft	_ 2.00	15.00	
4 to 5	ft	2.50	20.00	
5 to 6	ft	3.50	30.00	

*Crataegus.		
*oxyacantha punicea. Sgl. Red Thorn.		
each	per 10	per 100
4 to 5 ft 2.50	20.00	
5 to 6 ft 3.50	30.00	
*persistens.		
3 to 4 ft 1.50		
*punctata. Dotted Hawthorn.		
4 to 5 ft 1.25	10.00	
5 to 6 ft 1.50	12.50	
6 to 8 ft 2.00	17.50	
Diospyros virginiana. Common Persimmon.	•	
4 to 5 ft 1.00		
5 to 6 ft 1.25		
6 to 8 ft 1.75		
Dirca palustris. Leatherwood.		
18 to 24 in 1.00	7.50	
*Fagus americana. American Beech.		
2 to 3 ft 1.50	12.50	
3 to 4 ft1.75	15.00	
4 to 5 ft 2.50	20.00	
5 to 6 ft 3.00	25.00	
6 to 8 ft 4.00	35.00	
*sylvatica. European Beech.		
3 to 4 ft 2.25	17.50	
4 to 5 ft 2.75	22.50	
5 to 6 ft 3.50	27.50	
6 to 8 ft 5.00	40.00	
8 to 10 ft 7.50		
10 to 12 ft10.00		
*sylvatica heterophylla. Fernleaf Beech	ı.	
4 to 5 ft 4.00		
5 to 6 ft 5.00		
*sylvatica pendula. Weeping Beech.		
4 to 5 ft 4.00		
5 to 6 ft 6.00		
6 to 8 ft 7.50		
*sylvatica purpurea. Purple Beech.	05.00	
3 to 4 ft 3.00	25.00	
4 to 5 ft 3.50	30.00	
5 to 6 ft 4.50	40.00	
6 to 8 ft 6.00	50.00	
8 to 10 ft 7.50		

*Fagus			
*sylvatica purpurea riversi.	River's Be	eech.	
3 to 4 ft	each 4.00	$\begin{array}{c} \mathrm{per}\ 10 \\ 35.00 \end{array}$	per 100
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
8 to 10 ft			
10 to 12 ft			
*sylvatica tricolor. Tricolor	Beech.		
3 to 4 ft	4.00		
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
Fraxinus americana. White As	h.		
8 to 10 ft	1.00	8.50	75.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	12.50	100.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00	125.00
1¾ to 2 in	2.00	17.50	150.00
2 to $2\frac{1}{2}$ in	2.75	25.00	200.00
$2\frac{1}{2}$ to $3$ in	3.50	30.00	
excelsior. European Ash.			
8 to 10 ft	<b>1.0</b> 0	8.50	75.00
1½ to 1½ in	1.50	12.50	100.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00	125.00
$1\frac{3}{4}$ to $2$ in	2.00	17.50	150.00
2 to $2\frac{1}{2}$ in	2.75	25.00	
$2\frac{1}{2}$ to $3$ in	3.50	30.00	
3 to 3½ in	<b>5.</b> 00		
lanceolata. Green Ash.			
8 to 10 ft	1.00	8.50	75.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	12.50	100.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	<b>1.7</b> 5	15.00	125.00
1¾ to 2 in	2.00	17.50	150.00
2 to $2\frac{1}{2}$ in	2.75	25.00	200.00
$2\frac{1}{2}$ to 3 in	3.50	30.00	
3 to 3½ in	<b>5.</b> 00		
nigra. Black Ash.			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	12.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00	
1¾ to 2 in	2.00	17.50	
2 to 2½ in	2.75	25.00	

Fr	axin	us.

Fraxinus.			
pennsylvanica. Red 2	4sh.		
	each	per 10	per 100
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	12.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75	15.00	
1¾ to 2 in	2.00	17.50	
2 to 2½ in	2.75	25.00	
2½ to 3 in	3.50	30.00	
3 to $3\frac{1}{2}$ in	5.00		
quadrangulata. Blue	Ash.		
1¼ to 1½ in	1.50	12.50	
1½ to 1¾ in	1.75	15.00	
1¾ to 2 in	2.00	17.50	
2 to 2½ in	2.75	25.00	
2½ to 3 in	3.50	30.00	
Ginkgo biloba. Maidenha	ir-tree.		
6 to 8 ft	2.50	20.00	
8 to 10 ft	3.00	25.00	
1¼ to 1½ in	3.50	30.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	35.00	
$1\frac{3}{4}$ to $2$ in	5.00	40.00	
2 to $2\frac{1}{2}$ in	6.00	50.00	
Gleditschia triacanthos. H	Honey Locust.		
4 to 5 ft	.60	5.00	
5 to 6 ft	.75	6.00	
Gymnocladus dioica. Ken	tucky Coffeetree.	1	
4 to 5 ft	1.25		
5 to 6 ft	<b>1.5</b> 0		
Halesia diptera. Two-win	g Silverbell.		
3 to 4 ft	.75	<b>6.0</b> 0	50.00
4 to 5 ft	1.00	7.50	60.00
tetraptera. Great Silv	verbell.	•	
3 to 4 ft		6.00	50.00
4 to 5 ft	1.00	7.50	60.00
5 to 6 ft	1.50	10.00	
6 to 8 ft	1.75		
8 to 10 ft	2.50		
8 to 10 ft. specime	ens 7.50		
10 to 12 ft. specime			
Hicoria ovata. Shagbark	Hickory.		
3 to 4 ft	1.50		
4 to 5 ft	1.75		

Juglans cinerea. Butternut.			
	each	per 10	per 100
5 to 6 ft		7.50	
6 to 8 ft			
8 to 10 ft			
1½ to 1¾ in			
1¾ to 2 in			
2 to $2\frac{1}{2}$ in	. 3.00	27.50	
nigra. Black Walnut.			
8 to 10 ft	1.25	10.00	
1½ to 1¾ in	1.50	12.50	
1% to 2 in	2.00	15.00	
2 to 2½ in	2.75		
2½ to 3 in	3.25		
regia. English or Persian Wo	almut.		
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
sieboldiana. Japanese Walnut.			
5 to 6 ft		10.00	
6 to 8 ft			
8 to 10 ft			
1½ to 1¾ in		20.00	
1% to 2 in		25.00	
2 to 2½ in		20.00	
Koelreuteria paniculata. Goldenrain 4 to 5 ft			
4 to 5 ft 5 to 6 ft			
6 to 8 ft 8 to 10 ft		,	
Laburnum alpinum. Scotch Laburn			
4 to 5 ft			
5 to 6 ft		17.50	
6 to 8 ft. heavy			
8 to 10 ft. heavy	7.50		
vulgare. Goldenchain.			
3 to 4 ft	1.25	10.00	
4 to 5 ft	1.50		
5 to 6 ft			
6 to 8 ft. heavy			
8 to 10 ft. heavy			
10 to 12 ft. heavy			

**Liquidambar styraciflua. Sweetgum.  6 to 8 ft	# to 5 ft	*Larix europea. European Larch.			
5 to 6 ft. 2.50 20.00 150.00 6 to 8 ft. 3.50 30.00 8 to 10 ft. 5.00 40.00 10 to 12 ft. 7.50	\$ to 6 ft			per 10	per 100
6 to 8 ft	6 to 8 ft				
*leptolepis. Japanese Larch.  4 to 5 ft	**leptolepis. Japanese Larch.  4 to 5 ft				150.00
*leptolepis. Japanese Larch.  4 to 5 ft	*leptolepis. Japanese Larch.  4 to 5 ft				
*leptolepis. Japanese Larch.  4 to 5 ft	*leptolepis. Japanese Larch.  4 to 5 ft			40.00	
*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	10 to 12 ft	7.50		
5 to 6 ft. 2.75 22.50 6 to 8 ft. 3.75 32.50 8 to 10 ft. 5.50 45.00 10 to 12 ft. 7.50 60.00  *Liquidambar styraciflua. Sweetgum. 6 to 8 ft. 2.25 17.50 8 to 10 ft. 2.75 22.50 1½ to 1½ in. 3.00 25.00 1½ to 1¾ in. 3.25 27.50 1¾ to 2 in. 3.50 30.00 2 to 2½ in. 5.00 40.00  *Liriodendron tulipifera. Tuliptree.  5 to 6 ft. 1.00 8.50 6 to 8 ft. 1.50 10.00 75.00 8 to 10 ft. 1.75 12.50 100.00 1½ to 1¾ in. 2.00 15.00 125.00 1½ to 1¾ in. 2.00 15.00 125.00 1½ to 1¾ in. 2.50 22.50 200.00 2½ to 3 in. 5.00 40.00  *Magnolia acuminata. Cucumber Tree. 6 to 8 ft. 1.50 30.00 3 to 3½ in. 5.00  *Magnolia acuminata. Cucumber Tree. 6 to 8 ft. 1.50 8 8 to 10 ft. 2.00 1½ to 1¾ in. 5.00	5 to 6 ft.       2.75       22.50         6 to 8 ft.       3.75       32.50         8 to 10 ft.       5.50       45.00         10 to 12 ft.       7.50       60.00         *Liquidambar styraciflua. Sweetgum.         6 to 8 ft.       2.25       17.50         8 to 10 ft.       2.75       22.50         1½ to 1½ in.       3.00       25.00         1½ to 1¾ in.       3.25       27.50         1¾ to 2 in.       5.00       40.00         2½ to 3 in.       7.50       30.00         2½ to 3 in.       7.50       10.00         3 to 10 ft.       1.75       12.50       100.00         1½ to 1½ in.       2.00       15.00       125.00         1½ to 1½ in.       2.00       15.00       125.00         1½ to 1¾ in.       2.25       20.00       150.00         1½ to 3 in.       3.50       30.00         2½ to 3 in.       3.50       30.00         2½ to 3 in.       3.50       30.00         2½ to 3 in.       3.50       30.00         3 to 3½ in.       5.00     Magnolia acuminata. Cucumber Tree.  6 to 8 ft.       1.50         6 to 8 ft.	*leptolepis. Japanese Larch.			
6 to 8 ft. 3.75 32.50 8 to 10 ft. 5.50 45.00 10 to 12 ft. 7.50 60.00  *Liquidambar styraciflua. Sweetgum.  6 to 8 ft. 2.25 17.50 8 to 10 ft. 2.75 22.50 1½ to 1½ in. 3.00 25.00 1½ to 1¾ in. 3.25 27.50 1¾ to 2 in. 3.50 30.00 2½ to 3 in. 7.50 3 to 3½ in. 10.00  *Liriodendron tulipifera. Tuliptree.  5 to 6 ft. 1.50 10.00 75.00 8 to 10 ft. 1.75 12.50 100.00 1½ to 1½ in. 2.00 15.00 125.00 1½ to 1½ in. 2.50 22.50 200.00 2½ to 3 in. 3.50 30.00	6 to 8 ft	4 to 5 ft	2.25	17.50	
*Liquidambar styraciflua. Sweetgum. 6 to 8 ft	*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	5 to 6 ft	2.75	22.50	
*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	6 to 8 ft	3.75	32.50	
*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	*Liquidambar styraciflua. Sweetgum.  6 to 8 ft	8 to 10 ft	5.50	45.00	
6 to 8 ft	6 to 8 ft	10 to 12 ft	7.50	60.00	
6 to 8 ft	6 to 8 ft	*Liquidamhar styraciffua. Sweet gwa	n		
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- · · · · · · · · · · · · · · · · · · ·		17.50	
1½ to 1½ in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
1½ to 1¾ in	1½ to 1¾ in				
1¾ to 2 in	1¾ to 2 in				
2 to 2½ in	2 to 2½ in	· —			
*Liriodendron tulipifera. Tuliptree.  5 to 6 ft	*Liriodendron tulipifera. Tuliptree.  5 to 6 ft. 1.00 8.50 6 to 8 ft. 1.50 10.00 75.00 8 to 10 ft. 1.75 12.50 100.00 1½ to 1½ in 2.00 15.00 125.00 1½ to 1¾ in 2.25 20.00 150.00 1¾ to 2 in 2.50 22.50 200.00 2 to 2½ in 3.00 25.00 2½ to 3 in 3.50 30.00 3 to 3½ in 5.00   Magnolia acuminata. Cucumber Tree.  6 to 8 ft. 1.50 8 to 10 ft. 2.00 1½ to 1¾ in 2.50 1½ to 1 3, in 3.50 3 10 3½ in 3.00 2 to 2½ in 3.00 3 to 3½ in 3.50	2 to 2½ in	5.00	40.00	
*Liriodendron tulipifera. Tuliptree.  5 to 6 ft	*Liriodendron tulipifera. Tuliptree.  5 to 6 ft	$2\frac{1}{2}$ to 3 in	7.50		
5       to 6       ft	5 to 6 ft	3 to 3½ in	10.00		
5       to 6       ft	5 to 6 ft	<b>41.0</b>			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-		0 = 0	
8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				<b>5</b> 5 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1¾ to 2 in				
2 to 2½ in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
2½ to 3 in	2½ to 3 in	· <del>-</del>			200.00
3 to 3½ in 5.00  Magnolia acuminata. Cucumber Tree. 6 to 8 ft 1.50 8 to 10 ft 2.00 1½ to 1¾ in 2.50 1¾ to 2 in 3.00	3 to 3½ in 5.00  Magnolia acuminata. Cucumber Tree. 6 to 8 ft 1.50 8 to 10 ft 2.00 1½ to 1¾ in 2.50 1¾ to 2 in 3.00 2 to 2½ in 3.50	72			
Magnolia acuminata. Cucumber Tree.  6 to 8 ft 1.50  8 to 10 ft 2.00  1½ to 1¾ in 2.50  1¾ to 2 in 3.00	Magnolia acuminata.       Cucumber Tree.         6       to 8       ft	_ · · ·		30.00	
6 to 8 ft 1.50 8 to 10 ft 2.00 1½ to 1¾ in 2.50 1¾ to 2 in 3.00	6 to 8 ft 1.50 8 to 10 ft 2.00 1½ to 1¾ in 2.50 1¾ to 2 in 3.00 2 to 2½ in 3.50	5 to 5½ III	_ 5.00		
8 to 10 ft 2.00 1½ to 1¾ in 2.50 1¾ to 2 in 3.00	8 to 10 ft 2.00  1½ to 1¾ in 2.50  1¾ to 2 in 3.00  2 to 2½ in 3.50	Magnolia acuminata. Cucumber Tre	ee.		
1½ to 1¾ in 2.50 1¾ to 2 in 3.00	$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6 to 8 ft	1.50		
1 3/4 to 2 in 3.00	$1\frac{3}{4}$ to $2$ in 3.00 2 to $2\frac{1}{2}$ in 3.50	8 to 10 ft	2.00		
	2 to $2\frac{1}{2}$ in 3.50	$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50		
2 to $2\frac{1}{2}$ in 3.50		1¾ to 2 in	. 3.00		
	2½ to 3 in 4.00	2 to $2\frac{1}{2}$ in	. 3.50		
$2\frac{1}{2}$ to 3 in 4.00		2½ to 3 in	4.00		

Magnolia.
-----------

Magnolia.			
glauca	Sweetbay.	4.	
	each	per 10	per 100
2	2100	20.00	175.00
	to 4 ft. with ball 3.50	30.00	
	to 5 ft. with ball 5.00	40.00	350.00
	to 6 ft. with ball 6.00	50.00	
	to 8 ft. with ball 7.50	60.00	
8	to 10 ft. with ball10.00	75.00	
10	to 12 ft. with ball12.50	100.00	
*hypol	euca. Silver Magnolia.		
5	to 6 ft 3.00	25.00	
6	to 8 ft 4.00	30.00	
8	to 10 ft 5.00	40.00	
10	to 12 ft 6.00	50.00	
*kobus	. Kobus Magnolia.		
4		20.00	
5	so 6 ft 3.00	25.00	
6	to 7 ft 3.50	30.00	
7	so 8 ft 5.00	40.00	
8	to 10 ft 6.50	50.00	
lennei.	Lenne Magnolia.		
	to 5 ft. with ball10.00		
soulang	geana. Saucer Magnolia.		
_	to 4 ft. with ball 7.50		
	to 5 ft. with ball10.00	-	
specios	a. Striped Saucer Magnolia.		
3	to 4 ft. with ball 7.50		
tripetal	a. Umbrella Magnolia.		
5	to 6 ft. with ball 3.00	25.00	
6	so 8 ft. with ball 4.00	30.00	
8	to 10 ft. with ball 5.00	40.00	
10	to 12 ft. with ball 6.50	50.00	
Malus arno	diana. Arnold Crab.		
4	to 5 ft 2.00	15.00	
5	to 6 ft 2.50	20.00	
6	to 8 ft 3.00	25.00	
baccata	. Siberian Crab.		
3	so 4 ft 1.50	10.00	
4	to 5 ft 2.00	15.00	
5	to 6 ft 2.50	20.00	
6	co 8 ft 3.00	25.00	

## Malus.

arus.	each	per 10	ner 100
coronaria. Wild Sweet Crab		p = 1.0	<b>P</b> 02 200
3 to 4 ft	1.00	7.50	60.00
4 to 5 ft	1.25	10.00	75.00
5 to 6 ft	1.75	12.50	90.00
6 to 8 ft	2.00	15.00	
floribunda. Japanese Flowe	ring Crab	•	
3 to 4 ft	_	10.00	75.00
4 to 5 ft		15.00	100.00
5 to 6 ft		20.00	
6 to 8 ft		25.00	
. floribunda atrosanguinea. $C$		αħ	
3 to 4 ft		10.00	75.00
4 to 5 ft		15.00	100.00
5 to 6 ft			100.00
6 to 8 ft		*	
8 to 10 ft. specimens		20.00	
floribunda purpurea. Purple		10.00	
3 to 4 ft		10.00	
4 to 5 ft		15.00	
5 to 6 ft		20.00	
6 to 8 ft	3.00	25.00	
halliana parkmani. Parkman	n Crab.		
3 to 4 ft	2.00	15.00	
4 to 5 ft	2.50	20.00	
5 to 6 ft	3.00	25.00	
6 to 8 ft. specimens	5.00		
ioensis bechteli. Bechtel Cro	ıb.		
3 to 4 ft	1.50	10.00	85.00
4 to 5 ft	2.00	15.00	
5 to 6 ft	2.50	20.00	
niedzwetzkyana. Redvein Cr	ab.		
3 to 4 ft	1.50	10.00	
4 to 5 ft	2.00	15.00	
5 to 6 ft	2.50	20.00	
6 to 8 ft			
scheideckeri. Scheidecker Cr	·ab.		
3 to 4 ft	1.50	10.00	
4 to 5 ft		15.00	
5 to 6 ft		20.00	
6 to 8 ft			

FAIRESVILLE,	OHIO		37
Malus.			
sieboldi. Toringo Crab.			
	each	per 10	per 100
3 to 4 ft	1.00	7.50	60.00
4 to 5 ft		10.00	75.00
5 to 6 ft		12.50	100.00
6 to 8 ft		20.00	150.00
8 to 10 ft		25.00	200.00
	0.00		200.00
spectabilis. Chinese Flowering	Crab.		
3 to 4 ft	1.50	10.00	
4 to 5 ft	2.00	15.00	
5 to 6 ft	2.50	20.00	
6 to 8 ft	3.00	25.00	
spectabilis alba plena.			
Dbl. White Chinese Crab.			
3 to 4 ft	1.50	10.00	
•			
4 to 5 ft		15.00	
5 to 6 ft			
6 to 8 ft	3.00	25.00	
zumi. Zumi Crab.			
3 to 4 ft	1.50	10.00	
4 to 5 ft	2.00	15.00	
5 to 6 ft		20.00	
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.50	30.00	
Morus alba pendula. Weeping Mulb	ammai		
2 yr. heads, 5 to 7 ft. stems	_		
2 yr. neads, 5 to 1 rt. stems	3.00		
alba tartarica. Russian Mulbern	_		
4 to 5 ft		3.50	25.00
5 to 6 ft	.60	5.00	35.00
6 to 8 ft	1.00	7.50	50.00
8 to 10 ft	1.25	10.00	
Nyssa sylvatica. Tupelo.			
3 to 4 ft	1.25	10.00	
4 to 5 ft		12.50	
5 to 6 ft		15.00	
Ostrya virginiana. American Hopho			
5 to 6 ft		10.00	75.00
6 to 8 ft		12.50	100.00
8 to 10 ft	1.75	15.00	125.00

Oxydendrum. (See Shrubs).

Paulownia to	mentosa	. Royal Paulo	wnia.		
			each	per 10	per 100
5 to	6 ft.		_ 1.75	<b>1</b> 5. <b>0</b> 0	
6 to	8 ft.		_ 2.25	20.00	
8 <b>t</b> o	o 10 ft		_ 3.00	27.50	
10 to	12 ft		_ 4.00		
Phellodendro		ense. Amur C			
6	to 8			12.50	100.00
8		ft		17.50	150.00
$1\frac{1}{4}$		in		22.50	
$1\frac{1}{2}$	to 13/4	in	$_{-}$ 2.75	25.00	
$1\frac{3}{4}$	to 2	in	_ 3.00	27.50	
2	to $2\frac{1}{2}$	in	_ 3.50	30.00	
$2\frac{1}{2}$	to 3	in	_ 4.00	35.00	-
3	to $3\frac{1}{2}$	in	_ 5.00	40.00	
DI .	. 11	<i>T</i>			
		European Plan		00.50	200.00
$1\frac{1}{4}$		in		22.50	200.00
		in		25.00	225.00
. –		in		30.00	275.00
2		in			325.00
•		in		45.00	
3	to $3\frac{1}{2}$	in	_ 6.50		
Populus alba	white	te Ponlar			
6	to 8	-	85	7.50	60.00
8		ft		9.00	75.00
10		ft		12.50	
		in			100.00
. –	· -	in		20.00	
I /4	00 2	111.	_ 2.00	20.00	
bolleana	. Bolle	ana Poplar.			
6	to 8	ft	_ 1.50	12.50	
8	to 10	ft	_ 1.75	15.00	
11/4	to $1\frac{1}{2}$	in	_ 2.50		
$1\frac{1}{2}$	to 1¾	in	_ 3.00		
$1\frac{3}{4}$	to 2	in	_ 4.00		
2	to 2½	in	_ 5.00		
$2\frac{1}{2}$	to 3	in	$_{-}$ 7.50		
		utin mais Dant	1.9		
certinen: 6 to		rtinensis Poplar		750	
				7.50	
				10.00	
10 to	) 12 It.		_ T.90	12.50	

Populus.			
nigra italica. Lombardy Poplar.			
	each	per 10	per 100
6 to 8 ft. low branched	.75	6.00	50.00
8 to 10 ft. low branched	1.00	7.50	60.00
10 to 12 ft. low branched	1.50	12.50	85.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in low branched	1.75	15.00	
1¾ to 2 in. low branched	2.50	20.00	
2 to 2½ in. low branched	3.50	30.00	
$2\frac{1}{2}$ to 3 in low branched	5.00	40.00	
trichocarpa. Black Cottonwood.			
6 to 8 ft	1.00	7.50	
8 to 10 ft	1.25	10.00	
10 to 12 ft	1.50	12.50	
Prunus avium plena.			
Double White Flowering Cher	ry		
5 to 6 ft		30.00	
6 to 8 ft		40.00	
8 to 10 ft	7.50		
3 to 4 in. specimens	15.00		
lannesiana. Hitoye Cherry.			
4 to 5 ft	1.50	12.50	
5 to 6 ft		15.00	
6 to 8 ft	3.00	25.00	
padus. European Bird Cherry.			
4 to 5 ft		4.00	30.00
5 to 6 ft	.60	5.00	40.00
6 to 8 ft	1.00	7.50	50.00
8 to 10 ft	1.25	10.00	
persica. (See Amygdalus).			
serotina. Wild Black Cherry.			
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	7.50	60.00
6 to 8 ft	1.25	10.00	75.00
8 to 10 ft	1.50	12.50	90.00
serrulata. Oriental Cherry.			
4 to 5 ft	. 1.50	12.50	100.00
5 to 6 ft	2.00	15.00	125.00
6 to 8 ft		25.00	
serrulata Higantakura. Dbl. W		g. Cherry	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
8 to 10 ft	. 7.50		

## Prunus.

Prunus.			
		per 10	per 100
serrulata Hisakura. Dbl. Pink	_	herry.	
4 to 5 ft	2.50		
serrulata James H. Veitch.			
4 to 5 ft	2 50		
5 to 6 ft			
6 to 8 ft			
0 00 0 10	0.00		
serrulata sachalinensis. Yama (	Cherry.		
4 to 5 ft	1.50	12.50	
5 to 6 ft	2.00	15.00	
6 to 8 ft	3.00	<b>2</b> 5.00	
8 to 10 ft	4.00	35.00	
sieboldi. Siebold Cherry.		9	
6 to 8 ft	5.00		
8 to 10 ft	7.50		
subhirtella. Higan Cherry.	0.05	00.00	
4 to 5 ft		20.00	
5 to 6 ft			
6 to 8 ft	3.50		
subhirtella autumnale.			
Autumn flowering Higan Cher	·mal		
4 to 5 ft	_	20.00	
5 to 6 ft			
6 to 8 ft			
0 10 8 11	5.00	40.00	
subhirtella pendula. Weeping He	iaan C	herru.	
2 yr. heads, 4 to 6 ft. stem		<i>3</i> ·	
yedoensis Yoshino Cherry.			
5 to 6 ft	3.50		
D. 1			
Ptelea trifoliata. Hoptree.	F0	4.00	20.00
3 to 4 ft		4.00	30.00
4 to 5 ft		5.00	40.00
5 to 6 ft			
6 to 8 ft			75.00
8 to 10 ft	1.50	12.50	100.00
Pyrus salicifolia. Willow-leaved Ped	ar.		
6 to 8 ft			
8 to 10 ft			

			I	PAINESV	ILLE, C	OIHO		41
Quercus	alba		Whit	te Oak.				
						each	per 10	per 106
	6	to	8	ft		3.00		-
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in		3.50	30.00	
	1½	to	$1\frac{3}{4}$	in		4.00	35.00	
	13/4	to	2	in		5.00	40.00	
	2	to	$2\frac{1}{2}$	in		6.00	50.00	
	$2\frac{1}{2}$	to	3	in		7.50	60.00	
cerr	is. <i>1</i>	Eui	rope	an Turke	y Oak.			
	6	to	8	ft		2.50	20.00	
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in		2.75	25.00	
				in			30.00	
				in				
				in				
	21/2	to	3	in		6.50	55.00	
cocc	inea.	2	Scarl	let Oak.				
	11/4	to	$1\frac{1}{2}$	in		3.50	32.50	
	$1\frac{1}{2}$	to	1 3/4	in		4.00	37.50	
	$1\frac{3}{4}$	to	2	in		5.00	45.00	
	2	to	$2\frac{1}{2}$	in		6.00	50.00	
	$2\frac{1}{2}$	to	3	in		7.50	60.00	
	3	to	31/2	in	1	10.00		
	$3\frac{1}{2}$	to	4	in	1	2.50		
ilici	folia.	S	crub	Oak.				
	6	to	8	ft		1.75	15.00	
	$1\frac{1}{4}$			in				
				in				
				in				
nalu	stris.	7	Pin. (	Oak.				
P				ft		2.50	22.50	200.00
				in			32.50	
				in			37.50	
							45.00	400.00
				in				
				in			60.00	
				in				
				in				
phel	los.	W	'illou	o Oak.				
L'aros						2.25	20.00	150.00
1								
	. 5							

0			
Quercus.			
prinus. Chestnut Oak.	,		
0 1. 0 1	each	_	per 100
6 to 8 ft		17.50	125.00
8 to 10 ft		20.00	
1½ to 1½ in			
1½ to 1¾ in			
1¾ to 2 in	5.00	40.00	
2 to 2½ in	6.00		
robur. English Oak.			
6 to 8 ft	2.50	20.00	
1½ to 1½ in	3.00	25.00	
1½ to 1¾ in		30.00	
1¾ to 2 in			
2 to 2½ in		45.00	
2½ to 3 in		60.00	
, <u>-</u>			
robur fastigiata. Pyramidal Eng		k.	
8 to 10 ft			
10 to 12 ft	7.50		
rubra. Red Oak.			
6 to 8 ft	3.00	25.00	
1½ to 1½ in		32.50	
1½ to 1¾ in		37.50	
1¾ to 2 in		45.00	
2 to 2½ in			
2½ to 3 in		60.00	
3 to 3½ in		00100	
	10.00		
velutina. Black Oak.			
6 to 8 ft		25.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		30.00	
1½ to 1¾ in		35.00	
1¾ to 2 in	5.00	40.00	
2 to $2\frac{1}{2}$ in	6.00	50.00	
2½ to 3 in	7.50	60.00	
3 to 3½ in	10.00		
$3\frac{1}{2}$ to 4 in	12.50		
Robinia pseudoacacia. Common Loc	ust.		
5 to 6 ft		4.50	35.00
6 to 8 ft		6.00	50.00
8 to 10 ft			
10 to 12 ft		12.50	

## Robinia

Robinia			
hispida. Rose $Acacia$ .			
	each	per 10	per 100
2 yr. standard, 3 to 4 ft.			
2 yr. standard, 4 to 5 ft.	2.00		
Salix babylonica. Babylon Weepi	ng $Willo$	w.	
6 to 8 ft	$_{}$ 1.25	10.00	75.00
8 to 10 ft	1.50	12.50	100.00
1¼ to 1½ in	1.75	15.00	
1½ to 1¾ in	2.00	17.50	
1¾ to 2 in	2.50	20.00	
2 to 2½ in	3.00	25.00	
babylonica aurea pendula.	Golden	Weeping	Willow.
6 to 8 ft			
8 to 10 ft	1.50	12.50	
1¼ to 1½ in	1.75	15.00	
1½ to 1¾ in			
1¾ to 2 in			
babylonica dolorosa. Wiscon		·	w.
6 to 8 ft			
8 to 10 ft			
babylonica salamoni. Salam			211.
6 to 8 ft		_	
8 to 10 ft	1 50	12.50	100.00
1½ to 1½ in		15.00	
1½ to 1¾ in		17.50	
1¾ to 2 in		22.50	100,00
2 to 2½ in		25.00	
2½ to 3 in		30.00	
3 to 3½ in		90.00	
caprea. Goat Willow.	0.00		
5 to 6 ft	60	5.00	
6 to 8 ft		6.00	
8 to 10 ft		7.50	
discolor. Pussy Willow.	1.00	1.00	
4 to 5 ft	75	5.00	
5 to 6 ft		7.50	
pentandra. Laurel Willow.	1.00	1.50	
6 to 8 ft	1 25	10.00	75.00
8 to 10 ft		12.50	
1¼ to 1½ in			100.00
		22.50	
1¾ to 2 in		44.00	
2 to 2½ in	5.00		

	•		•		
•	2	II 1	13	~	
<b>∠</b> 7	48.	L	12	▶.0	ŕ

Jana.			
regalis. Royal Willow.			
4 to 5 ft	each	-	per 100
4 to 5 ft		5.00	
5 to 6 ft			
6 to 8 ft			
8 to 10 ft		_	
10 to 12 ft		15.00	
rosmarinifolia. (See Shrubs).	-101-		
sieboldiana. Siebold Willow.			
6 to 8 ft			
8 to 10 ft	1.25	10.00	
vitellina. Golden Willow.			
6 to 8 ft			
8 to 10 ft	1.25	10.00	75.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in			125.00
1¾ to 2 in			150.00
2 to 2½ in	2.50	22.50	
$2\frac{1}{2}$ to $3$ in	3.00	25.00	
vitellina britzensis. Bronze Gold	den Wil	low.	
5 to 6 ft	.75	6.00	50.00
6 to 8 ft	1.00	7.50	60.00
8 to 10 ft	1.25	10.00	75.00
1½ to 1¾ in	1.75	15.00	
1¾ to 2 in	2.00	17.50	
Sassafras variifolium. Sassafras.			
4 to 5 ft	.75	6.00	
5 to 6 ft	1.00	7.50	
6 to 8 ft	1.25	10.00	
Sorbus americana. American Mount	tain Asl	n.	
6 to 8 ft	2.00	15.00	
aria latifolia. White Beam-tree.			
6 to 8 ft	1.25	10.00	
8 to 10 ft	1.50	12.50	
aucuparia. European Mountain			
6 to 8 ft		12.50	
8 to 10 ft		15.00	125.00
1½ to 1½ in			
1½ to 1¾ in		25.00	
1 % to 2 in		30.00	
2 to $2\frac{1}{2}$ in	5.00		

Sorbus.					
quercifol	ia. Oak	k-leaf Mountain	n $Ash.$		
•		•	each	per 10	per 100
6	to 8	ft	_ 1.75	15.00	
8	to 10	ft	2.25	20.00	
$1\frac{1}{4}$	to 1½	in	_ 2.50	22.50	
$1\frac{1}{2}$	to 1%	in	3.00	25.00	
13/4	to 2	in	_ 3.50	30.00	
2	to 2½	in	5.00		
Syringa japon	nica. (X	See Deciduous	Shrubs).		
Taxodium dis	stichum.	Common Ba	ldcypress	•	
3 to	4 ft		_ 1.00		
4 to	5 ft	~~~~~~~~	1.25		
5 to	6 ft		_ 1.50		
6 to	8 ft		2.00		
Tilia america	na. $An$	nerican Linden	•		
6	to 8	ft	$_{-}$ 2.25	20.00	175.00
. 8	to 10	ft	3.00	27.50	250.00
11/4	to 1½	in	$_{-}$ 3.50	32.50	300.00
$1\frac{1}{2}$	to 13/4	in	_ 4.00	35.00	
$1\frac{3}{4}$	to 2	in	_ 5.00	40.00	
2	to 2½	in	_ 6.00	50.00	
$2\frac{1}{2}$	to 3	in	$_{-}$ 7.50	60.00	
3	to 3½	in	$_{-10.00}$		
euchlora.	Crime	ean Linden.			
$1\frac{1}{4}$	to 1½	in	$_{-}$ 3.50	32.50	
$1\frac{1}{2}$	to 1%	in	$_{-}$ 4.00	35.00	
$1\frac{3}{4}$	to 2	in	_ 5.00	40.00	
2	to $2\frac{1}{2}$	in	_ 6.00	50.00	
$2\frac{1}{2}$	to 3	in	_ 7.50		
platyphyl	llos. Bi	gleaf Europea	n Linden	<b>2.</b>	
6	to 8			20.00	175.00
8	to 10	4		27.50	250.00
$1\frac{1}{4}$	to 1½	in	_ 3.50	32.50	300.00
$1\frac{1}{2}$	to 13/4	in	_ 4.00	35.00	325.00
13/4		in		40.00	375.00
2	to 2½	in	6.00	50.00	
$2\frac{1}{2}$	to 3	in	$_{-}$ 7.50	60.00	
tomentos	a. Silv	er Linden.			
$1\frac{1}{4}$	to 1½	in	_ 4.00	35.00	
$1\frac{1}{2}$	to 13/4	in	_ 5.00	40.00	
$1\frac{3}{4}$	to 2	in	_ 6.00	50.00	
2	to 2½	in	<b>7.</b> 50	60.00	
3	to 3½	in	$_{-}12.50$	100.00	
$3\frac{1}{2}$		in		125.00	

Tilia						
	(	Comm	on Euro	pean Linden.		
				each	per 10	per 100
6	to	8		2.25	20.00	175.00
8	to	10		3.00	27.50	250.00
$1\frac{1}{4}$	to	$1\frac{1}{2}$		3.50	32.50	300.00
$1\frac{1}{2}$	to	$1\frac{3}{4}$		4.00	35.00	325.00
$1\frac{3}{4}$	to	2		5.00	40.00	375.00
2	to			6.00	50.00	400.00
$2\frac{1}{2}$	to	3		7.50	60.00	500.00
3	to			10.00	75.00	
$3\frac{1}{2}$	to	4	in	12.50		
Ulmus ameri	can	a. A	.merican	Elm.		
8	to	10	ft	2.50	20.00	175.00
11/4	to	$1\frac{1}{2}$	in	2.75	22.50	200.00
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	3.50	30.00	250.00
$1\frac{3}{4}$	to	2	in	4.50	35.00	300.00
2	to	$2\frac{1}{2}$	in	6.00	45.00	
$2\frac{1}{2}$	to	3	in	7.50	60.00	
campesti	nic	$F_{\infty}$	dich Fla	n		
campesti 6	to			n. 2.25	17.50	
•	_	_		2.25		
				3.00		
				4.00		
				5.00		
				6.00		
				7.50		
				10.00		
	•		. 10	7.6	****	
				Monument	Elm.	
		. –		4.00		
				5.00		
2				6.00 $ 7.50$		
4	ιο	472	111	1.00		
campesti	ris	purpu	rea. Pa	urpleleaf Engl	lish Elm.	
6		8		2.25		
8	to	10	ft	2.75		
10	to	12	ft	3.50		
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	4.00		
1.3/	1.	0		F 00		

1 3/4 to 2 in.\_\_\_\_\_ 5.00 2 to 2 1/2 in.\_\_\_\_ 6.00

#### Ulmus

campestris vegeta. Huntingdon Elm.

	8	to	10	ft 2.75	22.50	175.00
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in 3.00	25.00	200.00
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in 4.00	32.50	250.00
	$1\frac{3}{4}$	to	2	in 5.00	40.00	
	2	to	$2\frac{1}{2}$	in 6.00	50.00	
	$2\frac{1}{2}$	to	3	in 7.50	60.00	
	3	to	3 1/2	in10.00	75.00	
	31/2	to	4	in12.50		
fulv	a.	Slip	pery	Elm.		
	8	to	10	ft 2.50	20.00	
	$1\frac{1}{4}$	to	$1\frac{1}{2}$	in 2.75	22.50	
	$1\frac{1}{2}$	to	$1\frac{3}{4}$	in 3.50	30.00	
	$1\frac{3}{4}$	to	2	in 4.50	35.00	
	2	to	$2\frac{1}{2}$	in 5.00	40.00	
alal		90	otab i			
grar	_		otch I		22.50	175 00
	8			ft 2.75		
				in 3.00		
				in 4.00		
				in 5.00		300.00
	2			in 6.00		
				in 7.50	60.00	
	3	to	$3\frac{1}{2}$	in10.00	75.00	
race	mos	2	Rock	Elm.		
lace	8			ft 2.50	20.00	
	_			in 4.00	30.00	
	$\frac{1}{2}$			in 6.00	50.00	
	4	U	$4\frac{1}{2}$	111 0.00		

# Fruit Trees

We are able to supply all the leading varieties.

						each	per 10	per 100
Apples,	Crab,	5	to	7	ft	1.00	7.50	0
	Dwarf,	5	to	7	ft	1.25	10.00	
	Standard,	5	to	7	ft	1.00	7.50	
Cherry,	Sour,	5	to	7	ft	1.35	12.50	
	Sweet,	5	to	7	ft	1.35	12.50	

Peaches,	)	5	to	7	ft	each	per 10 5.00	per 100
Pears,	Dwarf,				ft		10.00	
	Standard,	5	to	7	ft	1.35	12.50	
Plums,		5	to	7	ft	1.50	14.00	
Quinces	,	4	to	5	ft	1.35	12.50	

# **Small Fruits**

	each	per 10	per 100
Asparagus			5.00
Blackberries		.85	7.50
Currants	.50	4.00	30.00
Gooseberries	.50	4.00	30.00
Grapes, 3 yr. strong	.40	3.00	25.00
Raspberries		.85	7.50
Rhubarb		1.50	10.00
Strawberries		.60	5.00

# Deciduous Shrubs

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

Abelia rupestris grandiflora.	per 10	per 100
15 to 18 in. bushy65	5.50	
18 to 24 in. bushy75	6.50	
Acanthopanax pentaphyllum.		
Five-leaved $Aralia$ . 10'		
2 to 3 ft40	3.00	<b>25</b> .00
3 to 4 ft50	4.00	30.00
4 to 5 ft60	5.00	40.00
5 to 6 ft	6.00	
ricinifolium. Castor Aralia. 25'		
6 to 8 ft <b>1.50</b>	10.00	
8 to 10 ft <b>1.75</b>	12.50	
10 to 12 ft 2.50	20.00	
Aesculus parviflora. Dwarf Horsechestnut.	10'	
2 to 3 ft 2.00	17.50	
3 to 4 ft 2.50	22.50	
Althea. (See Hibiscus).		

Alnus rugosa. Hazel Alder. 10'		
each	per 10	per 100
18 to 24 in. bushy75	5.00	
2 to 3 ft 1.00	7.50	
Amelanchier canadensis. Downy Shadbush.	10'	
2 to 3 ft45	3.50	30.00
3 to 4 ft60	5.00	40.00
laevis. Allegheny Serviceberry. 20'		
2 to 3 ft50	4.00	
3 to 4 ft60	<b>5.</b> 00	
vulgaris. European Serviceberry. 25'		
2 to 3 ft45	3.50	30.00
3 to 4 ft60	5.00	40.00
4 to 5 ft75	6.00	
Amorpha canescens. Lead Plant. 2'		
15 to 18 in40	3.00	25.00
18 to 24 in45	3.50	30.00
2 to 3 ft50	4.00	
fruticosa. Indigobush. 10'		
2 to 3 ft30	2.50	20.00
3 to 4 ft40	3.50	30.00
4 to 5 ft60	5.00	40.00
5 to 6 ft75	6.00	50.00
6 to 8 ft 1.00	7.50	60.00
Amygdalus nana georgica. Russian Almon	ıd. 6'	
2 to 3 ft 1.50	10.00	
3 to 4 ft 1.75	12.50	
4 to 5 ft 2.00	17.50	
Aralia japonica. Angelica Tree. 25'		
2 to 3 ft40	3.00	<b>25.00</b>
3 to 4 ft50	4.00	<b>35.00</b>
4 to 5 ft60	5.00	45.00
5 to 6 ft 1.00	7.50	60.00
6 to 8 ft 1.25	10.00	85.00
8 to 10 ft 3.00	25.00	
mandshurica. Manchurian Aralia. 25		
<b>3</b> to <b>4</b> ft60	5.00	40.00
4 to 5 ft75	6.00	50.00
pentaphyllum. (See Acanthopanax).		

Aralia spinosa. Devil's Walkingstick. 25'		
each	per 10	per 100
2 to 3 ft40	3.00	25.00
3 to 4 ft50	4.00	35.00
4 to 5 ft60	5.00	45.00
5 to 6 ft 1.00	7.50	60.00
6 to 8 ft 1.25	10.00	85.00
8 to 10 ft. clumps 4.00		
10 to 12 ft. clumps 5.00		
Aronia arbutifolia. Red Chokeberry. 8'		
2 to 3 ft55	4.50	40.00
3 to 4 ft65	5.50	50.00
4 to 5 ft 1.00	7.50	60.00
5 to 6 ft 1.25	10.00	
atropurpurea. Purple Chokeberry. 8'		
2 to 3 ft55	4.50	40.00
3 to 4 ft65	5.50	50.00
melanocarpa. Black Chokeberry. 10'		
2 to 3 ft45	3.50	25.00
3 to 4 ft50	4.00	30.00
4 to 5 ft60	4.50	35.00
5 to 6 ft	6.00	50.00
melanocarpa elata. Glossy Chokeberry.	<i>6'</i>	
2 to 3 ft45	3.50	25.00
3 to 4 ft50	4.00	30.00
4 to 5 ft60	4.50	35.00
Azalea calendulacea. Flame Azalea. 6'		
2 to 3 ftB. & B. 2.75	22.50	200.00
canescens. Piedmont Azalea. 6'		
2 to 3 ftB. & B. 2.50	20.00	175 00
2 to 5 ftB. & B. 2.00	40.00	175.00
nudiflora. Pinksterbloom. 4'	20.00	175.00
	20.00	175.00
nudiflora. Pinksterbloom. 4' 2 to 3 ftB. & B. 2.50 viscosa. Swamp Azalea. 6'		
nudiflora. Pinksterbloom. 4' 2 to 3 ftB. & B. 2.50 viscosa. Swamp Azalea. 6' 18 to 24 inB & B. 2.00		
nudiflora.       Pinksterbloom.       4'         2 to 3 ftB. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 inB & B. 2.00         24 to 30 inB. & B. 2.50	20.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ftB. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 inB & B. 2.00         24 to 30 inB. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'	20.00 17.50 20.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ftB. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 inB & B. 2.00       24 to 30 inB. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft60	20.00 17.50 20.00 5.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75	20.00 17.50 20.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75         Benzoin aestivale.       Spice Bush.       12'	20.00 17.50 20.00 5.00 6.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75         Benzoin aestivale.       Spice Bush.       12'         2 to 3 ft.       .50	20.00 17.50 20.00 5.00 6.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75         Benzoin aestivale.       Spice Bush.       12'         2 to 3 ft.       .50         3 to 4 ft.       .60	20.00 17.50 20.00 5.00 6.00 4.00 5.00	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75         Benzoin aestivale.       Spice Bush.       12'         2 to 3 ft.       .50         3 to 4 ft.       .60         4 to 5 ft.       .100	20.00 17.50 20.00 5.00 6.00 4.00 5.00 7.50	175.00
nudiflora.       Pinksterbloom.       4'         2 to 3 ft.       B. & B. 2.50         viscosa.       Swamp Azalea.       6'         18 to 24 in       B & B. 2.00         24 to 30 in       B. & B. 2.50         Baccharis halimifolia.       Groundselbush.       10'         3 to 4 ft.       .60         4 to 5 ft.       .75         Benzoin aestivale.       Spice Bush.       12'         2 to 3 ft.       .50         3 to 4 ft.       .60	20.00 17.50 20.00 5.00 6.00 4.00 5.00 7.50	175.00

Berberis ilicifolia. Holly Barberry.	4'		
	•	per 10	per 100
18 to 24 in		_	-
thunbergi. Japanese Barberry.	4'		
15 to 18 in		1.50	12.00
18 to 24 in		2.00	15.00
24 to 30 in		3.00	25.00
2 to 2½ ft. specimens		5.00	
2½ to 3 ft. specimens		7.00	
3 to 3½ ft. specimens		9.00	
thunbergi minor. Box Barberry	<i>j</i> •		
12 to 15 in		3.00	25.00
15 to 18 in	.40	3.50	30.00
thunbergi pluriflora. 5'			
18 to 24 in	.35	2.50	18.00
24 to 30 in	.45	3.50	25.00
2½ to 3 ft	.50	4.00	30.00
Berchemia racemosa. Japanese Sup	plejack	c. 3'	
18 to 24 in	_	4.00	
Buddleia davidi. Orange-eye Butter	fly Bus	sh. 5'	
2 to 3 ft			20.00
3 to 4 ft		3.50	25.00
4 to 5 ft	.60	5.00	
davidi veitchi. Veitch Butterfly	Bush.	<i>5'</i>	
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	5.00	
intermedia. Wisteria Butterfly	Bush.	<b>5'</b>	
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	5.00	
lindleyana. Lindley Butterfly I	3ush.	<i>5'</i>	
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	5.00	
Callicarpa purpurea. Chinese Beau		1. 4'	
18 to 24 in	.40	3.00	25.00
2 to 3 ft	.50	4.00	35.00
japonica. Japanese Beautyberr	y. 4'		
18 to 24 in	50	4.00	35.00

Calycanthus floridus. Sweet Shrub.	<i>5'</i>		
	each	per 10	per 100
2 to 2½ ft		4.50	40.00
$2\frac{1}{2}$ to 3 ft		5.00	45.00
3 to $3\frac{1}{2}$ ft	1.00	7.50	
Caragana arborescens. Siberian Pea	tree.	<i>15'</i>	
2 to 3 ft	.40	3.00	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	1.00	7.50	
Caryopteris incana. Bluebeard. 4'			
18 to 24 in	.40	3.00	25.00
24 to 30 in	.50	4.00	
Ceanothus americanus. Jersey Tea.	3′		
18 to 24 in	.50	4.00	35.00
2 to 3 ft	.60	5.00	40.00
Cephalanthus occidentalis. Button I	3ush.	<i>6'</i>	
2 to 3 ft	.40	3.00	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	4.00	<b>35.</b> 00
Chionanthus virginica. White Fring	re. 25'		
2 to 3 ft	1.50	10.00	
3 to 4 ft	1.75	12.50	
4 to 5 ft	2.50	20.00	
5 to 6 ft	3.50		
Clerodendron trichotomum. Harlego	uin Glo	rybower.	5 <b>′</b>
18 to 24 in	.75	5.00	
2 to 3 ft	1.00	<b>7.</b> 50	
Clethra alnifolia. Sweet Pepper Bus	sh. 5'		
18 to 24 in	.45	3.50	25.00
24 to 30 in	.50	4.00	30.00
$2\frac{1}{2}$ to 3 ft	.60	4.50	40.00
Colutea arborescens. Bladder Senno	a. 10'		
2 to 3 ft	.40	3.00	20.00
3 to 4 ft	.50	3.50	25.00
4 to 5 ft	.60	4.50	35.00
5 to 6 ft	.75	6.00	50.00
Comptonia asplenifolia. Sweetfern.	3'		
18 to 24 in	.40	3.00	
2 to 3 ft	.50	4.00	

Cornus alba.	7	'atarian Dogwood.	10'		
			each	per 10	per 100
		ft		2.50	18.00
		ft		3.00	25.00
		ft		4.00	30.00
	•	ft		4.50	35.00
<b>6</b> to	8	ft	.75	5.00	40.00
alba eleg	ani	tissima. Silverblotch	Dogwo	ood. 6'	
<b>2</b> to	3	ft	.50	4.00	35.00
<b>3</b> to	4	ft	.60	5.00	45.00
4 to	5	ft	.75	6.00	50.00
5 to	6	ft	1.00	7.50	
alba sibir	ica	. Coral Dogwood.			
		ft		2.50	18.00
3 to	4	ft	.40	3.00	25.00
4 to	5	ft	.50	4.00	30.00
<b>5</b> to	6	ft	.60	4.50	35.00
<b>6</b> to	8	ft	.75	5.00	40.00
alba spae	th	i aurea. Golden var	iegated	Dogwood.	8'
<b>2</b> to	3	ft	.50	4.00	35.00
3 to	4	ft	.60	5.00	45.00
4 to	5	ft	.75	6.00	50.00
<b>5</b> to	6	ft	.90	7.50	
alternifol	ia.	Pagoda Dogwood.	20'		
2 to	3	ft	.50	4.00	
3 to	4	ft	.60	5.00	
4 to	5	ft	1.00	7.50	
5 to	6	ft	1.25	10.00	
	-	yn. sericea. Silky D	_		
		ft		2.50	18.00
		ft		3.00	25.00
<b>4</b> to	5	ft	.50	4.00	30.00
5 to	6	ft		4.50	35.00
		ft	.75	5.00	40.00
		ailey Dogwood. 10'	0.7	0 50	20.00
		ft		2.50	20.00
		ft		3.00	25.00
		ft		4.00	35.00
		ft	.60	5.00	
		usa Dogwood. 20'			
		ft		7.50	
		ft		10.00	
<b>4</b> to	5	ft	1.50	12.50	

#### Cornus.

paniculata.	Gray Dogwood.	15'		
P		each	per 10	per 100
2 to 3	ft	.35	3.00	25.00
3 to 4	ft	45	3.50	30.00
4 to 5	ft	.60	5.00	40.00
5 to 6	ft	<b></b> .75	6.00	50.00
6 to 8	ft	1.00	7.50	
sanguinea.	Bloodtwig Dogw	ood.		
2 to 3	ft	35	2.50	18.00
3 to 4	ft	.40	3.00	25.00
sanguinea	viridissima. <i>Gree</i>	ntwig Dog	wood. 10	) <i>'</i>
2 to 3	ft	.40	3.00	25.00
3 to 4	ft	.50	4.00	<b>35.0</b> 0
4 to 5	ft	.60	5.00	40.00
5 to 6	ft	1.00	7.50	
stolonifera.	Red Osier Dogo	wood. 8'		
2 to 3	ft	35	2.50	18.00
3 to 4	ft	40	3.00	25.00
4 to 5	ft	.50	4.00	30.00
5 to 6	ft	.60	4.50	35.00
6 to 8	ft	75	5.00	40.00
stolonifera	flaviramea. Gold	lentwig Do	gwood. 8	3 <b>′</b>
	flaviramea. Gold	=	gwood. 8 3.00	3' 25.00
2 to 3		.35		
2 to 3 3 to 4	ft	.35	3.00	25.00
2 to 3 3 to 4 4 to 5	ft		3.00 3.50 4.00	25.00 30.00
2 to 3 3 to 4 4 to 5  Corylus america	ft ft ft	35 40 50	3.00 3.50 4.00	25.00 30.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3	ftftft		3.00 3.50 4.00	25.00 30.00 35.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4	ft ft ft ft ft ft ft		3.00 3.50 4.00 0' 4.00	25.00 30.00 35.00 30.00 40.00 50.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6	ft		3.00 3.50 4.00 6.00 5.00 6.00 7.50	25.00 30.00 35.00 30.00 40.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6	ft ft ft ft ft ft ft ft ft		3.00 3.50 4.00 6.00 5.00 6.00 7.50	25.00 30.00 35.00 30.00 40.00 50.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8	ft		3.00 3.50 4.00 6.00 5.00 6.00 7.50	25.00 30.00 35.00 30.00 40.00 50.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana.	ft		3.00 3.50 4.00 6.00 5.00 6.00 7.50 12.50	25.00 30.00 35.00 30.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to	ft		3.00 3.50 4.00 6.00 5.00 6.00 7.50 12.50	25.00 30.00 35.00 30.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to	ftftftftftftftftftftftftftftff		3.00 3.50 4.00 6.00 5.00 6.00 7.50 12.50 4.00 5.00 6.00	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to	ftftftftftftftftftftftftftftftftftffftffffffffffffff	354050  azelnut. 1506075 1.00 1.505050505050505050	3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 7.50	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to 5 to 6 to 6 to	ftftftftftftftftftftftftffffff		3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 10.00	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to 5 to 6 to 6 to	ft ff ff ft ff		3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 7.50	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to 5 to 6 to 8 to 1	ftftftftftftftftftftftftffffff		3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 10.00	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to 5 to 6 to 8 to 1  rostrata.  But 1	ftftftftftftftftftftftftftffffffff	354050 azelnut. 1506075 1.00505050505050505050505050607525200 1.25 2.00	3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 10.00	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00 60.00
2 to 3 3 to 4 4 to 5  Corylus america 2 to 3 3 to 4 4 to 5 5 to 6 6 to 8  avellana. 2 to 3 to 4 to 5 to 6 to 8 to 1  rostrata. 2 to 3	ftftftftftftftftftftftftftffffffff	354050 azelnut. 1506075 1.00 1.5075 1.0075 2.0075 1.75	3.00 3.50 4.00 6.00 7.50 12.50 4.00 5.00 6.00 7.50 10.00	25.00 30.00 35.00 30.00 40.00 50.00 40.00 50.00 60.00

Cotoneaster acutifolia. Blackfruited	Quince	berry. 12'	
	each	per 10	per 100
2 to 3 ft	.40	3.00	<b>20.00</b>
3 to 4 ft	.50	<b>3.</b> 50	25.00
4 to 5 ft	.60	4.50	<b>35.0</b> 0
5 to 6 ft	.75	5.00	
adpressa. Creeping Cotoneaster	. 2'		
15 to 18 inB. & B.	1.25	10.00	
applanata. 6'			
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	7.50	
divaricata. Spreading Cotoneas			
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	7.50	
foveolata. Scarlet fruited Quin	ceberry.	10'	
2 to 3 ft	.75	6.00	50.00
3 to 4 ft		7.50	
horizontalis. Prostrate Quinceb	erry. 3	,	
15 to 18 in. spread_B. & B.	1.25	10.00	
18 to 24 in. spreadB. & B.	1.50	12.50	
hupehensis. Hupen Cotoneaster			
3 to 4 ft		10.00	
lucida. 12'			
2 to 3 ft	.75	6.00	50.00
3 to 4 ft		7.50	60.00
nitens. 6'			
2 to 3 ft	.75	6.00	
3 to 4 ft		7.50	
obscura. 10'			
2 to 3 ft	.75	6.00	50.00
3 to 4 ft		7.50	
simonsi. Simons Cotoneaster	5 <b>'</b>		
2 to 3 ft	.50	4.00	
3 to 4 ft		5.00	
wilsoni. Wilson Cotoneaster.	<i>5</i> ′		
2 to 3 ft	.75	6.00	50.00
3 to 4 ft		7.50	60.00
Cydonia japonica. Flowering Quinc	e 5'		
2 to 3 ft		4.00	35.00
3 to 4 ft		4.50	40.00
japonica umbilicata. Navel Flor	wering (	Quince.	5′
2 to 3 ft		5.00	40.00
3 to 4 ft	.75	6.00	

Cydonia			
maulei. Lesser Flowering Quinc	ee. 5'		
	each	•	per 100
2 to 3 ft			
3 to 4 ft	.75	<b>6.</b> 00	
Cytisus hirsutus. 3'			
2 to 3 ft	.35	3.00	
Daphne mezereum. February Daph	ne. 4'		
18 to 24 inB. & B.	1.75		
24 to 30 inB. & B.	2.25		
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. S	3'		•
15 to 18 in	.40	3.00	25.00
18 to 24 in	.50	4.00	35.00
24 to 30 in	.60	5.00	45.00
gracilis campanulata. Bellflower	Deutz	ia. 5'	
18 to 24 in		3.50	30.00
24 to 30 in	.50	4.50	40.00
2½ to 3 ft	.60	5.50	50.00
3 to 4 ft	.75	6.50	60.00
gracilis carminea. Carmine Deut	tzia. 4	,	
18 to 24 in	_		40.00
2 to 3 ft		5.50	50.00
3 to 4 ft		6.50	60.00
gracilis rosea. Rose-panicle Deut		,	
18 to 24 in		4.50	40.00
24 to 30 in	.60	5.50	50.00
2½ to 3 ft	.65	6.00	55.00
3 to 4 ft		6.50	
gracilis venusta. White-panicle I	Deutzia	. 5'	
18 to 24 in		3.50	30.00
24 to 30 in		4.50	40.00
2½ to 3 ft		5.50	50.00
3 to 4 ft		6.00	
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	3.00	25.00
24 to 30 in	.50	4.00	35.00
2½ to 3 ft	.60	5.00	45.00
3 to 4 ft		6.50	
lemoine avalanche. Avalanche L	eutzia.	4'	
2 to 2½ ft		5.00	40.00
2½ to 3 ft	.75	6.00	

Deutzia			
parviflora. Mongolian Deutzia.	<i>5'</i>		
pul villolus lilologostan Domonta.	each	per 10	per 100
18 to 24 in		4.00	30.00
2 to 3 ft	.60	5.00	40.00
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.35	2.50	18.00
3 to 4 ft	4	3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft	.60	4.50	40.00
scabra candidissima. Snowflake	Deutzi	a. 12'	
2 to 3 ft	.35	2.50	18.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft	.60	4.50	40.00
6 to 8 ft. heavy	.75	5.00	45.00
scabra Pride of Rochester. 12'			
2 to 3 ft	.35	2.50	18.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	35.00
5 to 6 ft	.60	4.50	40.00
6 to 8 ft. heavy	.75	5.00	45.00
scabra rosea plena. 12'			
2 to 3 ft			18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft	.60	5.00	40.00
scabra watereri. Waterer's Deut	zia. 12	? <b>'</b>	
2 to 3 ft		2.50	18.00
3 to 4 ft			25.00
4 to 5 ft			30.00
5 to 6 ft		4.50	35.00
6 to 8 ft. heavy	.75	5.00	40.00
Diervilla sessilifolia. Southern Bush	_		
2½ to 3 ft			30.00
3 to 4 ft			35.00
4 to 5 ft	.75	5.00	40.00
trifida. Dwarf Bush Honeysuck	le. 3'		
2 to 3 ft	.45	3.50	30.00
3 to 4 ft	.50	4.00	35.00
(See also Weigela).			

Elaeagnus angustifolia. Russian Ol	ive. 2	0'	
	each	per 10	per 100
3 to 4 ft	.45	3.50	25.00
4 to 5 ft	.55	4.50	35.00
5 to 6 ft	.75	6.00	50.00
6 to 8 ft	1.00	7.50	
argentea. Silverberry. 12'			
3 to 4 ft	.50	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.75	6.00	
6 to 8 ft	1.00	7.50	
longipes. Cherry Elaeagnus.	6'		
2 to 3 ft	.75	6.00	
3 to 4 ft	1.00	7.50	
umbellata. Autumn Elaeagnus.	. 12'		
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	40.00
4 to 5 ft	.60	5.00	
5 to 6 ft	1.00	7.50	
8 to 10 ft	2.50		
Elsholtzia stauntoni. 4'			
18 to 24 in	.40	3.00	25.00
2 to 3 ft	.50	4.00	<b>35.</b> 00
Euonymus alatus. Winged Euonym	ius. 1	0'	
2 to 3 ft	1.25	10.00	
3 to 4 ft	1.50	12.50	
4 to 5 ft	2.50	20.00	
americanus. Brook Euonymus.	8'		
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	4.50	35.00
atropurpureus. Native Wahoo.	15'		
2 to 3 ft	.40	3.50	25.00
3 to 4 ft	.50	4.00	35.00
4 to 5 ft	.60	5.00	45.00
5 to 6 ft	.75	6.00	50.00
bungeanus. Winterberry Euon	ymus.	<i>15'</i>	
2 to 3 ft		3.00	25.00
3 to 4 ft		4.00	35.00
4 to 5 ft	.60	5.00	45.00
5 to 6 ft	.75	6.00	50.00
6 to 8 ft	1.00	7.50	60.00

Euonymus			
europaeus. European Burning	Bush.	<i>15'</i>	
	each	per 10	per 100
2 to 3 ft		3.00	25.00
3 to 4 ft	.50	4.00	35.00
4 to 5 ft	.60	5.00	45.00
5 to 6 ft	.75	6.50	60.00
6 to 8 ft	1.00	8.50	75.00
latifolius. Broadleaf Burning	Bush.	10'	
3 to 4 ft	.60	5.00	
4 to 5 ft	.75	6.00	
maacki. 10'			
18 to 24 in	.50	4.00	
2 to 3 ft	.60	5.00	
yedoensis. Yeddo Euonymus.	10'		
2 to 3 ft	_	5.00	40.00
3 to 4 ft	75	6.00	50.00
4 to 5 ft	1.00	7.50	60.00
5 to 6 ft	1.25	10.00	
Exochorda grandiflora. Pearl Bush	. 10'		
2 to 3 ft		4.00	35.00
3 to 4 ft		5.00	40.00
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.25	10.00	75.00
5 to 6 ft. specimens	3.50		
6 to 7 ft. specimens	5.00		
Fontanesia fortunei. Fortune Font	anesia.	<i>15'</i>	
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	1.00	7.50	60.00
5 to 6 ft		10.00	
6 to 8 ft	1.50	12.50	
Forsythia intermedia. Border Fors	_	8'	
2 to 3 ft		2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft		5.00	40.00
6 to 7 ft		7.50	
intermedia spectabilis. Showy			
2 to 3 ft		2.50	20.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft	60	<b>5.</b> 00	45.00

Forsythia			
suspensa. Weeping Forsythia.	•		
0 4 0 04	each	per 10	-
2 to 3 ft		3.00	25.00
3 to 4 ft	.50	4.00	30.00
suspensa fortunei. Golden Bell.	8'		
2 to 3 ft		2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft		5.00	40.00
5 to 6 ft. specimens	2.50		
suspensa sieboldi. Siebold Forsa	ythia.		
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.40	3.00	<b>25.</b> 00
4 to 5 ft		4.00	35.00
5 to 6 ft	.60	5.00	
viridissima. Greenstem Forsyth	ia. 8'		
2 to 3 ft	.35	2.50	18.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.50	35.00
Genista tinctoria. Woadwaxen. 3'			
2 to 3 ft	.40	3.00	
3 to 4 ft		4.00	
Halesia. (See Trees).			
Hamamelis virginiana. Witch Hazel.	15'		
2 to 3 ft		4.50	35.00
3 to 4 ft		6.00	45.00
4 to 5 ft		7.50	60.00
5 to 6 ft			
6 to 8 ft		15.00	
japonica. Japanese Witch Haze			
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
Hibiscus syriacus. Shrub Althea. 1			
double varieties.	Z		
2 to 3 ft	.40	3.00	25.00
3 to 4 ft		3.50	30.00
4 to 5 ft	.60	5.00	
5 to 6 ft		6.00	50.00
6 to 8 ft		7.50	60.00
8 to 10 ft. heavy		20.00	

Ardens—Purple.

Banner—Blush.

Jeanne d'Arc-White.

Lady Stanley—White, shaded rose.

Rubra Plena-Red.

Speciosa Plena-Pink.

# single varieties.

				each	per 10	per 100
2	to	3	ft	.40	3.00	25.00
3	to	4	ft	.50	4.00	30.00
4	to	5	ft	.75	5.00	40.00
5	to	6	ft	1.00	7.50	60.00
6	to	8	ft	1.50	10.00	

Coelestis—Blue.

opuloides Thos. Hogg.

Rosea-White, crimson eye.

Rubis—Red.

Totus albus-White.

variegatus. Variegated-leaved	Althea.	8'	
2 to 3 ft	.75	6.00	*
3 to 4 ft	1.00	7.50	
variegatus meehani. Meehan's	Variega	ted Althea.	6'
2 to 3 ft	.75	6.00	
Hippophae rhamnoides. Sea-buckth	norn. 12	2'	
2 to 3 ft	.60	5.00	40.00
Hovenia dulcis. Raisintree. 6'			
18 to 24 in	.75	5.00	
2 to 3 ft	1.00	7.50	
Hydrangea arborescens. Smooth Hy	ydranged	ı. 6'	100
2 to 3 ft	50	4.00	35.00
3 to 4 ft	60	5.00	40.00
4 to 5 ft	.75	6.00	50.00
arborescens grandiflora. Snow	hill Hyd	rangea. 6'	
2 to 3 ft	50	4.50	40.00
3 to 4 ft	60	5.50	50.00
cineria sterilis. Ashy Hydrange	ea. 6'		
2 to 3 ft	60	5.00	40.00
3 to 4 ft	.75	6.00	50.00
opuloides Otaksa.	•		
4 year	.75	6.00	

4 year \_\_\_\_\_.75

6.00

Hydrangea.			
paniculata. Panicle Hydrangea.		4.0	4.0.0
9 +0 9 \$+	each	per 10	per 100 <b>35.0</b> 0
2 to 3 ft3 to 4 ft		5.00	45.00
			40.00
paniculata grandiflora. Peegee	_	•	40.00
2 to 3 ft		4.50	40.00
3 to 4 ft		5.50	50.00
3 to 4 ft. tree form			
4 to 5 ft. tree form		10.00	
quercifolia. Oakleaf Hydrangea		4000	
2 to 3 ft		10.00	
3 to 4 ft	1.50	12.50	
radiata. Silverleaf Hydrangea.	<i>6'</i>		
2 to 3 ft	.50	4.00	
3 to 4 ft	.60	5.00	
Hypericum aureum. Golden St. John	nswort	. 4'	
18 to 24 in		3.00	
2 to 3 ft	.50	4.00	
calycinum. (See Perennials).			
densiflorum. 5'			
18 to 24 in	.40	3.00	
2 to 3 ft	.50	4.00	
moserianum. Goldflower. 2'			
15 to 18 in	.40	3.50	30.00
18 to 24 in	.50	4.00	35.00
patulum henryi. Henry Hype	ricum.	4'	
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.50	4.00	35.00
prolificum. Shrubby St. Johnsu	vort.	<i>5'</i>	
18 to 24 in	.40	3.00	
2 to 3 ft	.50	4.00	
Ilex monticola. Mountain Winterbe	erry.	10'	
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
verticillata. Common Winterber	ry. 6	,	
2 to 3 ft	.50	4.50	40.00
3 to 4 ft	.75	6.00	
4 to 5 ft	1.50	10.00	
Itea virginica. Sweetspire. 3'			
2 to 3 ft	.50	4.00	
3 to 4 ft	.60	5.00	

Jasminum nudiflorum. Winter Jasi	mine.	3 <b>'</b>	
	each	per 10	per 100
15 to 18 in	.50	3.50	30.00
18 to 24 in	.60	4.50	40.00
Kerria japonica. Kerria.			
18 to 24 in	.60	5.00	
2 to 3 ft	.75	6.00	
japonica florepleno. Double Ke	erria.		
2 to 3 ft	.75	6.00	
3 to 4 ft	1.00	7.50	
Lespedeza bicolor. Shrub Bushclov	er. 6'		
2 to 3 ft	.50	3.50	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	75	6.00	
formosa. syn. penduliflorum. F	Purple I	Bushclover	. 4'
2 year	.50	3.50	30.00
3 year			
formosa albiflora. Japanese Br	ushclove	er. 5'	
2 year			30.00
Ligustrum acuminatum. 10'			
2 to 3 ft	.30	2.00	15.00
3 to 4 ft			
acuminatum macrocarpum. Bis			
18 to 24 in	_	2.50	20.00
2 to 3 ft			25.00
3 to 4 ft			30.00
amurense. Amur Privet. 15'		3.33	
18 to 24 in	.20	1.80	12.00
24 to 30 in		2.00	15.00
2 to 3 ft		2.50	20.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	20.00
ibolium. Ibolium Privet.	00	1.00	
18 to 24 in	20	2.50	20.00
2 to 3 ft		3.00	25.00
ibota. Ibota Privet. 10'	00	5.00	20.00
2 to 3 ft	30	2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft		4.00	30.00
ibota nanum. Pygmy Privet.	00	7.00	50.00
18 to 24 in	.35	3.00	25.00
2 to 3 ft		3.50	30.00
3 to 4 ft		4.00	35.00
V 00 T 101		00	

Ligustrum ibota regelianum. Regel	Privet.	10'	
	each	per 10	per 100
18 to 24 in. spread		3.00	25.00
24 to 30 in. spread		<b>3.</b> 50	30.00
2½ to 3 ft. spread		4.50	35.00
3 to 3½ ft. spread	.75	6.00	<b>50.0</b> 0
Lodense. Dwarf Privet. 2½'	0.0	0 50	20.00
12 to 15 in		2.50	20.00
	.35	3.00	25.00
ovalifolium. California Privet.		0.0	F 00
	.15	.80	5.00
24 to 30 in	.18	1.00	6.00
	.30	2.50	20.00
4 to 5 ftColdan	.35	3.00	25.00
ovalifolium variegatum. Golden  2 to 3 ft			
		3.50	
3 to 4 ft	.60	5.00	
vulgare. European Privet. 12'	0.5	0.50	15.00
	.35	2.50	15.00
3 to 4 ft	.40	3.00	20.00
4 to 5 ft	.45	3.50	25.00
5 to 6 ft		4.00	35.00
vulgare leucocarpum. Yellowber	•		20.00
2 to 3 ft		3.00	20.00
3 to 4 ft		3.50	25.00
Lindera benzoin. (See Benzoin aesti Lonicera bella albida. White Belle B			
2 to 3 ft	_	2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	30.00
5 to 6 ft		4.50	<b>35.0</b> 0
6 to 8 ft		6.00	50.00
bella rosea. Belle Honeysuckle.		0.00	00.00
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft		4.00	35.00
billardi. 8'	•00	2.00	
2 to 3 ft	.35	2.50	20.00
	.40	3.50	30.00
4 to 5 ft			35.00
5 to 6 ft		5.50	45.00
chrysantha. Coralline Honeysuch			
2 to 3 ft		3.00	20.00
3 to 4 ft		3.50	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft		5.00	45.00

w	•	
Ħ.	onicera	

onicera			
<b>conjugalis.</b> $8'$			
	each	per 10	per 100
3 to 4 ft		3.50	30.00
4 to 5 ft		4.00	35.00
5 to 6 ft		5.00	45.00
fragrantissima. Winter Hone	_	8'	
3 to 4 ft		4.00	30.00
gracilipes. Spangle Honeysu			
2 to 3 ft		3.00	20.00
3 to 4 ft		3.50	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft			
kesselringi. Black fruited I	<del>-</del>		
3 to 4 ft		3.50	
4 to 5 ft		4.00	
5 to 6 ft	.60	5.00	
korolkowi floribunda.		•	
Broad Blueleaf Honeysu	ickle. 10'		
2 to 3 ft		4.00	35.00
3 to 4 ft	.60	5.00	
4 to 5 ft	1.00	7.50	
ledebouri.			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	40	3.00	25.00
maacki. Amur Honeysuckle	. 10'		
3 to 4 ft	.50	4.00	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	<b> 1.0</b> 0	7.50	<b>50.00</b>
6 to 7 ft	1.25	10.00	
morrowi. Japanese Bush H	oneysuckle	. 8'	
2 to 3 ft	.40	3.00	20.00
3 to 4 ft	.45	3.50	25.00
4 to 5 ft	.55	4.50	35.00
5 to 6 ft	.75	6.00	<b>50.0</b> 0
morrowi. (Yellow Fruited).	. 8'		
2 to 3 ft	40	3.00	20.00
3 to 4 ft	45	3.50	25.00
4 to 5 ft	55	4.50	35.00
5 to 6 ft	75	6.00	
muendeniensis. Muenden H		e. 8'	
2 to 3 ft	.40	3.00	20.00
3 to 4 ft	.45	3.50	25.00
4 to 5 ft		4.50	35.00
5 to 6 ft		5.00	40.00
		,	

# Lonicera

onicera					
pileata.	Privet Hon	eysuckle.	2'		
_			each	•	per 100
	12 in			3.00	25.00
	ocularis. A		_		
	4 ft			4.00	30.00
4 to	5 ft		60	5.00	40.00
ruprechti	ana. Mana	churian H	loneysuckl	e. 10'	
<b>2</b> to	3 ft		35	2.50	20.00
3 to	4 ft		.40	3.00	25.00
4 to	5 ft		.50	4.00	35.00
5 to	6 ft		65	5.00	40.00
spinosa a	lberti. The	orn Honey	suckle. 2	2'	
<b>12</b> to	15 in		.40	3.50	30.00
15 to	18 in		50	4.00	35.00
18 to	24 in		.60	5.00	40.00
standishi.	. 5'				
	4 ft		50	4.00	
tatarica.	Red Tatar	rian Hone	ysuckle.	10'	
	3 ft			2.50	20.00
	4 ft			3.00	25.00
	5 ft			4.00	35.00
<b>5</b> to	6 ft		.60	5.00	40.00
<b>6</b> to	7 ft		1.00	7.50	60.00
tatarica a	alba. Whit	e Tataria	n Honeys	uckle. 10	,,
	3 ft		•	2.50	20.00
3 to	4 ft		40	3.00	<b>25</b> .00
4 to	5 ft		.50	4.00	35.00
5 to	6 ft		60	5.00	40.00
6 to	8 ft		1.00	7.50	60.00
tatarica g	grandiflora.	Pink Ta	tarian Ho	neysuckle	. 10'
2 to	3 ft	<b>-</b>	35	2.50	18.00
3 to	4 ft		.40	3.00	25.00
4 to	5 ft		50	4.00	30.00
5 to	6 ft		<b></b> .60	5.00	40.00
6 to	7 ft		1.00	7.50	
transluce	ens. White	-fruited $I$	Honeysuck	le. 10'	
3 to	4 ft		.40	3.50	30.00
4 to	5 ft		60	5.00	40.00
	6 ft			6.00	50.00
	s alba. $M$		-		
	3 ft			2.50	20.00
	4 ft				25.00
<b>4</b> to	5 ft		50	4.00	35.00

Lonicera			
xylosteum. Fly Honeysuckle.	8'		
	each	per 10	<b>per 1</b> 00
2 to 3 ft		2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	30.00
5 to 6 ft	.60	4.50	35.00
Lycium chinense. Chinese Matrimor	ny Vine	5. 5'	
2 to 3 ft		2.00	12.00
3 to 4 ft	.35	2.50	15.00
4 to 5 ft	.40	3.00	25.00
halimifolium. Common Matrim	nony Vi	ne.	
2 to 3 ft	.30	2.50	15.00
3 to 4 ft	.35	3.00	20.00
Myrica cerifera. Southern Waxmyr	tle. 5'		
18 to 24 in		5 <b>.0</b> 0	45.00
24 to 30 in		6.00	50.00
gale. Sweetgale. 4'			
18 to 24 in	.50	4.50	40.00
2 to 3 ft		5.50	50.00
Neillia sinensis. Tube Neillia. 4'			
18 to 24 in	.50	4.00	
2 to 3 ft		5.00	
Oxydendrum arboreum. Sourwood.		0.00	
2 to 3 ft		6.00	50.00
3 to 4 ft		10.00	75.00
4 to 5 ft		12.50	100.00
5 to 6 ft		17.50	100.00
6 to 8 ft			
Pavia macrostachya. (See Aesculus		20.00	
Philadelphus coronarius. Sweet Mo		76. 10'	
2 to 3 ft	•	2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft			30.00
5 to 6 ft			35.00
6 to 8 ft		5.00	40.00
coronarius aureus. Golden Moc.			20100
18 to 24 in	•	5.00	40.00
coronarius multiflorus plenus.		3.00	20100
2 to 3 ft		3.50	
coronarius speciosissimus. Rour			ie. 10' -
2 to 3 ft	*	2.50	18.00
3 to 4 ft			
4 to 5 ft			

# Philadelphus

dianthiflorus	plenus.	4'
---------------	---------	----

		_				
10		24 •		each	per 10	<b>per 100</b>
					3.50	0= 00
2	to	3 ft		.50	4.00	35.00
			korange. 8			
3	to 4	4 ft		.40	3.00	25.00
4	to	5 ft		.50	4.00	<b>3</b> 5.00
5	to	3 ft		.60	5.00	40.00
6	to 8	3 ft		1.00	7.50	
gordo	nianı	is. Gordon	n Mockoran	ge. 12	?'	
2	to a	3 ft		.35	2.50	18.00
3	to 4	1 ft		.40	3.00	25.00
4	to	5 ft		.50	4.00	30.00
5	to	3 ft		.60	4.50	35.00
6	to 8	3 ft		.75	5.00	40.00
grandi	flori	is. Big Sc	entless Mod	korang	re. 8'	
. 2	to 3	3 ft		.35	2.50	18.00
3	to 4	1 ft		.40	3.00	25.00
					4.00	30.00
					4.50	35.00
					5.00	40.00
lemoir	ıei A	valanche.	<i>5'</i>			
2	to a	} ft		.40	3.50	30.00
					4.50	
lemoir	ıei B	ouquet Bla	nc. 5'			
		-		50	4.00	
4	to a	) 16		.00	4.00	
		rectus. 5'		.00	4.00	
lemoir	nei e	rectus. 5'				30.00
lemoir 2	r <b>ei e</b> : to 3	rectus. 5'			3.50 4.50	30.00
lemoir 2 3	to 3	rectus. 5'  3 ft		.40	3.50	30.00
lemoir 2 3 lewisi.	to 3 to 4	rectus. 5'  Ift	range. 10'	.40 .50	3.50 4.50	
lemoir 2 3 lewisi. 2	to 3 to 4 to 3 to 3	rectus. 5' 3 ft 4 ft wis Mockon 5 ft	range. 10'	.40	3.50 4.50 2.50	18.00
lemoir 2 3 lewisi. 2 3	to 3 to 4 to 4 to 4	rectus. 5'  3 ft  4 ft  wis Mockon  5 ft  4 ft	range. 10'	.40 .50	3.50 4.50 2.50 3.00	18.00 25.00
lemoir 2 3 lewisi. 2 3 4	to 3 to 4 to 4 to 5	rectus. 5' 3 ft 4 ft wis Mockon 5 ft 5 ft 5 ft	range. 10'	.40 .50 .35 .40	3.50 4.50 2.50 3.00 4.00	18.00 25.00 30.00
lemoir 2 3 lewisi. 2 3 4 5	to 2 to 2 to 5 to 6	rectus. 5'  3 ft  4 ft  wis Mockon  5 ft  6 ft  5 ft  6 ft  6 ft	range. 10'	.40 .50	3.50 4.50 2.50 3.00	18.00 25.00
lemoir 2 3 lewisi. 2 3 4 5	to 3 to 4 to 5 to 6 to 8	rectus. 5' 3 ft 4 ft wis Mockon 5 ft 5 ft 6 ft 6 ft 7 ft 8 ft 8 ft	range. 10'	.40 .50 .35 .40 .50	3.50 4.50 2.50 3.00 4.00 4.50	18.00 25.00 30.00
lemoir 2 3 lewisi. 2 3 4 5 6 nepale	to 3 to 4 to 5 to 6 to 8 ensis.	rectus. 5' 3 ft 4 ft wis Mockon 5 ft 5 ft 6 ft 7 ft 8 ft 8 ft 8 ft 8 ft 8 ft	range. 10'	.40 .50 .35 .40 .50 .60 .75	3.50 4.50 2.50 3.00 4.00 4.50	18.00 25.00 30.00
lemoir 2 3 lewisi. 2 3 4 5 6 nepale 2	to a	rectus. 5'  3 ft  4 ft  wis Mockon  5 ft  6 ft  6 ft  7 ft  8 ft  Nepal M  6 ft  8 ft	range. 10'	.40 .50 .35 .40 .50 .60	3.50 4.50 2.50 3.00 4.00 4.50 5.00	18.00 25.00 30.00 35.00
lemoir 2 3 lewisi. 2 3 4 5 6 nepale 2 3	to a	rectus. 5' 3 ft 4 ft wis Mockon 5 ft 5 ft 6 ft 7 ft 8 ft	range. 10'	.40 .50 .35 .40 .50 .60 .75 .40	3.50 4.50 2.50 3.00 4.00 4.50 5.00 2.50 3.00	18.00 25.00 30.00 35.00 18.00 25.00
lemoir 2 3 lewisi. 2 3 4 5 6 nepale 2 3 4	to a	rectus. 5'  3 ft  4 ft  wis Mockon  5 ft  6 ft  6 ft  7 ft  8 ft  Nepal M  6 ft  8 ft	range. 10'	.40 .50 .35 .40 .50 .60 .75 .10'	3.50 4.50 2.50 3.00 4.00 4.50 5.00	18.00 25.00 30.00 35.00

Philadelphus			
nivalis. Snowbank Mockorange.	. 10'		
	each	per 10	per 100
2 to 3 ft		2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	30.00
5 to 6 ft		4.50	35.00
6 to 8 ft	.75	5.00	40.00
zeyheri. Zeyher Mockorange.			
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
5 to 6 ft		5.00	40.00
6 to 8 ft		6.00	50.00
8 to 10 ft	1.00	7.50	
virginal. 8'			
2 to 3 ft	.75	6.00	
3 to 4 ft	1.00	7.50	
Photinia villosa. 8'			
3 to 4 ft	.60	5.00	
4 to 5 ft	1.00	7.50	
Physocarpus opulifolius. Ninebark.	10'		
2 to 3 ft		2.50	18.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	30.00
5 to 6 ft	.60	5.00	40.00
6 to 8 ft	.75	6.00	50.00
6 to 8 ft. specimens	2.50		
opulifolius aureus. Goldleaf Na	inebari	k. 10'	
2 to 3 ft	.35	2.50	18.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	30.00
5 to 6 ft	.60	5.00	40.00
6 to 8 ft		6.00	50.00
6 to 8 ft. specimens	2.50		
Potentilla fruticosa. Shrubby Cinqui	refoil.	4'	
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.50	4.00	35.00
Prunus americana. American Plum	. 20'		
3 to 4 ft	.50	4.00	35.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.75	6.00	50.00
6 to 8 ft	1.25	10.00	75.00
8 to 10 ft	1.50	12.50	100.00

## Prunus

unus americana Newport. Purple-lea	ned A	merican	Plum 20'
americana ivewport. I wi pro-roa	each		per 100
3 to 4 ft	1.00	_	•
hassavi Rassavi Champar 9'			
besseyi. Bessey Cherry. 8'	50	4.00	35.00
2 to 3 ft		5.00	
			40.00
cerasifera pissardi. Purpleleaf		12'	
3 to 4 ft		6.00	
4 to 5 ft		7.50	60.00
5 to 6 ft			
6 to 8 ft		12.50	100.00
8 to 10 ft	1.75	15.00	
glandulosa. Flowering Almond	. 10'		
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.75	6.00	50.00
glandulosa sinensis.			
Double Pinkflowering Almo	nd. 6	,	
2 to 3 ft		5.00	40.00
3 to 4 ft		6.00	
4 to 5 ft			00.00
2 to 3 ft. own roots			
3 to 4 ft. own roots		12.50	
glandulosa albiplena.  Double Whiteflowering Alm	10md	6'	
2 to 3 ft		5.00	40.00
3 to 4 ft		6.00	50.00
4 to 5 ft		10.00	30.00
2 to 3 ft. own roots		10.00	
	1.20	10.00	
maacki. Amur Cherry. 12'	1 00	= = = 0	20.00
5 to 6 ft		7.50	
6 to 8 ft	1.25	10.00	75.00
maritima. Beach Plum. 12'			
2 to 3 ft	.50		
3 to 4 ft	.60		
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	7.50	60.00
pennsylvanica. Pin Cherry. 28	ō'		
5 to 6 ft		6.00	50.00
6 to 8 ft		7.50	60.00
8 to 10 ft		10.00	75.00
10 to 12 ft	1.75	15.00	

Prunus			
spinosa. Blackthorn. 12'			
spinosa. Diaminolin. 12	each	per 10	per 100
4 to 5 ft		6.00	50.00
6 to 8 ft	1.00	7.50	60.00
8 to 10 ft		10.00	
10 to 12 ft	1.50	12.50	
tomentosa. Nanking Cherry. 8	21		
2 to 3 ft		4.00	30.00
3 to 4 ft		5.00	40.00
4 to 5 ft		6.00	50.00
triloba. Doubleflowering Plum.			30103
3 to 4 ft		7.50	50.00
4 to 5 ft		9.00	
virginiana. Chokecherry. 30'			
3 to 4 ft	.50	4.00	35.00
4 to 5 ft		5.00	40.00
5 to 6 ft		6.00	50.00
6 to 8 ft		7.50	
Pyrus arbutifolia. (See Aronia).			
Rhamnus caroliniana. Carolina Bud	ckthorn	25'	,
2 to 3 ft			20.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	35.00
cathartica. Buckthorn. 12'		2000	
3 to 4 ft	.35	2.50	20.00
4 to 5 ft	.45	3.50	25.00
5 to 6 ft	*	4.00	30.00
6 to 8 ft	.75	5.00	40.00
8 to 10 ft		7.50	50.00
dahurica. Dahurian Buckthorn.	. 12'		
2 to 3 ft		2.00	15.00
3 to 4 ft		2.50	20.00
4 to 5 ft		3.50	25.00
5 to 6 ft	.55	4.00	30.00
6 to 8 ft	.75	5.00	40.00
frangula. Glossy Buckthorn.	<i>12'</i>		
3 to 4 ft	.35	2.50	20.00
4 to 5 ft	.45	3.50	25.00
5 to 6 ft	.55	4.00	30.00
6 to 8 ft	.75	5.00	40.00
8 to 10 ft	1.00	7.50	50.00

Rhamnus			
purshiana. Cascara Buckthorn.	12'		
	each	per 10	per 100
3 to 4 ft		2.50	20.00
4 to 5 ft	.45	3.50	25.00
5 to 6 ft		4.00	30.00
V V V V 10.00-00-00-00-00-00-00-00-00-00-00-00-00	.75	5.00	40.00
8 to 10 ft	1.00	7.50	50.00
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft		5.00	45.00
3 to 4 ft	.65	5.50	50.00
4 to 5 ft	.85	7.50	
Rhus canadensis. Fragrant Sumac.	<i>6'</i>		
•2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
copallina. Shining Sumac. 20'			
2 to 3 ft	.40	3.50	<b>25.</b> 00
3 to 4 ft		4.00	35.00
4 to 5 ft		5.00	40.00
5 to 6 ft		6.00	50.00
6 to 7 ft	1.00	7.50	
cotinus. Purple Fringe or Smol	ketree.	12'	
2 to 3 ft		7.50	
3 to 4 ft		10.00	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	2.50	18.00
3 to 4 ft		3.00	22.00
glabra laciniata. Cutleaf Sumac 2 to 3 ft		5.00	
3 to 4 ft		6.00	
	.10	0.00	
javanica. Java Sumac. 18'			
3 to 4 ft			
4 to 5 ft	1.00		
typhina. Staghorn Sumac. 25'		0.50	10.00
2 to 3 ft		2.50	18.00
3 to 4 ft		3.00	22.00
4 to 5 ft	.50	4.00	30.00
5 to 6 ft		4.50	35.00
6 to 8 ft	.75	5.00	<b>45.</b> 00

Rhus		
typhina laciniata. Shredded Sumac.	25'	
each	per 10	per 100
2 to 3 ft	3.00	<b>25</b> .00
3 to 4 ft50	4.00	30.00
	5.00	40.00
5 to 6 ft75	6.00	50.00
Ribes aureum. Slender Golden Currant.	10'	
2 to 3 ft40	3.00	25.00
3 to 4 ft45	3.50	<b>30.</b> 00
4 to 5 ft50	4.50	40.00
5 to 6 ft60	5.50	50.00
alpinum. Mountain Currant. 4'		
18 to 24 in50	4.50	40.00
2 to 3 ft60	5.50	50.00
fasciculatum. Winterberry Currant.		
18 to 24 in50	4.00	
2 to 3 ft60	5.00	45.00
gordonianum. Gordon Currant. 8'		
3 to 4 ft45	3.50	30.00
sanguineum. Ruby Winter Currant.	2 50	20.00
2 to 3 ft45	3.50	30.00
3 to 4 ft50	4.00	
Robinia viscosa. Clammy Locust. 10'	<b>F</b> 00	40.00
2 to 3 ft60	5.00	
3 to 4 ft	6.00	50.00
Rosa acicularis. Prickly Rose. 5'		
2 to 3 ft40	3.00	<b>25.</b> 00
3 to 4 ft45	3.50	30.00
blanda. Meadow Rose. 5'		
18 to 24 in40	3.00	25.00
2 to 3 ft45	3.50	30.00
3 to 4 ft50	4.00	35.00
canina. Dogbrier. 8'		
2 to 3 ft35	3.00	25.00
3 to 4 ft40	3.50	30.00
4 to 5 ft50	4.00	35.00
foetida. Austrian Copper Rose.		
2 to 3 ft 1.25	10.00	
hugonis. Hugonis Rose. 6'		
2 to 3 ft 1.25	11.50	100.00

## Rosa

osa			
humilis. Pasture Rose	· 5'		
10 / 04 *	each	per 10	per 100
18 to 24 in		3.00	25.00
		3.50	30.00
3 to 4 ft		4.00	35.00
lucida. Virginia Rose.			
18 to 24 in		3.00	25.00
2 to 3 ft		3.50	30.00
3 to 4 ft	.50	4.00	35.00
multiflora. Japanese	Rose.		
2 to 3 ft	.40	3.00	20.00
3 to 4 ft		3.50	25.00
4 to 5 ft	.50	4.00	35.00
nitida. Bristly Rose.	3'		0
18 to 24 in	.40	3.00	25.00
2 to 3 ft	45°	3.50	30.00
3 to 4 ft	50	4.00	
palustris. Swamp Ros	e. 8'		
18 to 24 in	.40	3.00	25.00
2 to 3 ft	45	3.50	30.00
3 to 4 ft	.50	4.00	35.00
rubiginosa. Sweetbrie	r. 6'		
2 to 3 ft		3.00	25.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.50	4.00	35.00
5 to 6 ft		4.50	40.00
rubiginosa hybrids. At	my Robsart, Le	ord Penzar	nce,
Lucy Ashton and			,
Geierstein. 6'	•		
2 to 3 ft	.75	6.00	
rubrifolia. Redleaf R	ose. 6'		
2 to 3 ft		4.00	35.00
3 to 4 ft			45.00
4 to 5 ft	.75	6.00	50.00
rugosa. Rugosa Rose.	6'		
18 to 24 in		2.50	20.00
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.50	4.00	30.00
rugosa alba. White R	ugosa Rose. 6		
18 to 24 in	•		25.00
2 to 3 ft	.50	4.00	35.00
3 to 4 ft	.60	4.50	40.00

#### Rosa

rugosa	hybrids.
--------	----------

				each	per 10	per 100
2	to	3	ft	.75	6.00	
3	to	4	ft	.90	7.50	

Varieties:— Blanche de Coubert, C. F. Meyer, C. F. Worth, Agnes Carmen, New Century, Nova Zembla, Mad. Geo. Bruant, Mrs. Anthony Waterer, Belle Poitevine, Sir Thomas Lipton.

setigera. Prairie Rose. 6'		
2 to 3 ft35	2.50	20.00
3 to 4 ft40	3.00	25.00
4 to 5 ft45	3.50	30.00
spinosissima altaica. Altai Rose. 4'		
18 to 24 in50	4.00	30.00
2 to 3 ft60	4.50	35.00
wichuraiana. Wichurian Rose. 2'		
2 year40	3.50	25.00
3 year50	4.00	30.00
4 year	5.00	40.00
wichuraiana hybrids.		

2 year \_\_\_\_\_\_\_.60 5.00

Jersey Beauty, Sweetheart, Universal Favorite,
Manda's Triumph, South Orange Perfection.

# Roses

·	each per 10 per 100
Hybrid Perpetuals. 2 year No.	175 5.00
Alfred Colomb	J. B. Clark
Anne de Diesbach	Mrs. John Laing
Baroness Rothschild	M. P. Wilder
Baron de Bonstettin	Magna Charta
Clio Cog. des Alps	Marg. de St. Amande
Earl of Dufferin	Margaret Dickson
Eugene Furst	Paul Neyron
Francois Levet	Prince Camille de Rohan
Gen. Jacqueminot	Tom Wood
John Hopper	Ulrich Brunner

	each	per 10	ner 100		
Hybrid Teas. 2 year No. 1		_	per 100		
British Queen			,		
Chateau de Clos Vougeot		· .			
Etoile de France	Marquise 1				
Harry Kirk	Mrs. A. R.	•			
Jonkheer J. L. Mock	Ophelia				
Killarney	Pharisaer				
Lady Hillingdon	Sunburst				
Mrs. McKean	White Kill	arney			
American Beauty	75	6.00			
Frau Karl Druschki		6.00			
Gloire de Chedane-Guinoisseau	75	6.00			
Gruss an Teplitz	75	6.00			
Mad. Plantier					
Soliel d'Or	90	7.50			
Climbing roses.					
American Beauty (climbin	g)60	5.00			
American Pillar	•				
Baltimore Belle					
Dr. W. Van Fleet					
Dorothy Perkins, 2 year		4.50	35.00		
Dorothy Perkins, 3 year		5.00	40.00		
Excelsa		5.00			
Gardenia	75	6.00			
Hiawatha	.60	5.00	40.00		
Paul's Scarlet Climber	.75	6.00	50.00		
Prairie Queen	.50	4.00			
Silver Moon	75	6.00	50.00		
White Dorothy Perkins	.60	5.00	40.00		
Ramblers:					
Blue	.60	5.00			
Crimson	.60	5.00			
White	.60	5.00			
Yellow	.60	5.00			
Baby Rambler	.70	5.50			
Erna Teschendorf	.70	5.50			
Ellen Poulsen	.70	5.50			
Persian Yellow	75	6.00			
Rubus deliciosus. Boulder Raspberry. 5'					
2 to 3 ft	.75				

	Rubus			
2 to 3 ft	odoratus. Flowering Raspberry. 6'			
3 to 4 ft	•	per 10	per 100	
## ## ## ## ## ## ## ## ## ## ## ## ##		3.00	25.00	
pheonicolasius.         Wineberry.         8'           2 to 3 ft.         .50         4.00           3 to 4 ft.         .60           Salix incana. syn. rosmarinifolia.           Rosemary Willow. 20'           2 to 3 ft. shrub form         .35         2.50         20.00           3 to 4 ft. shrub form         .40         3.00         25.00           4 to 5 ft. shrub form         .60         4.50         35.00           6 to 8 ft. shrub form         1.00         7.50           irrorata.         Bluestem Willow. 12'         3 to 4 ft.         .60         5.00           4 to 5 ft.         1.00         7.50         nutabilis. 5'         2 to 3 ft.         .40         3.00         25.00           3 to 4 ft.         .50         4.00         4.00         4.00         4.00         4.00           vitellina glauca.         Blue Russian Willow.         20'         5 to 6 ft.         .60         5.00         40.00           6 to 8 ft.         .75         6.00         50.00         50.00           Sambucus canadensis.         American Elder.         10'         2 to 3 ft.         40         3.00         25.00           3 to 4		3.50	30.00	
2 to 3 ft	4 to 5 ft50	4.00	35.00	
3 to 4 ft.       .60         Salix incana. syn. rosmarinifolia.         Rosemary Willow. 20'         2 to 3 ft. shrub form       .35       2.50       20.00         3 to 4 ft. shrub form       .50       4.00       30.00         5 to 6 ft. shrub form       .60       4.50       35.00         6 to 8 ft. shrub form       1.00       7.50         irrorata. Bluestem Willow. 12'         3 to 4 ft.       .60       5.00         4 to 5 ft.       1.00       7.50         mutabilis. 5'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00         vitellina glauca. Blue Russian Willow. 20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .50       4	pheonicolasius. Wineberry. 8'			
Salix incana, syn. rosmarinifolia.         Rosemary Willow. 20'         2 to 3 ft. shrub form	2 to 3 ft50	4.00		
Rosemary Willow. 20'   2 to 3 ft. shrub form	3 to 4 ft60			
2 to 3 ft. shrub form	Salix incana. syn. rosmarinifolia.			
3 to 4 ft. shrub form	Rosemary Willow. 20'			
4 to 5 ft. shrub form       .50       4.00       30.00         5 to 6 ft. shrub form       .60       4.50       35.00         6 to 8 ft. shrub form       1.00       7.50         irrorata. Bluestem Willow. 12'         3 to 4 ft.       .60       5.00         4 to 5 ft.       1.00       7.50         mutabilis. 5'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00         vitellina glauca. Blue Russian Willow. 20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .50       4.00       35.00         4 to 5 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .60       5.00       40.00<	2 to 3 ft. shrub form35	2.50	20.00	
5 to 6 ft. shrub form       .60       4.50       35.00         6 to 8 ft. shrub form       1.00       7.50         irrorata. Bluestem Willow. 12'         3 to 4 ft.       .60       5.00         4 to 5 ft.       1.00       7.50         mutabilis. 5'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00         vitellina glauca. Blue Russian Willow. 20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40       3.00       35.00         4 to 5 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft. <td>3 to 4 ft. shrub form40</td> <td>3.00</td> <td>25.00</td>	3 to 4 ft. shrub form40	3.00	25.00	
6 to 8 ft. shrub form       1.00       7.50         irrorata. Bluestem Willow. 12'         3 to 4 ft.       .60       5.00         4 to 5 ft.       1.00       7.50         mutabilis. 5'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00         vitellina glauca. Blue Russian Willow. 20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .60       5.00       40.00         5 to 6 ft.       .60       5.00       40.00 <td cols<="" td=""><td>4 to 5 ft. shrub form50</td><td>4.00</td><td>30.00</td></td>	<td>4 to 5 ft. shrub form50</td> <td>4.00</td> <td>30.00</td>	4 to 5 ft. shrub form50	4.00	30.00
irrorata.       Bluestem Willow.       12'         3 to 4 ft	5 to 6 ft. shrub form60	4.50	35.00	
3 to 4 ft	6 to 8 ft. shrub form 1.00	7.50		
4 to 5 ft.       1.00       7.50         mutabilis. 5'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00         vitellina glauca. Blue Russian Willow. 20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra. European Elder. 15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	irrorata. Bluestem Willow. 12'			
mutabilis. 5'       2 to 3 ft	3 to 4 ft60	5.00		
2 to 3 ft	4 to 5 ft 1.00	7.50		
2 to 3 ft	mutabilis. 5'			
3 to 4 ft.       .50       4.00         vitellina glauca.       Blue Russian Willow.       20'         5 to 6 ft.       .60       5.00       40.00         6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis.       American Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba.       Cutleaved Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra.       European Elder.       15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00		3.00	25.00	
5 to 6 ft.       .60 5.00       40.00         6 to 8 ft.       .75 6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40 3.00 25.00         3 to 4 ft.       .50 4.00 35.00         4 to 5 ft.       .55 4.50 40.00         5 to 6 ft.       .60 5.00 45.00         6 to 8 ft.       .75 6.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40 3.00 35.00         4 to 5 ft.       .60 5.00 40.00         5 to 6 ft.       .75 6.00         nigra. European Elder. 15'         2 to 3 ft.       .40 3.00         3 to 4 ft.       .50 4.00				
5 to 6 ft.       .60 5.00       40.00         6 to 8 ft.       .75 6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40 3.00 25.00         3 to 4 ft.       .50 4.00 35.00         4 to 5 ft.       .55 4.50 40.00         5 to 6 ft.       .60 5.00 45.00         6 to 8 ft.       .75 6.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40 3.00 35.00         4 to 5 ft.       .60 5.00 40.00         5 to 6 ft.       .75 6.00         nigra. European Elder. 15'         2 to 3 ft.       .40 3.00         3 to 4 ft.       .50 4.00	vitellina glauca. Blue Russian Willow	. 20'		
6 to 8 ft.       .75       6.00       50.00         Sambucus canadensis. American Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra. European Elder. 15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	——————————————————————————————————————		40.00	
2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba.       Cutleaved Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra.       European Elder.       15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	6 to 8 ft75	6.00	50.00	
2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba.       Cutleaved Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra.       European Elder.       15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	Sambucus canadensis. American Elder. 1	0'		
3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .55       4.50       40.00         5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba.       Cutleaved Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra.       European Elder.       15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	2 to 3 ft40	3.00	25.00	
5 to 6 ft.       .60       5.00       45.00         6 to 8 ft.       .75       6.00         canadensis acutiloba.       Cutleaved Elder.       10'         2 to 3 ft.       .40       3.00       25.00         3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra.       European Elder.       15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00		4.00	35.00	
6 to 8 ft	4 to 5 ft55	4.50	40.00	
canadensis acutiloba. Cutleaved Elder. 10'         2 to 3 ft	5 to 6 ft60	5.00	45.00	
2 to 3 ft	6 to 8 ft75	6.00		
3 to 4 ft.       .50       4.00       35.00         4 to 5 ft.       .60       5.00       40.00         5 to 6 ft.       .75       6.00         nigra. European Elder. 15'         2 to 3 ft.       .40       3.00         3 to 4 ft.       .50       4.00	canadensis acutiloba. Cutleaved Elder.	10'		
4 to 5 ft	2 to 3 ft40	3.00	25.00	
4 to 5 ft	3 to 4 ft50	4.00	35.00	
5 to 6 ft75 6.00  nigra. European Elder. 15'  2 to 3 ft40 3.00  3 to 4 ft50 4.00	4 to 5 ft60	5.00		
2 to 3 ft40 3.00 3 to 4 ft50 4.00	5 to 6 ft			
2 to 3 ft40 3.00 3 to 4 ft50 4.00	nigra. European Elder. 15'			
3 to 4 ft50 4.00	——————————————————————————————————————	3.00		
A				

Sambucus				
nigra aurea	. Golden European	Elder.	<i>15</i> ′	
		each	per 10	-
	ft		3.00	25.00
	ft			35.00
	ft			40.00
5 to 6	ft	.75	6.00	50.00
nigra varie	gata. Variegated Ela	der. 10	) <b>'</b>	
3 to 4	ft	.50	3.50	
4 to 5	ft	.60	4.50	
racemosa.	European Red Elder	. 8'		
3 to 4	ft	.60	5.00	40.00
4 to 5	ft	.75	6.00	50.00
5 to 6	ft	1.00	7.50	60.00
6 to 7	ft	1.25	10.00	75.00
Shepherdia argo	entea. Silver Buffalo	berru.	<i>15</i> ′	
-	ft	_	7.50	
	ft		10.00	
	<b>ca.</b> Chinese Scholart			
	ft		7.50	
	ft			
	ft. specimens		10.00	
	ft. specimens			
• • • • •				
	ft. specimens		. 01	
	oni. Kashmir False	-		25.00
	ft		4.00	35.00
	ft		5.00	40.00
	ft		6.00	50.00
	ft	1.00		
glabrata.				
	ft		5.00	40.00
4 to 5	ft	.75	6.00	50.00
5 to 6	ft	1.00	7.50	60.00
lindleyana.	Lindley False Spire	ae <b>a.</b> 8	,	
2 to 3	ft	.40	3.00	
3 to 4	ft	.50	4.00	
4 to 5	ft	.60	4.50	
5 to 6	ft	.75	6.00	
sorbifolia.	Ural False Spiraea.	4'		
<b>2</b> to 3	ft	.50	4.00	35.00
3 to 4	ft	.60	5.00	40.00
4 to 5	ft	.75	6.00	50.00

Spiraea arguta. Garland Spiraea. 6	,		
	each	per 10	per 100
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50		35.00
4 to 5 ft	.55	4.50	
aitchisoni. (See Sorbaria).			
billiardi. Billiard Spiraea. 6'			
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	35.00
5 to 6 ft	.60	4.50	40.00
bumalda. Bumalda Spiraea. 3'			
18 to 24 in		3.50	25.00
24 to 30 in	.50	4.00	35.00
2½ to 3 ft	.60	5.00	40.00
bumalda Anthony Waterer.			
Anthony Waterer Spiraea. 3'			
18 to 24 in		3.50	25.00
24 to 30 in	.50	4.00	35.00
$2\frac{1}{2}$ to 3 ft	.60	5.00	40.00
bumalda walluffi. 3'			
18 to 24 in	.50	4.00	30.00
24 to 30 in	.60	4.50	35.00
callosa alba. (See japonica ovali	ifolia)	•	
chamaedryfolia ulmifolia. Elmle	eaf Sp	iraea. 6'	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.35	2.50	18.00
3 to 4 ft		3.00	25.00
4 to 5 ft	.50	3.50	30.00
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.35	2.50	20.00
3 to 4 ft		3.50	30.00
4 to 5 ft	.50	4.50	40.00
froebeli. Froebel Spiraea. 4'			
2 to 3 ft		3.00	25.00
3 to 4 ft		4.00	30.00
japonica ovalifolia. White Japa		_	
18 to 24 in		3.00	25.00
24 to 30 in			35.00
2½ to 3 ft	.55	4.50	40.00

$\boldsymbol{\alpha}$						
5	n	1	20	а	P	a
U	μ			Œ	•	GL.

Spiraea			
japonica ruberrima. Pink Japan	rese L	Spiraea.	<i>5'</i>
	each	per 10	per 100
18 to 24 in		2.50	20.00
2 to 3 ft	.40	3.00	25.00
latifolia. Pink Meadow Spiraea.	<i>6'</i>		
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	30.00
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea.	<i>5'</i>		
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.50	4.00	30.00
nipponica rotundifolia. Big Nipp	pon S	piraea.	10'
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.50	4.00	35.00
prunifolia. Bridal Wreath. 8'			
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	40.00
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	7.50	
reevesiana. Reeves Spiraea. 8'			
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.50	4.00	35.00
5 to 6 ft	.60	5.00	40.00
reevesiana fl. pl. Double Reeves	Spira	tea. 8'	
2 to 3 ft	.40	3.00	25.00
3 to 4 ft	.50	4.00	30.00
4 to 5 ft	.55	4.50	40.00
5 to 6 ft	.65	5.50	45.00
salicifolia. Willowleaf Spiraea.	<b>5'</b>		
2 to 3 ft	.35	2.50	20.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	.50	4.00	35.00
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'			
24 to 30 in	.50	4.00	30.00
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	.40	3.00	25.00
2 to 3 ft	.50	3.50	30.00

Spiraea			
thunbergi. Thunberg Spiraea.			
	each	per 10	per 100
18 to 24 in		3.00	20.00
24 to 30 in	.40	3.50	25.00
2½ to 3 ft		4.00	30.00
3 to 4 ft		5.00	40.00
4 to 5 ft	.75	6.00	<b>50.</b> 00
tomentosa. Hardhack. 4'			h 0.0
2 to 3 ft		3.00	25.00
3 to 4 ft	.45	3.50	30.00
van houttei. Vanhoutte Spiraea.	. 10'		
2 to 3 ft		2.50	20.00
3 to 4 ft		3.00	25.00
4 to 5 ft		4.00	30.00
5 to 6 ft	.60	5.00	
Staphylea bumalda. Bumalda Bladde	ernut.	8'	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.00	
4 to 5 ft	.60	5.00	
5 to 6 ft	.75	6.00	
colchica. Colchis Bladdernut. 1	!2'		
2 to 3 ft	1.00	7.50	
3 to 4 ft	1.25	10.00	
4 to 5 ft	1.50	12.50	
5 to 6 ft	1.75	15.00	
6 to 8 ft	2.75	<b>2</b> 5.00	
pinnata. European Bladdernut.	12'		
3 to 4 ft	.50	4.00	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.75	6.00	50.00
6 to 8 ft	1.00	7.50	60.00
trifolia. American Bladdernut.	12'		
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.00	
4 to 5 ft	.60	5.00	
5 to 6 ft	.75	6.00	
6 to 8 ft	1.00	7.50	
8 to 10 ft	1.25	10.00	
Stephanandra flexuosa. Cutleaf Step	hanana	dra. 6'	
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.00	<b>35.00</b>
4 to 5 ft	,60	5.00	

Stewartia pentagyna. Mountain Ste	wartia.	<i>15'</i>	
	each	per 10	per 100
2 to 3 ft			
3 to 4 ft			
4 to 5 ft			
5 to 6 ft	5.00		
Styrax japonica. Japanese Snowbel			
2 to 3 ft		4.00	
3 to 4 ft		5.00	40.00
4 to 5 ft	1.00		
Symphoricarpus mollis. Spreading S		•	
2 to 3 ft			25.00
3 to 4 ft	.50	4.00	30.00
racemosus. Snowberry. 6'			
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.50	3.50	30.00
4 to 5 ft	.60	5.00	
5 to 6 ft	.75	6.00	
vulgaris. Coralberry. 5'			
2 to 3 ft	.35	2.50	15.00
3 to 4 ft	.40	3.00	20.00
4 to 5 ft	.50	4.00	35.00
Symplocos paniculata. syn. crataegoi	des.		
Asiatic Sweetleaf. 10'			
3 to 4 ft	2.00		
4 to 5 ft	<b>3.</b> 50		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
Syringa chinensis. syn. rothomagensis	3.		
Chinese Lilac. 10'			
2 to 3 ft		3.50	30.00
3 to 4 ft		4.50	40.00
4 to 5 ft	.75	6.00	55.00
chinensis saugeana. Purple Chi			20.00
2 to 3 ft		3.50	30.00
3 to 4 ft			40.00
4 to 5 ft	.85	7.50	60.00
emodi. Himalayan Lilac. 8'	20	<b>F</b> 00	
3 to 4 ft		5.00	
4 to 5 ft		7.50	
5 to 6 ft		10.00	
6 to 8 ft	1.75	15.00	

Syringa				
japonica.	Japanese Tree Lilac.	20'		
		each	per 10	per 100
	4 ft		7.50	60.00
4 to			10.00	75.00
5 to	•		12.50	100.00
6 to			20.00	
8 to	10 ft	_3.00	25.00	
josikaea.	Hungarian Lilac. 10'			
2 to	3 ft	.60	5.00	40.00
3 to	4 ft	.75	6.00	50.00
4 to	5 ft	1.00	7.50	60.00
5 to	6 ft	2.00	15.00	
6 to	8 ft	2.50	20.00	
pekinensi	s. Peking Lilac. 15'			
2 to	3 ft	.50	4.00	35.00
3 to	4 ft	.60	5.00	40.00
4 to	5 ft	.75	6.00	50.00
5 to	6 ft	1.00	7.50	60.00
6 to	8 ft	1.25	10.00	<b>75.0</b> 0
6 to	8 ft. specimens	3.50		
persica.	Persian Lilac. 10'			
, <del>-</del>	3 ft	.50	4.00	35.00
3 to	4 ft	.60	5.00	45.00
persica al	ba. White Persian Lile	ac. 10'		
	3 ft		4.50	40.00
	4 ft		5.50	50.00
villosa.	Late Lilac. 8'			
2 to	3 ft	.60	4.50	35.00
	4 ft		5.50	45.00
4 to	5 ft	1.00	7.50	60.00
5 to	6 ft	2.00	15.00	
6 to	7 <b>f</b> t	2.50	20.00	
vulgaris.	Common Purple Lilac	. 15'		
2 to	3 ft	.40	3.50	25.00
3 to	4 ft	.50	4.00	30.00
4 to	5 ft	.60	5.00	
5 to	6 ft	1.00	7.50	
4 to	5 ft. clumps	3.00		
5 to	6 ft. clumps	4.00		

### Syringa

ringa		
vulgaris alba. Common White Lilac.	<i>15'</i>	
each	per 10	per 100
2 to 3 ft50	4.00	35.00
3 to 4 ft60	5.00	45.00
4 to 5 ft	6.50	
5 to 6 ft 1.00	7.50	
4 to 5 ft. clumps 3.00		
vulgaris. Named Varieties.		
2 to 3 ft	6.50	60.00
3 to 4 ft 1.00		75.00
4 to 5 ft 1.50		
5 to 6 ft 2.50		
Belle de Nancy-Double Rose.		•
2-3' 3-4' 4-5'		
Chas. Joly-Dark Purplish Red.		
2-3' 3-4'		
La Tour d'Auvergne—Double Purpl		
2-3' 3-4' 4-5'	ie.	
Ludwig Spaeth—Single Red.		
2-3' 3-4' 4-5'		
Mad. Abel Chatenay—Double Whit	ce.	
2-3' 3-4' 4-5'		
Mad. Casimer Perier—Double Crea	my White.	
2-3' 3-4' 4-5'		
Mad. Lemoine-Large Double Wh	ite.	
2-3' 3-4' 4-5'	•	
Marie Le Graye—Single White.		
2-3' 3-4'		
Pres. Grevy—Double Blue.		
2-3' 3-4' 4-5' 5-6'		
Princess Alexandra—Single White.		

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer as follows. A list of varieties will be forwarded on request.

2	to	3	ft	1.50
8	to	4	ft	2.00
4	to	5	ft	2.50
5	to	6	ft.	3 50

2-3' 3-4' 4-5'

Tamarix africana.	African Tamarix.	15'	
		_	10 per 100
3 to 4 ft.		40 3.	00   25.00
4 to 5 ft		50 4.	35.00
			50   40.00
6 to 8 ft.		75 5.	00   45.00
gallica. French	Tamarix. 10'		
3 to 4 ft.		40 3.	00   25.00
4 to 5 ft		50 4.	00 35.00
5 to 6 ft.		60 4.	50   40.00
gallica indica.	India Tamarix. 10	) <i>'</i>	
3 to 4 ft	·································	40 3.	00   25.00
4 to 5 ft		50 4.	00 35.00
5 to 6 ft	·	60 4.	50 40.00
6 to 8 ft		75 5.	00 45.00
odessana. Odes	sa Tamarix. 6'		
3 to 4 ft		40 3.	00 25.00
4 to 5 ft		50 4.	00 35.00
5 to 6 ft		60 4.	50 40.00
pentandra. Fiv	estamen Tamarix.	12'	
			00
4 to 5 ft			00
	ea. Fourstamen I		10'
			- /-
Vaccinium corymbos	um Highhuch Rl	hicherry	
	B. & B. 2.	_	00
Viburnum acerfolium			
			00
alnifolium. Ho			
	·	40 3	00 25.00
			50 35.00
			· ·
	merican Cranberr	-	
		5.	00 40.00
•	nt Viburnum. 4'	00 17	50
	B. & B 2.		
	B. & B 2.	50 22.	อบ
cassinoides. Wi		20 ~	
			00 40.00
3 to 4 ft		<b>75</b> 6.	00 50.00

## Viburnum

iburnum	4	4.04		
dentatum.	Arrowwood.			
2 to 3	ft	each	per 10 3.00	per 100
	ft		$\frac{3.00}{4.00}$	25.00
	ft		5.00	30.00
	ft		9.00	40.00
	ft. specimens.		9.00	
	Linden Vibur			
	ft		7 50	
	ft		7.50	
	Vayfaring $Tree$		10.00	
			450	40.00
	ft		4.50	40.00
	ft		6.00	50.00
	ft		7.50	65.00
	ft			
	ft			
_	annyberry. 2		0.00	<b>*</b> 0 0 0
	ft		6.00	50.00
	ft		7.50	60.00
	ft		10.00	
	ft		12.50	
	ft. specimens.			
	itucky Viburn			
	ft		4.00	30.00
	ft		4.50	35.00
	ft		<b>5.0</b> 0	40.00
nudum. Si	mooth Withe R	Rod. 8'		
	ft		6.00	
	ft		7.50	
4 to 5	ft	1.00	9.00	
opulus. Ha	igh Bush Cran	iberry. 10'		
3 to 4	ft	65	5.50	50.00
4 to 5	ft	.80	7.00	65.00
5 to 6	ft	1.50	12.50	
6 to 8	ft	2.50		
6 to 8	ft. specimens	5.00		
opulus nam	um. Dwarf C	Franberry bush.	2'	
10 to 12	2 in	.40	3.50	
12 to 15	5 in	.50	4.00	
opulus steri	de. Common	Snowball. 10	1	
2 to 3	ft	.60	5.00	40.00
3 to 4	ft	.75	6.00	50.00
4 to 5	ft	1.00	7.50	
5 to 6	ft	2.00	15.00	

Viburnum	
prunifolium. Blackhaw. 12'	
each per 10	per 100
3 to 4 ft 1.25 10.00	
4 to 5 ft 1.50 12.50	
pubescens. Downy Viburnum. 6'	
2 to 3 ft	
3 to 4 ft 1.00 7.50	
rhytidophyllum. Leatherleaf Viburnum. 8'	
18 to 24 in. B&B 2.50 20.00	
2 to 3 ft. B&B 3.00 25.00	
rufidulum. Southern Blackhaw. 10'	
2 to 3 ft 1.00 7.50	
2 10 0 11	
sargenti. Sargent Cranberrybush. 10'	
2 to 3 ft60 5.50	50.00
3 to 4 ft75 6.00	55.00
4 to 5 ft 1.00 7.50	70.00
sieboldi. Siebold Viburnum. 10'	
3 to 4 ft 1.00 7.50	
4 to 5 ft 1.25 10.00	
5 to 6 ft 1.75 15.00	
6 to 8 ft 2.50 20.00	
6 to 8 ft. specimens 5.00	
tomentosum. Doublefile Viburnum. 8'	
2 to 3 ft60 5.00	40.00
3 to 4 ft	50.00
4 to 5 ft 1.00 7.50	
tomentosum plicatum. Japanese Snowball. 8'	
2 to 3 ft75 6.00	50.00
3 to 4 ft 1.00 7.50	60.00
4 to 5 ft 1.50 12.50	00.00
wrighti. Wright Viburnum. 8'	
2 to 3 ft 1.00 7.50	
3 to 4 ft 1.25 10.00	
Vitex agnus castus. Chaste-tree. 4'	00.00
2 to 3 ft	20.00
3 to 4 ft50 3.50	25.00
agnus castus alba. White Chaste-tree. 4'	
2 to 3 ft35 3.00	
3 to 4 ft50 3.50	

Weigela Abel (	Carriere.	<i>10'</i>
----------------	-----------	------------

weigela E	rner	Carriere. 10			
		0 0	each	per 10	per 100
		3 ft		3.50	25.00
3		4 ft		4.00	30.00
		5 ft		5.00	40.00
5	to	6 ft	.75	6.00	
		Rose Weigela. 8'			
		3 ft		3.50	25.00
3	to	4 ft	.50	4.00	30.00
4	to	5 ft		5.00	40.00
5	to	6 ft	.75	6.00	50.00
candi	da.	Snow Weigela. 8'			
		3 ft		3.50	30.00
3	3 to	4 ft	50	4.00	35.00
4		5 ft		5.50	50.00
5	to	6 ft	.75	6.50	60.00
desbo	isi.	Desbois Weigela. 8'			
2	to	3 ft	.45	3.50	25.00
3	to	4 ft	.50	4.00	30.00
4	to	5 ft	.60	5.00	40.00
5	to	6 ft	.75	6.00	50.00
		ke. 5'			
-		3 ft		5.00	45.00
		4 ft		6.50	60.00
		5 ft		7.50	
		a. Crimson Weigela.			
		3 ft		4.00	35.00
		4 ft	60	5.00	45.00
		allot. 8'	4 =	0.50	0= 00
		3 ft		3.50	25.00
		4 ft		4.00	30.00
		5 ft		5.00	40.00
		6 ft		6.00	50.00
		8 ft. heavy	1.25	10.00	75.00
		rubra. 8' 3 ft	.45	3.50	25.00
		4 ft			30.00
		5 ft		$\frac{4.00}{5.00}$	40.00
		6 ft		6.00	50.00
		ink Weigela. 8'	10	0.00	50.0V
		3 ft	.45	3.50	25.00
		4 ft		4.00	30.00
		5 ft		5.00	40.00
		6 ft		6.00	50.00
9	<b>4</b> 0	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	10	3.00	0.00

Weigela			
rosea nana variegata. Dwarf V	Tariegat	ed Weigel	a. 5'
	each	per 10	
2 to 3 ft			
3 to 4 ft	60	5.00	45.00
4 to 5 ft	.75	6.00	50.00
sieboldi argenteomarginata.			
Variegated Weigela. 8'	~ .		
3 to 4 ft		4.00	
4 to 5 ft		5.00	
5 to 6 ft		6.00	
6 to 8 ft	. 1.00	7.50	
Vanhoutte. Van Houtte Weige		0 70	07.00
2 to 3 ft			25.00
3 to 4 ft		4.00	30.00
4 to 5 ft	60	5.00	40.00
Xanthoceras sorbifolia. 10'			
2 to 3 ft		12.50	
3 to 4 ft	. 1.75	15.00	
4 to 5 ft	2.50	20.00	
Zanthorhiza apiifolia. Yellowroot.	3'		
12 to 15 in. clumps	35	2.50	20.00
15 to 18 in. clumps	40	3.00	25.00
18 to 24 in. clumps	.50	4.00	30.00
Zanthoxylum americanum. Prickly	Ash.	15'	
2 to 3 ft	50	4.00	
3 to 4 ft	60	5.00	40.00
4 to 5 ft	.75	6.00	
Vines			
Actinidia arguta. Bower Actinidia.			
2 year	.60	5.00	40.00
polygama. Silver Vine.			
2 year	.75	6.00	
Akebia quinata. Fiveleaf Akebia.			
2 year	.50	4.00	35.00
3 year	60	5.00	40.00
Ampelopsis aconitifolia. Monkshood	l Vine.		
2 year	35	2.50	20.00
3 year			_

Ampelopsis			
heterophylla. Porcelain Ampelo	psis.		
	each	per 10	per 100
2 year	.35	2.50	15.00
3 year	.40	3.00	20.00
4 year	.50	4.00	30.00
heterophylla variegata, syn. siebo	ldi.		
2 year	.40	3.00	25.00
3 year	.50	4.00	
quinquefolia. Virginia Creeper.			
2 year	.30	2.00	15.00
3 year	.35	2.50	20.00
quinquefolia engelmanni. Enge	lmann	Creeper.	
2 yea <b>r</b>	.30	2.00	15.00
3 year	.35	2.50	20.00
4 year	.50	3.50	
quinquefolia saintpauli. St. Par	ıl Creez	per.	
2 year	.75	5.00	
tricuspidata syn. veitchi. Boston	Ivy.		
2 year	.50	4.00	35.00
3 year	.65	5.00	45.00
tricuspidata lowi. Geranium Ivy	•		
2 year, from pots	.90	7.50	60.00
Aristolochia sipho. Dutchman's Pipe.	•		
2 year	1.00	7.50	
Bignonia grandiflora. Chinese Trum	petcree	per.	
2 year	.50	4.00	35.00
3 year	.75	5.00	40.00
radicans. Trumpetcreeper.			
2 year	.35	2.50	15.00
3 year			20.00
speciosa rubra. Painted Trumpe	tcreepe	r.	
2 year	.50	4.00	
3 year	.75	5.00	
Celastrus articulatus. Japanese Bitte	rsweet.		
2 year	.35	2.50	15.00
3 year	.40	3.00	20.00
4 year	.50	4.00	35.00
scandens. Native Bittersweet.			
2 year	.35	2.50	<b>15.</b> 00
3 year	.40	3.00	20.00

PAINESVILLE, OHIO	91
Clematis apiifolia. October Clematis.	
each per 10	
2 year75 5.00	40.00
coccinea. (See texensis).	
hybrids. Large Flowering Clematis.	
2 year85 7.50	
Jackmanni, Mad. Ed. Andre, Henryi, Duchess of Edinburg.	
orientalis. Oriental Clematis.	
2 year40 3.00	25.00
paniculata. Sweet Autumn Clematis.	
2 year30 2.00	
3 year40 3.00	20.00
tangutica. Golden Clematis.	
2 year50 4.00	35.00
texensis syn. coccinea. Scarlet Clematis	
2 year50 4.00	
virginiana. Virgins-bower.	
2 year40 3.00	25.00
3 year50 4.00	30.00
Hedera helix. English Ivy.	
2 year, 4 in. pots60 5.00	40.00
3 year, 4 in. pots 1.00 7.50	50.00
Lonicera caprifolium. Sweet Honeysuckle.	
2 year40 3.00	25.00
3 year50 4.00	35.00
browni plantieriensis. Orange Honeysuckle.	
2 year50 4.00	
heckrotti. Everblooming Honeysuckle.	07.0
2 year50 3.50	<b>25.0</b> 0
henryi. Henry Honeysuckle.	
2 year75 6.00	
hirsuta. Hoary Honeysuckle.	
2 year75 5.00	
japonica. Japanese Honeysuckle.	15.00
2 year35	$15.00 \\ 20.00$
	20.00
japonica halleana. Hall Japanese Honeysuckle.  2 year35 2.50	15.00
3 year40 3.00	20.00
J J J J J J J J J J J J J J J J J J J	-0.00

Loni	cer	a	
	ian	on	ica

japonica reticulata aurea.			
Yellownet Japanese Honeysuck	kle.		
0		per 10	_
2 year			20.00
periclymenum belgica. Dutch V			
2 year			25.00
3 year	.50	4.00	35.00
prolifera syn. sullivanti. <i>Grape</i>	Honeys	suckle.	
3 year	.50	4.50	
sempervirens. Trumpet Honeys	uckle.		
2 year		2.50	15.00
3 year		3.00	20.00
verna.			
2 year	50	3.50	
	•00	0.00	
Lycium. (See Shrubs).			
Periploca graeca. Silk Vine.	0.0	0.00	4 = 00
2 year		2.00	15.00
3 year		2.50	
4 year		3.50	25.00
Polygonum auberti. China Fleecevin			~~ ~~
2 year		6.00	50.00
baldschuanicum. Silver Fleecev			
2 year	.75	6.00	
Pueraria thunbergiana. Kudzu-bean.	•		
2 year	.35	2.50	15.00
Schizophragma hydrangeoides.			
$oldsymbol{Japanese}$ $oldsymbol{Hydrangea-vine.}$			
from pots	1.00	7.50	
Solanum dulcamara. True Bittersu	veet.		
2 year	.35	2.50	15.00
Tecoma. (See Bignonia).			
Vinca minor. Periwinkle.			
8 to 12 in	.15	1.20	8.00
minor alba. White Periwinkle.			
2 year	.40	3.00	25.00
minor rubra plena. Dbl. Red Pe	riwinki	le.	
2 year		4.00	35.00
Vitis aestivalis. Summer Grape.			
2 year	.35	2.50	20.00
3 year	.40	3.00	25.00

Vitis			
coignetiae. Gloryvine.			
2 year	each .75	$\begin{array}{c} \text{per 10} \\ 6.00 \end{array}$	$\begin{array}{c} \mathrm{per} \ 100 \\ 50.00 \end{array}$
cordifolia. Frost or Winter Gre	ape.		
2 year	.35	2.50	20.00
3 year	.40	3.00	25.00
labrusca. Fox Grape.			
2 year	.35	2.50	20.00
3 year	.40	3.00	25.00
vulpina. Riverbank Grape.			
2 year	.35	2.50	20.00
3 year	.40	3.00	25.00
Wistaria frutescens. American Wist	aria.		
2 year	.40	3.50	25.00
3 year	.50	4.00	30.00
frutescens magnifica. Yelloweye	e Wist	aria.	
2 year	.40	3.50	25.00
3 year	.50	4.00	30.00
multijuga. Japanese Wistaria.			
2 year	.50	4.50	40.00
3 year	.60	5.00	45.00
sinensis. Chinese Purple Wistan	ria.		
2 year		4.50	40.00
3 year	.60	5.50	50.00
3 to 4 ft. standard	1.25	10.00	
4 to 5 ft. standard	1.75	15.00	
sinensis alba. Chinese White W	Istario	α.	
2 year	.50	4.50	40.00
3 year		5.50	50.00
6 year XX	3.50		
Hardy Peren	nials		
Young, transplanted, field		stock	
Less than five at double the ra	te per h	undred.	
Acanthus mollis. Purple Rose, July,			
mollis latifolius. Rose, July, 2			
Achillea ageratum. Yellow, July, 1'_			10.00
filipendulina. Yellow, June, Jul		1.20	10.00
millefolium Cerise Queen. Rose	•	1.00	40.00
June, 2'			10.00
ptarmica fl. pl. White, July, 2'		1.20	10.00

Achillea.		
ptarmica Boule de Neige. White, June,		
*	per 10	per 100
July, 2'	1.20	10.00
ptarmica Perry White. June, July, 2'	1.20	10.00
tomentosa. Yellow, June, 1'	1.20	10.00
Aconitum autumnale. Blue, July, August, 4'_	2.50	20.00
fischeri. Blue, September, 3'	2.50	20.00
fischeri wilsoni. Violet blue, Sept., 5'	5.00	
napellus. Purplish blue, July, Aug., 4'_	2.50	20.00
Actaea alba. White, May, June, 3-4'	1.20	10.00
rubra. Red, May, June, 3-4'	1.20	10.00
Aegopodium podagraria variegatum.		
Variegated foliage, 1'	1.20	10.00
Agrostemma. (See Lychnis).		
Ajuga genevensis. Bright blue, May, 6"	1.20	10.00
reptans. Blue, May, 6"	1.20	10.00
Althea rosea. Hollyhock.		
Double. Separate colors, July, Aug., 5'	1.20	10.00
Double. Chater's strain, separate colors	1.80	15.00
Fringed Allegheny. July, August, 5'	1.20	10.00
Single. Mixed colors, July, Aug., 5'	1.20	10.00
Alyssum argenteum. Yellow, July, Aug., 6"	1.20	10.00
saxatile compactum. Yellow, May 1'	1.20	10.00
saxatile sulphureum. Yellow, May, 1'	2.00	
Amsonia tabernaemontana. Blue,		
May, June, 3'	1.20	10.00
Anchusa capensis. Blue, all summer, 1½'	1.50	12.00
italica. Blue, June, 4'	1.20	10.00
italica Dropmorei. Blue, June, 4-5'	1.20	10.00
myosotidiflora. Bright blue, May, 1'	2.50	
Anemone hupehensis. Mauve, Aug., Sept. 1'	1.80	15.00
japonica alba. White, Fall, 3'	2.00	18.00
japonica Geante des Blanches.	0.50	00.00
White, Fall, 3'	2.50	20.00
japonica Lady Ardilaun.	2.00	10 00
White, Fall, 4'	2.00	18.00
japonica Prince Heinrich.  Deep pink, Fall, 3'	2.00	18.00
japonica Queen Charlotte.	2.00	10.00
Rose, Fall, 3'	2.00	18.00
japonica Rose d' Autumn. Pink, Fall, 3'		18.00
japonica rubra. Red, Fall, 2'		18.00
July and a second	,	

10.00

PAINESVILLE, OHIO		95
Anemone		
	per 10	per 100
japonica Whirlwind. Pure white, Fall, 3'	2.00	18.00
pennsylvanica. White, July, 1½'	1.20	10.00
pulsatilla. Blue, April, 15"	1.50	12.00
pulsatilla rubra. Dark red, April, 12"	1.50	12.00
Anthemis tinctoria. Yellow, July, Aug., 3'	1.20	10.00
tinctoria E. C. Buxton.	2.00	18.00
Lemon yellow, July, Aug. 3'	2.00	
tinctoria kelwayi. Yellow, July, Aug., 3'_	1.20	10.00
Aquilegia alpina. Blue, May, June, 1'	1.20	10.00
caerulea. Blue, May, June, 1½'	1.80	15.00
caerulea helenae. Blue, May, June, 2'	1.50	12.00
caerulea hybrida. Various, June, 2'	1.20	10.00
canadensis. Scarlet, May, June, 2'	1.20	10.00
californica. (See formosa truncata.)		
chrysantha. Yellow, June, July, 3'	1.50	12.00
chrysantha alba. White, June, July, 3'	1.50	12.00
formosa truncata. Various, June, 2'	1.20	10.00
glandulosa. Lilac blue, June, 1½'	1.20	10.00
hybrida. Mrs. Scott Elliott.		
Various, June, 2'	1.80	15.00
rosea. Long spurred pink, June, 2	1.50	12.00
rosea fl. pl. Dbl. Pink, June, 18"	1.80	
skinneri. Red and yellow, May, 2'	1.20	10.00
vulgaris. Purple, May, June, 2'	1.20	10.00
vulgaris nivea. White, May, 2'	1.20	10.00
vulgaris olympica. Purple, May, June, 2'_	1.20	10.00
Arabis alpina. White, April, May, 6"	1.50	12.00
Arenaria balearica. White, July, Aug., 3"	2.00	18.00
Arisaema dracontium. Purple, May, 1'	1.20	10.00
Armeria cephalotes rubra.		
Bright pink, May, June, 6"	1.80	15.00
laucheana. Crimson, May, June, 8"	1.20	10.00
maritima. Pink, May, June, 6"	1.20	10.00
maritima alba. White, May, June, 6"	1.20	10.00
mauritanica. Pink, July, August, 8"	1.20	10.00
robusta. Crimson, May, June, 6"	1.20	10.00
Artemisia abrotanum. Fragrant foliage, 5'	1.20	10.00
argentea. Silver foliage, 2'	1.20	10.00
lactiflora. White, August, 4'	1.50	12.00
stelleriana. White, Summer, 2'	1.20	10.00
Asarum canadense Chocolate May 6"	1.20	10.00

Less than five at double the rate per hundred.

Asarum canadense. Chocolate, May, 6"\_\_\_\_ 1.20

	per 10	per 100
Asclepias incarnata. Red, August, 4'	1.20	10.00
tuberosa. Orange, July, August, 2'	1.20	10.00
Asperula hexaphylla. White, June, 1'	1.20	10.00
odorata. White, May, 8"	1.20	10.00
Asphodeline lutea. Yellow, July, 3'	1.20	10.00
Aster alpinus. Blue, June, July, 8"	1.20	10.00
alpinus albus. White, June, July, 8"	1.20	10.00
amellus bessarabicus. Violet blue, Fall	1.50	12.00
amellus Rud. Goethe.		
Lavender blue, Fall, 2'	2.50	
Anita Ballard. Soft lavender, Fall, 4'	2.50	10.00
Beauty of Colwall. Fine blue, Sept., 3'	1.20	10.00
Beauty of Orleans. Bright mauve, Fall, 4'	2.00	
Blanchette. Mauve blush, Fall, 4'	2.50	10.00
Climax. Blue, Sept., Oct., 3'	1.20	10.00
diplostephioides. Blue, July, 2'	1.50	12.00
Feltham Blue. Blue, Sept., Oct., 3'	1.20	10.00
grandiflorus. Dark violet, Sept., 3'	3.00	
Heather Glow. Rose, Fall, 4'	3.50	
ibericus ultramarin. Dark blue, Sept., 3'	2.00 $2.50$	20.00
Joan Vaughan. Dbl. Mauve-blue, Sept., 3' laevis. Lavender, Sept., 4'	1.20	20.00
Mad. Soyneuse. Light blue, Sept., Oct., 3'	1.20	10.00
Mauve Cushion. Mauve, Oct., 12"	2.00	10.00
Mrs. Raynor. Crimson, Sept., 3'	1.50	
novae-angliae. Purple, Sept., Oct., 4'	1.20	10.00
novae-angliae roseus. Rose, Sept., 4'	1.50	12.00
Robt. Parker. Lavender, Sept., Oct., 5'-	1.20	10.00
Rue des Hatives. Rose mauve, Fall, 3'	2.50	
Snow Queen. White, Sept., Oct., 4'	1.20	10.00
St. Egwyn. Soft pink, Sept., Oct., 3'	_1.20	10.00
tataricus. Purple, Oct. and Nov., 6'	1.20	10.00
White Climax. White, Fall, 4'	1.20	10.00
Astilbe arendsi Ceres. Rosy Lilac, July, 2'	3.00	25.00
arendsi Moerheimi. White, July, 5'	3.00	25.00
arendsi Rose Pearl. Shell pink, July, 3'	3.00	25.00
rosea Queen Alexandra.		
Deep pink, July, 3'	3.00	$25.00^{\circ}$
rosea Queen of Holland.		
Rose pink, July, 3'	3.00	25.00
rubella Solferino. Violet pink, July, 3'_	3.00	25.00
rubella Vesta. Lilac rose, July, 3'	3.00	25.00

	per 10	per 100
Astrantia major. Silvery pink, May, 2'	_	15.00
Aubrietia deltoidea bougainvillei.		
Dark blue, Apr., 5"	2.00	18.00
deltoidea leichtlini. Pink, April, 5"	2.00	18.00
deltoidea purpurea. Purple, April, 5"	2.00	18.00
Baptisia australis. Indigo, June, 4'	1.50	12.00
tinctoria. Yellow, June, 3'	1.50	12.00 $12.00$
Belamcanda chinensis. Orange, June, 1½'	1.20	10.00
Bellis perennis alba. White, April, May, 3"	1.20	10.00
perennis rosea. Pink, April, May, 3"	1.20 $1.20$	10.00
Betonica. (See Stachys.)	1.20	10.00
Bocconia cordata. Creamy white, Aug., 6'	1.20	10.00
Boltonia asteroides. White, Sept., 5'	1.20	10.00
latisquama. Lavender, August, 5'	1.20	10.00
Buphthalmum speciosum. Yellow, June, 3'-	1.20	10.00
Callirhoe involucrata. Red, all summer, 6"	1.20	10.00
Camassia Quamash. Blue, May, 2'	1.20	10.00
Campanula alliariaefolia. White, June, July, 2'	1.50	12.00
carpatica. Blue, July, August, 9"	1.50	12.00
carpatica alba. White, July, Aug., 9"	1.50	12.00
carpatica Raineri. Dark blue, July, 6"	2.00	
grosseki. Blue, all summer, 2'	1.20	10.00
lactiflora. Light blue, August, 4'	1.20	10.00
latifolia. Purplish blue, July, 3'	1.20	10.00
latifolia alba. White, July, 3'	1.20	10.00
latifolia macrantha. Purplish blue, July, 3'	1.20	10.00
medium. Mixed, June, July, 3'	1.20	10.00
medium. Separate colors, June, July, 3'	1.50	12.00
medium calycanthema. Mixed, July, 3'	1.20	10.00
medium calycanthema. Separate colors,		
July, 3'	1.50	12.00
persicifolia. Blue, June, July, 2'	1.50	12.00
persicifolia moerheimi. White, June, 2'	1.80	15.00
pyramidalis. Blue, July, 4-5'	1.50	12.00
pyramidalis alba. White, July, 4-5'	1.50	12.00
rotundifolia. Blue, June, July, 12"	2.00	15.00
trachelium. Blue, July, 2-3'	1.20	10.00
Carex morrowi. White-edged foliage, 1'	2.00	15.00
Cassia marilandica. Yellow, July, 3-4'	1.20	10.00
Catananche caerulea. Blue, June, July, 3'	1.20	10.00 10.00
caerulea alba. White, June, 3'Caulophyllum thalictroides.	1.20 1.20	10.00
Campping manetrolues,	1.40	10.00

	per 10	<b>per 1</b> 00
Centaurea babylonica. Yellow, July, 5'	1.20	10.00
dealbata. Red, July, 1½'	1.50	12.00
gymnocarpa. Purple, July, 1½'	1.20	10.00
macrocephala. Yellow, July, 3-4'	1.20	10.00
montana. Blue, June, July, 2'	1.20	10.00
ruthenica. Straw color, July, 4'	1.50	
Centranthus ruber. Red, all summer, 3'	1.20	10.00
ruber albus. White, all summer, 3'	1.20	10.00
Cephalaria alpina. Yellow, July, 5'	1.20	10.00
Cerastium arvense compactum. White, July, 2"	1.20	10.00
biebersteini. White, June, 6"	1.50	12.00
tomentosum. White, June, 6"	1.20	10.00
Ceratostigma plumbaginoides. Blue, Fall, 6"	1.50	12.00
Cheiranthus allioni. Yellow, July, 2'	1.20	10.00
Chelone glabra. White, or rose tinged, July, 2'	1.20	10.00
lyoni. Deep rose, August, 2'	1.20	10.00
Chrysanthemum anemone—flowered	1.50	12.00
Snow Queen-White.		
arcticum. White, Fall, 2'	1.20	10.00
hardy button varieties	1.20	9.00
Baby Marguerite—pure white.		
Bronze Button—bronze.		
Brown Betty—maroon red.		
Diana—pure white.		
Golden Climax—yellow.		
Irene—pure white.		
Kitty Barno—bronze.		
Klondike—bright yellow.		
Lillian Doty—pink.		
Niza—delicate pink.		
Rose Button—rose.		
White Doty—white.		
hardy large flowering, double, Fall, 4'	1.20	9.00
Border Beauty—orange, tipped with	gold.	
Boston—orange.		
Canariense—yellow.		
Etna—red.		
Favorite—buff.		
Golden Queen—yellow.		
L'Argentuillais—deep chestnut.		
La Danube—pure pink.  Maria Antoinetta pink		
Marie Antoinette—pink.		
Less than five at double the rate per hund	red.	

Chrysanthemum		
Old Homestead—buff.		
Pacific Supreme—white, fading to ros	se.	
Rosea—red.		
Ruby King—brown red.		
Ruth Cumming—reddish bronze.		
Snowclad—white.	man 10	m 100
Glory of Seven Oaks, Yellow, Sept., 2'	per 10 1 50	-
Normandie. Pink, early Fall, 2'		
Yellow Normandie. Yellow, early	1.00	12.00
Fall, 2'	1.50	12.00
hardy large flowering, single. Fall, 4'	1.20	
Astarte—amber.	1.20	10.00
Excelsior—golden yellow.		
Lady Smith—bright pink.		
Louise—salmon.		
Mrs. W. E. Buckingham—salmon pink	ζ.	
maximum. White, all summer, 2'		10.00
maximum Alaska. White, July-Aug., 2'	1.20	10.00
maximum King Edward. White,		
all summer, 3'	1.20	10.00
maximum Shasta. White, July-Aug., 2'		10.00
nipponicum. White, Fall, 2'	1.80	
Cimicifuga racemosa. White, July, 5'	1.20	10.00
Clematis davidiana. Blue, August, 3'	2.00	18.00
recta. White, July, 3'	2.50	20.00
Codonopsis clematidea. White, June, 2'	1.50	
Convallaria majalis. Clumps, White, May, 6"	1.50	12.00
Coreopsis grandiflora. Yellow, all summer, 3'	1.20	9.00
lanceolata. Yellow, all summer, 2'	1.20	9.00
rosea. Rose, August, Sept., 1'	1.20	10.00
verticillata. Yellow, July, Aug., 2'	1.20	10.00
Crucianella stylosa. Crimson pink, July, 8"-	1.50	12.00
Delphinium belladonna. Sky blue, all sum-		
mer, 4'	1.20	10.00
bellamosum. Dark blue, all summer, 4'	1.20	10.00
cashmerianum. Dark blue, July, 1'	1.80	•15.00
chinense. Blue, July, 2'	1.20	10.00
chinense album. White, July, 2'	1.20	10.00
elatum. Blue, July, 4'	1.20	10.00
formosum. Indigo, July, 4'	1.50	12.00

Delphinium		
formosum coelestinum. Light blue,	per 10	per 100
July, 3'	1.20	10.00
grandiflorum. Shades of blue, July, 3'	1.20	10.00
grandiflorum Indigo. Dark blue,		
July, 4'	1.50	12.00
hybridum Blackmore and Langdon.		
Various, July, 4'	2.50	20.00
hybridum Gold Medal. Shades of blue,		
July, 4'	1.20	10.00
sibirica hybrida. Shades of blue, July, 3'	1.20	10.00
Dianthus allwoodi. Pink, July, 1'	1.50	12.00
arenarius. White, July, 10"	1.50	12.00
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	1.20	9.00
barbatus alba. White, June, July, 1'	1.20	10.00
barbatus atrococcineus. Crimson,		
June, 1'	1.20	10.00
barbatus fl. pl. (Double Sweet William).	1.00	0.00
mixed colors, June, July, 1'	1.20	9.00
barbatus Holborn Glory. Mixed, June, 1' barbatus Newport Pink. Fine pink,	1.20	10.00
June, 1'	1.20	10.00
barbatus nigricans. Dark velvety red,	1.20	10.00
June, 1'	1.20	10.00
barbatus rosea. Pink, June, 1'	1.20	10.00
barbatus Salamoni. Salmon, June, 1'	1.20	10.00
barbatus Sutton's Scarlet. Crimson,		
June, 1'	1.20	10.00
caesius. Rose pink, June, July, 9"	1.20	10.00
caryophyllus. Double, mixed, all sum-	1.00	10.00
mer, 9"	1.20	10.00
Chabaud. Pink, June, July, 12"chinensis heddewigi. Mixed, June, July,	1.50	12.00
9"	1.20	10.00
deltoides. Pink, June, 9"	1.20	10.00
diadematus. Pink, June, 10"	1.50	12.00
graniticus. Purple, July, 6"	1.50	12.00
hardy pinks. Single, mixed, all summer,		
9"	1.20	10.00
latifolius atrococcineus. Crimson, sum-		
mer, 1'	1.20	10.00
Less than five at double the rate per hundr	ed.	

## Dianthus

Diametra	mon 10	man 100
plumarius. (Scotch Pink) mixed, sum-	per 10	per 100
mer, 8"	1.20	10.00
plumarius fl. pl. (Double Scotch Pink)		
mixed, all summer, 9"	1.50	12.00
plumarius semperflorens. Pink, June, 9"	1.20	10.00
Abbotsford. Crimson, all summer, 9"_	1.50	12.00
Cyclops. Dark rose, June, July, 9"	1.20	10.00
Delicata. Rose, June, July, 9"	1.80	15.00
Elizabeth Peters. Pink, June, July, 9"_	1.50	12.00
Elsie. Bright rose, June, July, 9"	1.80	15.00
Homer. Rosy red, June, July, 9"	1.80	15.00
Her Majesty. Dbl. White, June, July, 9"	1.50	12.00
Souv. de Sales. Dbl. Pink, June, 9"	-1.50	12.00
Variegated Reserve.		
White, mottled red, June, July 9"	1.80	15.00
White Reserve. White, June, July, 9"_	1.50	12.00
speciosa. Pink, July, 10"	1.50	12.00
superbus. Lilac, June, July, 12"	1.50	12.00
Dicentra eximea. Rose, all summer, 1'	2.00	15.00
Dictamnus albus. White, June, 2'	2.50	
albus ruber. Red, June, 2'	2.50	
Digitalis ambigua. Yellow, June, July, 3'	1.20	10.00
ferruginea. Yellow, July, 4-6'	1.20	10.00
gloxinaeflora. Mixed, June, July, 3'	1.20	10.00
lanata. Creamy yellow, June, 3'	1.20	10.00
purpurea. Mixed, June, July, 3'	1.20	10.00
purpurea maculata. Spotted, June,		
July, 18"	1.20	10.00
purpurea monstrosa. Various, June,		
July, 3'	1.20	10.00
purpurea, rose. June, July, 3'	1.20	10.00
purpurea, white. June, July, 3'	1.20	10.00
Doronicum clusi. Yellow, Apr., May, 18"	3.00	25.00
plantagineum excelsum.		
Yellow, Apr., May, 5'	3.00	25.00
Echinacea purpurea, Cone Flower. Reddish		
purple, July, August, 3'	1.20	10.00
Echinops ritro. Deep steel blue, July, 3'	1.20	10.00
sphaerocephalus. Pale blue, July, 5'	1.20	10.00
Epilobium angustifolium. Rose, August, 4'	1.80	
Erianthus ravennae. Ravenna Grass, 6'	2.00	

	per 10	per 100
Erigeron coulteri. White, July, 15"	1.20	10.00
glabellus. Violet, June, July, 1'	1.20	10.00
glaucus. Mixed, June, July, 1'	1.20	10.00
speciosus. Rich purple, June, July, 2'	1.20	10.00
Eryngium planum. Steel Blue, July, Aug., 3'	1.20	10.00
Erysimum pulchellum. Lemon, May, June, 6"	1.20	10.00
Eulalia gracillima. Japan Rush, 4-6'	1.20	10.00
japonica variegata. 4-6'	1.50	12.00
zebrina. Zebra Grass, 4-6'	1.50	12.00
Eupatorium ageratoides. White, August, 3'	1.20	10.00
coelestinum. Blue, Sept., Oct., 18"	1.20	10.00
fraseri. White, Aug., Sept., 18"	1.20	10.00
purpureum. Purple, Aug., Sept., 5'	_1.20	10.00
Euphorbia corollata. White, July, Aug., 2'	1.50	12.00
cyparissias. Yellow, May, 2"	1.80	15.00
Festuca glauca. Fescue Grass, June, 10"	1.20	10.00
Fragaria indica. White, May, 6"	1.50	
Funkia. (See Hosta).		
Gaillardia grandiflora. Yellow and Crimson,		
all summer, 2'	1.20	9.00
grandiflora Bosseleari.		
Yellow and crimson, all summer, 2'	1.50	12.00
Galega officinalis. Blue, June, July, 3'	1.20	10.00
officinalis hartlandi. Bluish White,		
July, 3'	1.20	10.00
Galium boreale. White, July, 1½'	1.50	12.00
Gentiana alba. White, August, 2'	1.50	12.00
andrewsi. Blue, August, 2'	1.50	12.00
Geranium ibericum. Mauve blue, May,		
June, 2'	1.50	12.00
pratense album. White, July, Aug., 2'	1.50	
sanguineum. Red, June, July, 2'	1.20	10.00
Geum atrosanguineum. Dark red, all sum-		
mer, $1\frac{1}{2}$	1.50	12.00
Lady Strathedon. Orange,		
all summer, 15"	2.00	18.00
Mrs. Bradshaw. Dbl. red, all summer, 1'	1.80	15.00
Gypsophila acutifolia. White, July, 2-3'	1.20	10.00
paniculata. White, July, Aug., 2-3'	1.20	10.00
repens. Bluish white, all summer, 4'	1.20	10.00
repens rosea. Pink, July, Aug., 2-3'	1.50	

	10	100
Helenium autumnale superbum. Yellow,	per 10	per 100
Sept., 5-6'	1.80	15.00
hoopesi. Orange, June, July, 3'		10.00
Riverton Beauty. Lemon, Aug., Sept., 5'		15.00
Riverton Gem. Old Gold, Sept., Oct., 4'_		15.00
rubrum. Brick red, Sept., 4'		
Helianthella quinquenervis. Yellow,		
Sept., 3½'	2.00	
uniflora. Yellow, Sept., 3'		
Helianthemum croceum. Saffron, June,		
July, 9"	1.20	10.00
Fire Ball. Red, July, Aug., 12"	1.50	12.00
mutabile. Flesh, May, June, 12"		12.00
Helianthus atrorubens. Yellow, Fall, 6'		10.00
maximiliani. Yellow, Sept., 6'		10.00
mollis grandiflorus. Yellow, Aug.,		
Sept., 4'	1.20	10.00
orgyalis. Bright yellow, Oct., 6-8'		10.00
rigidus. Yellow, August, 3'		10.00
Soleil d'Or. Dbl. yellow, August, 4'		12.00
Wooley Dod. Deep yellow, Sept., 7'		10.00
Heliopsis excelsa. Deep yellow, Aug., 3'	2.00	15.00
pitcheriana. Orange, July, Aug., 3'		10.00
zinniaeflora. Dbl. Yellow, Aug., 4'	. 1.50	12.00
Hemerocallis Apricot. Apricot color, June, 24	1.20	10.00
aurantiaca. Orange, June, July, 2½'	2.00	18.00
dumortieri. Orange, June, 2'	1.20	10.00
florham. Golden yellow, June, 3'	2.50	20.00
fulva. Bronze, August, 3'	1.20	10.00
Gold Dust. Indian yellow, June, 2½'	1.20	10.00
kwanso. Reddish orange, June, 2½'	1.20	10.00
luteola. Orange, June, 2'	1.50	12.00
middendorffi. Orange, June, 3'	1.20	10.00
minor. Yellow, June, 2'	1.20	10.00
Orange Man. Deep orange, June, 2'	1.20	10.00
Sovereign. Rich orange, June, 1½'	. 1.20	10.00
thunbergi. Lemon yellow, June, 2-3'		10.00
Hepatica acutiloba. Light blue, March, 4"		10.00
triloba. Light blue, March, April, 4"		10.00
Hesperis matronalis. Purple, June, July, 3		10.00
Heuchera brizoides. Red, June, July, 2'		18.00
sanguinea. Coral red, June, 1'	2.00	18.00

Hibiscus Mallow Marvels. Mixed, July and	per 10	per 100
August, 5'	1.20	10.00
Mallow Marvels. Separate colors, Aug., 5'	1.50	12.00
Mallow Marvels. Giant Red, Aug., 5'	2.00	15.00
moscheutos. Rose, June, July, 5'	1.20	10.00
moscheutos crimson eye. White, red eye,	1.20	10.00
Aug., 5'	1.20	10.00
Hieracium aurantiacum. Orange, summer, 6"	1.20	10.00
Hosta caerulea. Blue, July, 1½'	1.20	10.00
lancifolia. Blue, July, 2'	1.20	10.00
marginata. White bordered, Aug., 2'	1.50	12.00
ovata. Lavender, June, July, 1-2'	1.50	12.00
sieboldiana. Silvery foliage	1.50	12.00
sub-cordata grandiflora. White, Aug. 18"	1.80	15.00
undulata variegata. White foliage, 2'	1.50	12.00
Hyacinthus candicans. White, Aug., 3'	1.50	
Hypericum calycinum. Yellow, July, Aug., 1'	1.80	15.00
moserianum. (See Shrubs).		
Hyssopus officinalis. Purple, Aug. 18"	1.50	12.00
Iberis gibraltarica. Delicate lilac, May, 1½'	2.00	15.00
sempervirens. White, May, June, 8"	2.00	15.00
sempervirens Climax. White, May, 6"	2.00	18.00
sempervirens Little Gem. White, April, 6"	2.00	18.00
tenoreana. Purplish white, April, 6"	2.00	18.00
Incarvillea delavayi. Rosy purple, June,		
July, 2'	1.80	15.00
Inula ensifolia. Yellow, July, Aug., 8"	1.20	10.00
helenium. Yellow, June, 1½'	1.20	10.00
royleana. Yellow, June, July, 2'	1.20	10.00
Iris cristata. Light blue, May, June, 6"	1.20	10.00
germanica. May, June, 1½-2'.		
Alcazar. Violet, purple falls	2.50	20.00
Aurea. Yellow	1.50	12.00
Blue Bird. Indigo blue	1.20	10.00
Canary Bird. Yellow	1.20	10.00
Celeste. Delicate blue	1.20	10.00
Florentina. Pale blue	1.20	10.00
Florentina alba. White	1.20	10.00
Gracehus. Yellow and purple	1.20	10.00
Her Majesty. Lilac pink	1.20	10.00
Honorabilis. Yellow, brown falls	1.20	10.00
King of Iris. Yellow, brown falls	3.00	25.00

### Iris germanica.

	per 10	-		
King Edward. Red violet		10.00		
Lavender Queen. Lavender		10.00		
Lohengrin. Lilac rose	1.20	10.00		
Loreley. Light yellow, blue falls	1.20	10.00		
Mad. Chereau. White, tinged blue	1.20	10.00		
Mad. Paquitte. Bright rose claret	1.20	10.00		
Midnight. Dark blue	1.80	15.00		
Mithras. Yellow, wine red falls	1.50	12.00		
Mrs. Allen Gray. Pale rose-mauve	1.20	10.00		
Mrs. H. Darwin. Pure white	1.20	10.00		
Niebelungen. Fawn yellow	1.50	12.00		
Pallida Dalmatica. Lavender	1.80	15.00		
Pallida speciosa. Light blue	1.20	10.00		
Parisensis. Dark blue	1.20	10.00		
Princess Victoria Louise. Sulphur yel-				
low, rich violet falls	1.80	15.00		
Princess of Wales. Pearly white	1.50	12.00		
Queen of Gypsies. Yellow standards,				
maroon falls	1.20	10.00		
Rhein Nixe. White, violet falls		15.00		
Silver King. Silvery white		10.00		
Spectabilis. Purple		10.00		
Trautlieb. Delicate pink	1.50	12.00		
Victorine. White, mottled blue	1.50	12.00		
intermedia hybrids. May, 18"	1.20	10.00		
Gerda. Creamy yellow, darker falls.				
Halfdan. Creamy white.				
Ingeborg. Ivory white.				
Helge. Light citron.				
Walhalla. Light blue, purple falls.				
kaempferi. Japanese Iris. July, 2-3'	2.00	15.00		
Antelope. Light lavender.				
Aoigata. Light purple, with darker hal	0.			
Chadai. Clear white, creamy standards	•			
Exquisite. Blue in light and dark shadi	ngs.			
Furomon. White, purple shadings.				
Gold Bound. White, yellow shadings.				
Hanaaoi. Gray, yellow blotches and blue veins.				
Hinodeuzuru. White, blue shadings.				
Idzumigawa. Gray, yellow blotches and blue veins.				
Komochiguma. Dark bluish purple.				

Iris kaempferi.

Kumonoobi. Clear purple, white halo.

Kurokumo. Purple overlaid with dark blue, yellow blotches.

Manadzuru. White, yellow blotches.

Norma. Deep purple.

Onigashima. Brief violet purple.

Purple and Gold.

Royal. Mahogany red.

Shigano-uranami. Red lavender, white halo.

Uchiu. Crimson purple with few white veins.

Warai-botei. Lavender blue, light blue halo. new hybrids.

w	• 1			
	15	12	8 10	1133
B .4	8.9	ш.	8.8	m
		-		

Lilium		
White Tune 2'	per 10	per 100
candidum. White, June, 3'	3.50	30.00
elegans. Shades Yellow and Red, July, 2'	2.00	15.00
henryi. Yellow, July, 2'	4.00	35.00
longiflorum giganteum. Waxy White, 2'	3.00	25.00
pardalinum. Scarlet and Yellow, 2'	2.50	20.00
philadelphicum. Orange red, June,	1.00	10.00
July, 3'regale. White, Aug., 4'	1.20	10.00
	6.00	50.00
speciosum album. White, Aug., 3'	3.50	30.00
speciosum longiflorum. White, Aug., 3'	3.00	25.00
speciosum melpomene. White, Aug., 3'_	3.00	25.00
speciosum rubrum. Pinkish red, Aug., 3'	3.00	25.00
superbum. Orange, July, Aug., 5'	1.20	10.00
tigrinum. Orange spotted, Aug., 4'	2.00	15.00
umbellatum. Scarlet red, July, 2'	2.50	20.00
Limonium latifolium. Blue, July, Aug., 2'	1.20	10.00
sinuatum roseum. Pink, Aug., 1'	1.20	10.00
tataricum. Purplish red, July, 1'	1.50	
Linum narbonnense. Blue, June, July, 2'	1.20	
perenne. Blue, June, July, 1½'	1.20	10.00
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	1.50	12.00
siphilitica. Blue, September, 3'	1.20	
Lupinus polyphyllus. Blue, June, July, 3'	2.00	18.00
polyphyllus albus. White, June, July, 3'	2.00	18.00
Lychnis alpina. Rose color, June, 1'	1.50	12.00
chalcedonica. Scarlet, July, 3'	1.20	10.00
coronaria. Crimson, June, 2'	1.20	10.00
coronaria alba. White, July, 2'	1.20	10.00
coronata sieboldi. White, July, 1'	1.50	12.00
floscuculi. Red, June, 1½'	1.20	10.00
flosjovis. Pink, June, 1'	1.20	10.00
haageana. Scarlet, June, July, 1'	1.20	10.00
viscaria splendens. Red, May, June, 1'	1.20	10.00
viscaria splendens fl. pl. Red, June, 1'	1.20	10.00
Lysimachia clethroides. White, July, Aug., 3'	1.50	12.00
nummularia. Yellow, June, Aug., 4'	1.20	10.00
Lythrum salicaria roseum. Rose, July, 4'	1.20	10.00
virgatum. Deep rose, July, Aug., 1½'	1.20	10.00
Malva alcea. Rosy purple, July, Aug., 3'	1.20	10.00
moschata. Rose, July, Aug., 2'	1.20	10.00
Matricaria parthenoides. White, May, 1'	1.20	10.00
manical a partificities. Wille, May, 1	1.40	10.00

	per 10	per 100
Mentha piperita. Peppermint, Purple, 2'	1.20	10.00
Mertensia virginica. Purplish blue, March,		
April, 2'	1.20	9.00
Miscanthus. (See Eulalia).		
Mitchella repens. White shaded pink,		
March, 4"	1.50	12.00
Monardi didyma. Red, July, Aug., 3'	1.20	10.00
didyma Cambridge. Scarlet, July, Aug., 3'	1.20	10.00
didyma pink. July, Aug., 3'	1.80	15.00
didyma Sunset. Mahogany, July, Aug., 3'	1.80	15.00
didyma splendens. Scarlet, July, Aug., 3'	1.20	10.00
didyma violacea. Violet, July, Aug., 3'	1.20	10.00
Myosotis alpestris. Blue, all summer, 8"	1.20	10.00
alpestris alba. White, May, June, 8"	1.20	10.00
palustris. Blue, April, May, 6"	1.20	10.00
Nepeta hederacea. Blue, May, 2"	1.20	10.00
hederacea variegata. Blue, May, 2"	1.20	10.00
mussini. Blue, June, July, 1'	1.80	15.00
Oenothera fruticosa youngi. Lemon, June,		
July, 2'	1.20	10.00
lamarckiana. Yellow, July, Aug., 4'	1.20	10.00
missouriensis. Yellow, July, Aug., 6"	1.50	12.00
speciosa. White, July, Aug., 1½'	1.20	10.00
Pardanthus. (See Belamcanda).		
Pachysandra terminalis. White, May, 3"		
2 year from pots	1.20	10.00
Paeonia officinalis rosea. Rose pink	6.00	50.00
officinalis rubra. Red	6.00	50.00
sinensis. Strong plants, 3-5 eyes.		
Candidissima. White, creamy center_	4.00	35.00
Couronne d'Or. White, yellow center-	6.00	50.00
Delacheii. Crimson	4.00	35.00
Duchess de Nemours. Creamy white_	6.00	50.00
Edulis. Deep rose	4.00	35.00
Felix Crousse. Brilliant red	8.50	75.00
Festiva alba. White	4.00	35.00
Festiva maxima. Finest early white	7.50	65.00
Gen. McMahon. Deep violet red	8.50	. 75.00
Gigantea. Rose pink		
Humeii. Deep rose	4.00	35.00
Jeanne d'Arc. Tender pink, center	<i>c</i> 00	E0 00
rosy white	6.00	50.00

#### Paeonia sinensis.

La Tulip. Flesh pink, shading to	per 10	per 100
white	6.00	50.00
L'Eclatante. Dazzling red		50.00
L'Esperance. Rose pink	6.00	50.00
L'Indispensible. Shell pink	6.00	50.00
Louis Van Houtte. Deep crimson	4.00	35.00
Livingstone. Soft pink	10.00	90.00
Mad. de Galhau. Dark pink	6.00	50.00
Mad. de Verneville. Sulphur white,		
with some carmine	6.00	50.00
Mad. Lebon. Cherry	6.00	50.00
Marie Lemoine. Creamy white	6.00	50.00
Modeste Guerin. Deep rose	4.00	35.00
Mons. Jules Elie. Pink with darker		
guard petals	10.00	90.00
Souv. de l'Exposition Universelle. Bril-		
liant cherry with silvery reflex		50.00
Triumph de Paris. Light pink, yellow		WA 0.
center		50.00
single. Named colors, red, white, pink		
tenuifolia fl. pl. Scarlet	8.50	
Papaver bracteatum. Blood red, June, 2'		10.00
nudicaule. All colors, summer, 8"		10.00
orientale. Orange scarlet, June, 2'		10.00
Fire King. Red, June, 2'	2.50	
Goliath. Fire red, June, 2'	2.50	
Queen Alexandra. Salmon, June, 2'		
Princess Victoria Louise, Salmon, June, 2'	2.50	
Pentstemon barbatus. Scarlet, July, 3'	1.20	10.00
digitalis. White, August, 3'	1.50	12.00
grandiflorus. Lilac blue, July, 3'	2.00	
hirsutus. Rosy purple, July, Aug., 2	1.20	10.00
Phalaris arundinacea variegata. Ribbon grass	1.20	9.00
Phlox amoena. Pink, May, 4"	1.20	10.00
divaricata. Lavender, May, June, 1'	1.20	10.00
maculata. Purplish red, May, June, 4'	1.20	10.00
ovata. Red, May, June, 1'	1.50	12.00
paniculata. 2-3'		
Aloise Louise. Lilac	1.20	10.00
Antonin Mercie. Lilac, white center		10.00
Athis. Salmon pink	1.20	10.00
Less than five at double the rate per hunds	red.	

### Phlox paniculata.

paniculata.	per 10	per 100
B. Compte. Rich French purple	_	15.00
Bridesmaid. White, red eye		10.00
Caran de Ache. Bright carmine rose_	1.20	10.00
Champs. Elysees. Rich purplish crim-		
son	1.50	12.00
Coquelicot. Orange scarlet	1.50	12.00
Eclaireur. Magenta, white eye	1.20	10.00
Etna. Scarlet	1.80	15.00
Eiffel Tower. A beautiful pink	1.80	15.00
Elizabeth Campbell. Salmon pink	1.80	15.00
Fernand Cortez. Coppery red	1.50	12.00
Frau Anton Buchner. White	1.20	10.00
Frau Von Lassburg. White	1.50	
G. A. Strohlein. Orange scarlet, red		
eye	1.80	15.00
Gefion. Peach blossom pink, rose eye_	1.50	12.00
Grideur. Pink, crimson center	1.50	12.00
Henri Murgher. White, magenta eye	1.50	12.00
J. H. Slocum. Red	1.50	12.00
Johnson's Favorite. Salmon rose	1.50	12.00
La Vague. Silvery rose	1.20	10.00
Mad. Benzanson. Crimson	1.50	12.00
Maid Marian. Soft lavender		20.00
Mrs. Jenkins. Pure white		10.00
Mrs. Ingalls. Shell pink	1.20	10.00
Mrs. Milly van Hoboken. Soft pink	1.80	15.00
M. P. Langier. Red	1.50 $1.20$	12.00 10.00
Miss Lingard. WhitePantheon. Deep salmon rose	1.20	10.00
Peachblossom. Shell pink	1.20	10.00
Pres. Poincare. White, rose eye	1.50	12.00
Rheinlander. Salmon pink, claret eye	1.50	12.00
Richard Wallace. White, crimson eye	1.20	10.00
Rynstroom. Bright crimson pink	1.50	12.00
R. P. Struthers. Carmine, claret red		
eye	1.50	12.00
Siebold. Orange scarlet	1.50	12.00
Sir Edward Landseer. Bright crimson	1.50	12.00
Tapis Blanc. Dwarf, white	1.20	10.00
Thor. Deep salmon pink	1.80	15.00
W. C. Egan. Soft pink	1.50	12.00

## Phlox paniculata.

Thiox pulliculatur	per 10	per 100
White Lady. Pure white	1.20	10.00
Widar. Light reddish violet, white eye	1.50	12.00
reptans. Lilac, May, 6-12"	1.20	10.00
stellaria. Creeping, May, 4"	1.20	10.00
subulata alba. White April, May, 4"	1.20	10.00
subulata lilacina. Light blue, April,	1.20	10.00
May, 4"	1.50	12.00
subulata moerheimi. Carmine pink,	2.00	12.00
April, May, 4"	1.50	12.00
subulata nelsoni. White, April, May 4"_	1.50	12.00
subulata rosea. Pink, April, May, 4"	1.20	10.00
subulata The Bride. White, red center,	10	20.00
Apr., May, 4"	1.50	12.00
- · · · · · · · · · · · · · · · · · · ·	1.20	
Physalis francheti. Red pods, Oct., 2'		10.00
Physostegia virginiana. Lilac, August, 3'	1.20	10.00
virginiana alba. White, August, 3'	1.20	10.00
Platycoden grandiflorum. Blue, summer, 2'_	1.20	10.00
grandiflorum album. White, summer, 2'	1.20	10.00
mariesi. Deep blue, summer, 1'	1.20	10.00
Plumbago larpentae. (See Ceratostigma).		
Polemonium caeruleum. Deep blue, June,		
July, 1½′	1.20	10.00
caeruleum album. White, June, July,		
1½′	1.20	10.00
reptans. Blue, May, June, 6"	1.20	10.00
richardsoni. Sky blue, May, June, 6"	1.20	10.00
Polygonum amplexicaule. Red, Sept., 5'	1.50	12.00
compactum. White, Aug., Sept., 1½'	1.20	10.00
cuspidatum. White, Aug., Sept., 1½'	1.20	10.00
Potentilla hybrida fl. pl. Mixed, June,		
July, 2'	1.20	10.00
hybrids. Named varieties, June, 2'	2.50	
nepalensis. Showy red, May, June, 2'	1.20	10.00
rupestris alba. White, June, July, 2'	1.20	10.00
Primula acaulis. Yellow, May, 9"	1.50	12.00
cashmeriana. White, May, 8"	1.50	12.00
japonica. Crimson, May, 9"	1.50	12.00
pulverulenta. Yellow, May, 8"	1.50	12.00
veris. Yellow, April, May, 9"	1.20	10.00
Prunnela webbiana. Purple, all summer, 10"	1.20	10.00
Pulmonaria saccharata. Violet, Apr., May, 8"	2.50	
Less than five at double the rate per hundr	ed.	

Pyrethrum roseum. Various, May, June, 1'	per 10	per 100
roseum James Kelway.	1.20	10.00
Salmon pink, May, June, 1'	2.50	
uliginosum. White, September, 5'	1.20	10.00
Ranunculus acris fl. pl. Dbl. Buttercup,		
June, 1'	1.20	10.00
Rosemarinus officinalis. Light blue, April, 4"	1.50	12.00
Rudbeckia Autumn Glory. Yellow, Aug.,		
Sept., 6'	1.20	10.00
hirta. Yellow, Aug., Sept., 3'	1.20	10.00
laciniata. (Golden Glow) Yellow, Aug., 6'	1.20	9.00
nitida. Single yellow, Aug., Sept., 6'	1.20	10.00
speciosa. Orange yellow, July, Aug., 2'	1.20	10.00
subtomentosa. Lemon yellow, August,		
Sept., 4'	1.20	10.00
Ruta graveolens. Yellow, all summer, 2½'	2.00	18.00
Salvia azurea grandiflora. Blue, Aug., 6'	1.20	10.00
argentea. Pinkish White, June, 3'	1.20	10.00
farinacea. Blue, July, 2-3'	1.20	10.00
pratensis. Deep blue, Aug., Sept., 3'	1.20	10.00
turkestanica. White, tinted pink, Aug., 2'	1.50	12.00
uliginosa. Blue, August, 2'	1.20	10.00
Sanguinaria canadensis. White, April, 8"	1.20	10.00
Saponaria ocymoides. Pink, summer, 9"	1.20	10.00
ocymoides alba	1.50	12.00
Saxifraga cordifolia. Rosy purple, April,		
May, 1'	3.00	25.00
crassifolia. Rosy pink, April, 1'	2.50	
grandiflora. Pink, April, 1'	3.00	25.00
lingulata rosea. Pink, April, 1'	2.50	
Scabiosa caucasica. Lavender, all summer, 1'	2.00	
japonica. Lavender, Aug., Sept., 18"	1.80	15.00
Sedum acre. Yellow, June, July, 4"	1.20	10.00
album. White, July, 4"	1.20	10.00
ewersi. Pink, Aug., Sept., 6"	1.20	10.00
kamtschaticum. Yellow, July, 6"	1.20	10.00
maximowiczi. Yellow, July, Aug., 1'	1.20	10.00
sexangulare. Yellow, June, July, 6"	1.20	10.00
sieboldi. Pink, July, August, 1'	1.50	12.00
spectabile. Pink, Aug., Sept., 1½'	1.20	10.00
spectabile Brilliant. Crimson, Sept., 1½'	1.20	10.00

Sedum		
stoloniferum. Crimson, July, Aug., 6"	per 10 1.20	per 100
stoloniferum coccineum. Crimson,	1.20	10.00
Aug., 6"	1.20	10.00
Sempervivum arachnoideum. Red, June, 4"	1.80	15.00
arenarium. Yellow, July, 6"	1.80	15.00
tectorum violaceum. Violet red, June, 4"	1.80	15.00
Senecio clivorum. Yellow, Aug., Sept., 18"	2.00	18.00
Sidalcea candida. White, July, Aug., 3'	1.20	10.00
Silene orientalis. Pink, July, 2'	1.20	10.00
schafta. Bright pink, July, 6"	1.20	10.00
Silphium perfoliatum. Yellow, July, 6'	1.20	10.00
Smilacina racemosa. White, April, 2-3'	1.20	10.00
Solidago canadensis. Yellow, Fall, 4-5'	1.20	10.00
rigida. Yellow, Fall, 3-4'	1.20	10.00
shorti. Yellow, Fall, 4'	2.00	18.00
Spirea aruncus. White, June, July, 3-5'	1.50	12.00
chinensis. Silvery pink, June, July, 2'	1.50	12.00
filipendula. Single, White, June, July, 1'	1.50	12.00
filipendula fl. pl. White, June, July, 1'	1.80	15.00
lobata. Pink, July, 4'	1.80	15.00
palmata. Rosy crimson, June, July, 2'	1.50	12.00
ulmaria fl. pl. White, June, 3-4'	1.50	12.00
Stachys lanata. Purple, June, July, 1½'	1.20	10.00
grandiflora superba. Rose, July, 2'	1.20	10.00
Statice. (See Limonium).		
Stellaria holostea. White, May, June, 1½'	1.20	10.00
Stenanthium robustum. White, August, 3'	2.00	
Stokesia laevis. Lavender, Aug., Sept., 1'	1.20	10.00
laevis alba. White, Aug., Sept., 1'	1.50	12.00
Teucrium chamaedrys. Rose, August, 1'	1.20	10.00
Thalictrum adiantifolium. Yellow, June, 9"	1.50	12.00
aquilegifolium. White, June, 3'	1.50	12.00
aquilegifolium purpureum. Purple,		
June, 3'	2.50	
baicalens. Yellow, June, 4'	1.50	12.00
dipterocarpum. Lilac, June, 4'	2.00	18.00
glaucum. Golden-yellow, June, 2'	1.80	15.00
Thermopsis caroliniana. Yellow, June, 6'	1.20	10.00
mollis. Yellow, June, July, 2-3'	1.20	10.00
Thymus serpyllum. White, June, 4"	1.20	10.00
serpyllum citriodorus. Purple, June,	1.00	40.00
July, 3-5"	1.20	10.00

Thymus		
II Consider Trans A"	per 10	
serpyllum coccineus. Scarlet, June, 4"	1.20	10.00
serpyllum lanuginosus. Rosy purple, June, July, 5"	1.20	10.00
vulgaris. Lilac, June, July, 2'	1.20	10.00
Tiarella cordifolia. Creamy white, June, 8"_	1.20	10.00
Tradescantia virginiana. Blue, all summer, 2'	1.20	10.00
Trillium grandiflorum. White, May, 1'	1.20	9.00
Tritoma. (See Kniphofia).	1.20	3.00
Trollius europeus.		
Citron yellow, all summer, 1'	3.50	
Tunica saxifraga. Light pink, June, July, 6"	1.20	10.00
Valeriana officinalis. Rose, June, July, 5'	1.50	12.00
officinalis alba. White, all summer, $5'_{}$	1.50	12.00
Verbascum olympicum. Yellow, July, Aug., 5'	1.50	12.00
Veronica alpestris. Pale blue, May, June, 3'	1.20	10.00
elegantissima. Blue, July, Aug., 2'	1.20	10.00
incana. Pale blue, July, Sept., 1½'	1.20	10.00
longifolia subsessilis. Blue, Aug.,		20.00
Sept., 2'	1.50	12.00
pectinata rosea. Pink, May, June, 6"	1.20	10.00
pulchella. Blue, May, 1'	1.20	10.00
rupestris. Blue, June, 6"	1.20	10.00
spicata. Blue, July, Aug., 4'	1.20	10.00
spuria. Blue, June, 3'	1.20	10.00
teucrium prostrata. Blue, June, 1'	1.20	10.00
virginica. Pale blue, August, 4'	1.20	10.00
Viola alba. White, May, 6"	1.20	10.00
cornuta Admiration. Purple, all summer, 6"	1.20	10.00
cornuta alba, type. White, all summer, 6"	1.20	10.00
cornuta atropurpurea, type. Purple, 6"	1.20	10.00
cornuta Blue Perfection. Blue, all sum-		40.00
mer, 6"	1.20	10.00
cornuta G. Wermig. Violet, all sum-	1 00	10.00
mer, 6"	1.20	10.00
cornuta Lutea Splendens. Yellow, all	1 20	10.00
summer, 6" Mauve all sum	1.20	10.00
mer, 6"	1.20	10.00
cornuta Papilio. Violet all summer 6"	1.20 $1.20$	10.00
cornuta White Perfection. White, all	1.20	10.00
summer, 6"	1.20	10.00

$\mathbf{v}$	i	0	1	a
•		v		-

v ioia		
	per 10	per 100
gracilis. Deep violet, summer, 1'	1.50	12.00
odorata. Blue, April, May, 6"	1.20	10.00
odorata Gov. Herrick. Blue, May, 6"	1.80	15.00
odorata Princess of Wales. Violet, May, 6"	1.80	15.00
wellsiana. Various, all summer, 6"	1.80	15.00
Yucca filamentosa. White, June, July, 7'		
2 year	1.20	10.00
3 year	1.80	15.00

# Hardy Ferns

	each	per 10	per 100
Adiantum pedatum. Maiden Hair Fern	.20	1.50	10.00
Asplenium Felix Faemina. Lady Fern	.20	1.50	10.00
Dennstedtia punctilobula. Hay-scented			
Fern	.20	1.50	10.00
Dryopteris spinulosum. Wood Fern	.20	1.50	10.00
Dryopteris thelypteris. Shield Fern	.20	1.50	10.00
Onoclea sensibilis. Sensitive Fern	.20	1.50	10.00
Onoclea Struthiopteris. Ostrich Fern	.20	1.50	10.00
Osmunda cinnamomea. Cinnamon Fern	.20	1.50	10.00
regalis. Royal Fern	.20	1.50	10.00
Polystichum acrostichoides. Christmas			
Fern	.20	1.50	10.00



